

311
TM 11-5821-250-35P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

mb 11-7-69
EMFO LIBRARY

DS, GS, AND DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL
TOOLS LIST

RECEIVER-TRANSMITTER RADIO
RT-698 ARC-102

EMFO LIBRARY



HEADQUARTERS, DEPARTMENT OF THE ARMY
JUNE 1969

TECHNICAL MANUAL

No. 11-5821-250-35P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., 13 June 1969DS, GS, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL
TOOLS LIST

RECEIVER-TRANSMITTER, RADIO RT-698/ARC-102

SECTION		Paragraph	Page
I.	INTRODUCTION		
	Scope	1	2
	General	2	2
	Explanation of columns	3	2
	Special information	4	3
	Location of repair parts	5	3
	Federal supply codes	6	3
	Index of publications	7	4
	Reporting of equipment manual improvements	8	4
II.	REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE.....		5
	Group I Receiver-Transmitter Subassembly (FSN-5821-845-6367).....		5
	Group II Oscillator, Radio Frequency		10
	Group III Translator, Intermediate Frequency		19
	Group IV Amplifier, Electronic Control		30
	Group V Stabilizer, Frequency		33
	Group VI Power Supply, Low Voltage		42
	Group VII Power Supply		45
	Group VIII Amplifier, Radio Frequency Power		49
	Group IX Stabilizer, Frequency		59
	Group X Amplifier, Audio Frequency		68
	Group XI Translator, Radio Frequency		76
	Group XII Frequency Divider		117
III.	FEDERAL STOCK NUMBER INDEX.....		119

s/s notice omitted (4/11/64)

SECTION I

INTRODUCTION

1. Scope

This manual contains a list of repair parts required for the performance of direct support, general support, and depot maintenance for Receiver-Transmitter, Radio RT-698/ARC-102.

2. General

This repair parts list is divided into principal sections.

a. Repair Parts List, Section II. This chart lists repair parts authorized for maintenance performance at direct support, general support, and depot levels.

b. Special Tools, Test, and Support Equipment List, Section III. This chart lists special tools, test, and support equipment authorized for the performance of maintenance at the direct support, general support, and depot maintenance levels.

c. Federal Stock Number Index, Section. An Index of FSN's to illustrations by figure and item number.

3. Explanation of Columns

The following is an explanation of the columns in section II.

a. Source, Maintenance, and Recoverability Codes, Column 1.

(1) *Source code, column 1a.* The selection status and source for the listed item is shown in the column. Source codes and their explanations are as follows:

Code	Explanation
P	Applies to repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.
X2	Applies to repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain such parts through cannibalization. If they are not obtainable through cannibalization, such repair parts will be requisitioned with supporting justification through normal supply channels.

(2) *Maintenance code, column 1b.* The lowest category of maintenance authorized to install the listed item is indicated in this column.

Code	Explanation
O	Organizational Maintenance
F	Direct Support Maintenance

(3) *Recoverability code, column 1c.* The information in this column indicates whether un-serviceable items should be returned for recovery or salvage. Recoverability codes are:

Code	Explanation
R	Applies to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.

Note

When there is no code indicated in the recoverability column, the part will be considered expendable.

b. Federal Stock Number, Column 2. The Federal stock number for the item is indicated in this column.

c. Description, Column 3. The Federal item name, a five-digit manufacturer's code, and a part number are included in this column.

d. Unit of Issue, Column 4. The unit used as a basis of issue (e.g. ea, pr, ft, yd, etc.) is noted in this column.

e. Quantity Incorporated in Unit Pack, Column 5. The actual quantity contained in the unit pack is indicated in this column.

f. Quantity Incorporated in Unit Pack, Column 6. The quantity of repair parts in an assembly is indicated in this column.

g. Maintenance Allowance

(1) The allowance columns are divided into subcolumns. The total quantity of items authorized for the number of equipments supported is indicated in each subcolumn. Items authorized for use as required but not for initial stockage are identified with an asterisk (*) in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

h. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes, Column 8. Opposite each item, the total quantity required for distribution and contingency planning purposes is indicated. The range of items indicates total quantities for all authorized items required to provide for adequate support of 100 equipments for one year.

i. Depot Maintenance Allowance Per 100 Equipments, Column 9. This column indicates the total quantity of each item authorized depot maintenance for 100 equipments.

j. Illustration, Column 10.

(1) *Figure number, column 10a.* The number of the illustration in which the item is shown.

(2) *Item or symbol number, column 10b.* The callout number used to reference the item in the illustration is indicated in this column.

4. Special Information

The following publication to Receiver-Transmitter, Radio RT-698/ARC-102 and its components:

5. Location of Repair Parts

a. When the Federal stock number is unknown, follow the procedure given in (1) through (4) below.

(1) Use the table of contents to locate the repair parts list.

(2) If the item or symbol is available, locate the item by scrutiny of column 8b of the repair parts list.

(3) If the item, symbol, or figure number is not known, check the description column (column 3) in the repair parts list to locate the part. The parts in this column are in alphabetical order.

(4) Locate the applicable illustration in TM 5821-248-12 and note the figure and item numbers. Use the repair parts listing and locate the figure number and item number as noted on the illustration.

b. When the Federal stock number is known, use the repair parts listing to find the repair part and the figure and item numbers as noted in the Federal stock number index.

6. Federal Supply Codes

This paragraph lists the Federal supply code and the associated manufacturer's name.

Code	Manufacturer
00123	SAGE ELECTRONICS CORP
00656	AEROVOX CORP
00853	SANGAMO ELECTRIC CO
01121	ALLEN BRADLEY CO
01281	PACIFIC SEMICONDUCTORS INC
02660	AMPHENOL-BORG
04221	AEMCO INC
04377	MOREY CORP
05244	COLLINS RADIO CO
05297	KEMET CO
05511	SPRAGUE
06743	CLEVITE CORP
06820	ITEK ELECTRO PROD
07047	ROSS MILTON CO
07933	RHEEM SEMICONDUCTOR CORP
09026	BABCOCK RELAYS INC
10646	CARBORUNDUM CO
12065	TRANSITRON ELECTRONIC CORP
14329	WELLS ELECTRONICS
14413	AUTOMATIC METAL PROD
15906	MINNEAPOLIS HONEYWELL CO
15909	DAVEN CO
16688	DEJUR AMSCO CORP
21585	PARR
25244	GLOBE UNION INC
40920	MINIATURE PRECISION
44655	OHMITE
60399	TORRINGTON
61775	GLOBE UNION INC
71102	BOSTON INSULATED WIRE
71468	CANNON
71575	COLUMBIA BROADCASTING SYSTEM INC
72136	ELECTRO MOTIVE MFG
72393	HUGHES AIRCRAFT
72982	ERIE RESISTOR CORP
74150	CTS CORP
75104	COLLINS CORP
76433	MILLEN JAMES MFG
76854	OAK MFG
77342	POTTER AND BRUMFIELD
77523	R B M MFG
78277	SIGMA INSTRUMENTS
78429	SPEER CARBON CO
78488	STACKPOLE
78947	UCINITE
80211	MOTOROLA INC
80294	BOURNS LABS INC
80368	SYLVANIA
80625	ROBERT SHAW FULTON CONTROLS CO
81249	MILITARY SPECIFICATIONS
81541	AIRPAX ELECT
81851	BENTLY HARRIS MFG
82877	ROTRON MFG
83827	RESISTORS INC
88063	COMMUNICATIONS COIL
88289	CURTISS-WRIGHT CORP
89291	SEAELECTRO CORP
90526	CLIPPARD INST LABS INC
90853	SANGAMO ELECTRIC CO
91504	COLLINS RADIO

<i>Code</i>	<i>Manufacturer</i>
91637	DALES ELECTRONICS INC
92054	RADIO CORES
92412	GENERAL ELECTRIC CO
94144	RAYTHEON CO
95088	TRANSONIC
95102	GENERAL ELECTRIC CO
95104	COLLINS RADIO
95248	RADIO CORPORATION OF AMERICA
95275	VITRAMON INC
95412	GENERAL ELECTRIC CO
96733	SAN FERNANDO ELECTRIC CO
96924	GRIBSBY CO INC
97965	CHICAGO STANDARD TRANSFORMER
98291	SEAELECTRO CORP
99000	SELEVAN ELEC

7. Index of Publications

a. Refer to the latest issue of DA Pam 310-4 to determine whether there are new editions,

changes, and additional publications pertaining to the equipment.

b. Refer to DA Pam 310-7 to determine whether there are Modification Work Orders (MWO's) pertaining to the equipment.

8. Reporting of Equipment Manual Improvements

Report of errors, omissions, and recommendations for improving this equipment manual is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-ME-NMP-AD, Fort Monmouth, New Jersey 07703.

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL	IND CD	(3) DESCRIPTION	UNIT OF ISS	IN UN PK	IN UN	DS			GS			(A)	(B)	ITEM OR SYMBOL NUMBER
									(A)	(B)	(C)	(A)	(B)	(C)			
P		5821-954-0853			RECEIVER-TRANSMITTER, RADIO RT-698/ ARC-102	EA	1										
GROUP I RECEIVER-TRANSMITTER SUBASSEMBLY																	
P		5820-065-0698			GASKET. AIR SEAL: 91504 NO. 546-6920-003	EA	1	1	*	2	*	*	2	*		138	
P					PANEL ASSEMBLY. METER: 95104 NO. 546-6936-004	EA		1	*	*	*	*	*	*	*	*	
P		5930-086-9021			SWITCH. ROTARY: 76854 NO. 102341A1	EA	1	1	*	2	*	*	2	*	*	123	
P		5935-283-1269			JACK. TELEPHONE: 81349 NO. JJ034	EA	1	1	*	2	*	*	2	*	*	58	
P		5935-192-4729			JACK. TELEPHONE: 81349 NO. JJ033	EA	1	1	*	2	*	*	2	*	*	58	
P					ATTENUATOR. VARIABLE: 01121 NO. 86295(L4A2-0084)	EA		2	*	2	*	*	2	*	*	8	
P		6625-061-3602			AMMETER: 16688 NO. RDC59-7028D	EA	1	1	*	*	*	*	*	*	*	53	
P		5355-338-6979			KNOB: 95104 NO. 506-6101-002	EA	1	1	*	2	*	*	2	*	*	54	
P					RESISTOR. ASSEMBLY: 95104 NO. 546-6888-002	EA		1	*	*	*	*	*	*	*	*	
P		5905-377-6736			RESISTOR. FIXED FILM: 81349 NO. RN6081002F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	2	2	*	2	*	2	812	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	C	B	C	(2) FEDERAL STOCK NUMBER		(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK		(7) 30 DAY MAINT. ALW.					(8) 1 YR. ALW. PER 100 EQUIP. DEPT. MAINT. 100 EQUIP.	(10) ILLUSTRATIONS	
				MODEL	ND CD					D5	(A)	(B)	(C)	GS		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
P	F			5905-702-0541		RESISTOR, FIXED FILM: 81349 NO. RN60R2742F	EA	1	1	1	*	2	*	2	*	83	R3
P	F			5905-655-3982		RESISTOR, FIXED FILM: 81349 NO. RN65R1333F	EA	1	1	1	*	2	*	2	*	83	R2
P	F			5905-192-0667		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF224J	EA	10	1	1	*	2	*	2	*	83	R1
P	F			5905-279-1686		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC320GF560K	EA	10	1	1	*	2	*	2	*	83	R13
P	F			5905-195-6806		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF102J	EA	10	1	1	*	*	*	*	*	8	R12
P	F			5905-190-8889		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF101J	EA	10	1	1	*	*	*	*	*	8	R11
P	F			5905-279-2545		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC32GF301J	EA	10	4	4	*	2	2	2	2	2712	R5 THRU R8
P	F			5905-681-9970		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF822K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 9)	EA	1	1	1	*	2	2	2	2	827	R20
X2F						BRACKET, ASSEMBLY: 95104 NO. 546-6964-003	EA	1	1	1	*	*	*	*	*	5	
P	F			5910-812-4135		FILTER, RADIO INTERFERENCE: 95104 NO. 241-0276-00 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 51)	EA	1	3	3	*	5	4	5	4	13100	C2 THRU C4
P	F			5950-814-1608		COIL, RADIO FREQUENCY: 76487 NO. J301-1500	EA	1	1	1	*	2	*	*	*	84	L1
P	F			5910-823-1068		CAPACITOR, FIXED: 81349 NO. CK62AW472M	EA	1	2	2	*	2	2	2	2	139	C1-C10
P	F			5910-811-3477		CAPACITOR, FIXED, GLASS DIELECTRIC: 95275 NO. V112-113013V200J (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	2	2	*	2	2	2	2	139	C8-C9
P	F			5910-952-1938		CAPACITOR, FIXED: 05571 NO. 33C2	EA	1	1	1	*	2	2	2	2	820	C12

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(7)				(8)	(10)		
SOURCE CD	FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN	30 DAY MAINT. ALW.				QTY INC IN UN PK	FIGURE NUMBER	ITEM OR SYMBOL NUMBER	
							DS		GS					
MAINT CD	CD	CD	CD	CD	CD	CD	(A)	(B)	(C)	(A)	(B)	(C)	CD	CD
		123456					1-20	21-50	51-100	1-20	21-50	51-100		
			(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 9)											
P F	5961-815-8452		SEMI CONDUCTOR DEVICE. DIODE: 81349 NO. 1N39B	EA	1	2	*	2	2	*	2	2	108	CR1.CR2
P F	5930-959-5847		SWITCH. TOGGLE:	EA	1	1	*	2	*	*	2	*	123	S2
P F			CABLE. ASSEMBLY. RADIO FREQUENCY: 95104 NO. 546-6899-002	EA	1	1	*	*	*	*	*	*	16	
P F	4140-855-6560		FAN. VANEAXIAL: 82877 NO. A016150-3	EA	1	1	*	*	*	*	*	*	3	B1
P F	5935-861-4641		CONNECTOR. RECEPTACLE. ELECTRICAL: 14413 NO. 01771	EA	1	1	*	2	*	*	2	*	83	J3
P F	5910-649-5010		CAPACITOR. FIXED: 00853 NO. S0B1K03474M	EA	1	1	*	2	*	*	2	*	83	C6
P F	5910-342-7365		CAPACITOR. FIXED: 05571 NO. D27150	EA	1	1	*	2	*	*	2	*	83	C7
P F	5935-149-3483		CONNECTOR. RECEPTACLE. ELECTRICAL: 81349 NO. UG-58A/U	EA	1	1	*	2	*	*	2	*	83	J4
P F	5935-081-1236		CONNECTOR. RECEPTACLE. ELECTRICAL: 02660 NO. 29700	EA	1	4	*	2	2	*	2	2	2712	J5 THRU J8
P F	5935-201-9222		CONNECTOR. RECEPTACLE. ELECTRICAL: 81349 NO. UG-1050A/U CJ16. J18 THRU J20. J25. J26. J29 THRU J31. J34 THRU J39)	EA	1	15	*	3	3	*	3	3	6545	SEE DESC.
P F	5945-809-7161		RELAY. ARMATURE: 04221 NO. 45A4273	EA	1	1	*	2	*	*	2	*	123	K1
P F	5945-879-9457		RELAY. ARMATURE: 77523 NO. 28010-2	EA	1	3	*	2	2	*	2	2	279	K2 THRU K4
P F	5945-809-7163		RELAY. ARMATURE: 77342 NO. KR2703-2	EA	1	1	*	2	*	*	2	*	123	K5
P F	5915-812-8721		RELAY. ARMATURE: 78277 NO. 90581	EA	1	1	*	2	*	*	2	*	125	K6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK				(6) 30 DAY MAINT. ALLOW.				(7) ILLUSTRATIONS		(8) ITEM OR SYMBOL NUMBER
				(A)	(B)	(C)	(D)	(A)	(B)	(C)	(D)	(A)	(B)	
(9) REMARKS	(10) MODEL CD	(11) GNI	(12) CN	(13) QTY INC IN UN PK	(14) QTY INC IN UN PK	(15) QTY INC IN UN PK	(16) QTY INC IN UN PK	(17) QTY INC IN UN PK	(18) QTY INC IN UN PK	(19) QTY INC IN UN PK	(20) QTY INC IN UN PK	(21) QTY INC IN UN PK	(22) QTY INC IN UN PK	(23) QTY INC IN UN PK
P F	5945-615-3211	RELAY, ARMATURE: 88269 NO. 115-30XH00F	EA	1	1	1	1	1	1	1	1	1	1	K7
P F	5950-050-6792	TRANSFORMER, POWER: 88063 NO. 76-0034-14	EA	1	1	1	1	1	1	1	1	1	1	T1
P F	5950-050-6791	REACTOR: 95088 NO. TS3724	EA	1	1	1	1	1	1	1	1	1	1	L2
P F	5950-021-9497	COIL, RADIO FREQUENCY: 88083 NO. MP206-198	EA	1	1	1	1	1	1	1	1	1	1	L3
X2F		WIRING HARNESS 95104 NO. 546-6967-005	EA	1	1	1	1	1	1	1	1	1	1	P40
P F	5935-060-8066	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DPE60-34P	EA	1	1	1	1	1	1	1	1	1	1	J12, J14, J15
P F	5935-011-1381	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DBMF13W3S	EA	1	1	1	1	1	1	1	1	1	1	SEE DESC.
P F	5935-951-6370	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DBMF25S J17, J21, J28, J33	EA	1	1	1	1	1	1	1	1	1	1	J24, J32
P F	5935-050-5653	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DCMF37S	EA	1	1	1	1	1	1	1	1	1	1	J9
P F	5935-990-3806	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DAMF15S	EA	1	1	1	1	1	1	1	1	1	1	J11, J12
P F	5935-060-9529	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DEMF9S	EA	1	1	1	1	1	1	1	1	1	1	J10
P F	5935-059-9988	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DAMF3W3S	EA	1	1	1	1	1	1	1	1	1	1	
P F	6145-012-5034	CABLE, RADIO FREQUENCY: 81349 NO. RG-1788/U (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 70 FT)	FT	BLK	28	28	28	28	28	28	28	28	28	
P F	4130-060-2966	FILTER, AIR CONDITION: 21505 NO. 51270	EA	1	1	1	1	1	1	1	1	1	1	515
P F	6145-161-0913	CABLE, RADIO FREQUENCY: 81349 NO. RG-62A/U	EA	BLK	1	1	1	1	1	1	1	1	1	273

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
SOURCE CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL 123456789	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.					(8) QTY INC IN UNIT	(9) QTY INC IN UNIT	(10) ILLUSTRATIONS	
								DS		GS		(C) 51-100			(B) 21-50	(A) 1-20
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20					
P	F	6145-823-2544		CABLE. RADIO FREQUENCY: 81349 NO. RG-142/U	EA 8LM	3	*	2	6	*	2	6	539			
P	F	5905-195-5524		RESISTOR. FIXED. COMPOSITION: 81349 NO. RC42GF182J	EA 1	1	*	2	*	*	2	*	83		R21	
P	F	5945-810-5482		RELAY. ARMATURE: 95412 NO. 3SAF1329	EA 1	1	*	*	*	*	*	*	125		K9	
P	F	5905-080-4917		RESISTOR. FIXED: 05511 NO. 243E9021	EA 1	2	*	2	*	*	2	*	136		R18, R19	
P	F	5905-279-3502		RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF123J	EA 10	1	*	2	*	*	2	*	83		R16	
P	F	5910-852-8795		CAPACITOR. FIXED: 05571 NO. 1090436X0100T2	EA 1	1	*	2	2	*	2	2	89		C5	
P	F	5945-810-5982		RELAY. ARMATURE: 92412 NO. 3S2791G210F320	EA 1	1	*	2	*	*	2	*	123		K8	
P	F	5910-844-6782		CAPACITOR. FIXED. CERAMIC: 81349 NO. CL2580040UP3	EA 1	1	*	2	2	2	*	2	89		C11	
P	F	5995-985-7888		CABLE ASSEMBLY. RADIO FREQUENCY: 95104 NO. 546-7321-002	EA 1	2	*	2	*	*	2	*	276			
P	F	5935-149-4066		CONNECTOR. PLUG. ELECTRICAL: 81349 NO. UG-88E/U	EA 1	2	*	2	2	*	2	2	1312			
P	F	5910-686-7757		CAPACITOR. FIXED: 05571 NO. 41C92	EA 1	2	*	2	2	*	2	2	1315		C20, C21	
P	F	5910-846-5673		CAPACITOR. FIXED: 72982 NO. 825013XG0104P	EA 1	2	*	2	2	*	2	2	1318		C16 THRU C19	
P	F	5945-965-9798		RELAY. ARMATURE: 78277 NO. 95225	EA 1	1	*	2	*	*	2	*	123		K10	
P	F	5961-087-6047		SEMI CONDUCTOR DEVICE: 81349 NO. 1N645	EA 1	2	*	2	3	*	2	3	1030		CR3, CR5	
P	F	5960-985-4900		SEMI CONDUCTOR DEVICE. DIODE: 81349 NO. 1N647	EA 1	1	*	*	2	*	*	2	53		CR4	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(3)										(4)										(5)										(6)										(7)										(8)										(9)										(10)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
SOURCE CD										(2) FEDERAL STOCK NUMBER										MODEL 1234567891011121314151617181920										DESCRIPTION										UNIT OF ISSUE										QTY INC IN UN PK										QTY INC IN UNIT										30 DAY MAINT. ALW. DS										GS										1 YR. ALW PER 100 EQUIP. CNIGCY PL										ILLUSTRATIONS (A) FIGURE NUMBER (B) ITEM OR SYMBOL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
P	F	R																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE														
(3) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN	(7) 30 DAY MAINT. ALW.						(8) PER 100 EQUIP. PL	(9) PER 100 EQUIP. PL	(10) ILLUSTRATIONS
						DS			GS					
REC. CODE	MODEL	IND CD	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)
	123456													
P F	5950-960-7337	COIL, RADIO FREQUENCY: 76467 NO. J301-1100	EA	1	1	*	2	*	*	*	2	83		L8
P F	5950-796-3120	COIL, RADIO FREQUENCY: 76467 NO. J301-2000 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 12)	EA	1	2	*	3	*	2	3	1330			L7, L10
P F	5950-807-3425	COIL, RADIO FREQUENCY: 76467 NO. J303-10	EA	1	2	*	2	*	2	2	136			L6, L9
P F	5915-848-7966	FILTER, RADIO, INTERFERENCE: 01121 NO. SMF82 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	*	2	2	56			FL1
P F	5961-836-0376	TRANSISTOR: 81349 NO. 2N703 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 9)	EA	1	6	*	2	*	2	2	3318			Q4 THRU Q9
P F	5935-737-1547	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DEM9P (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	*	2	2	86			P1
P F	5821-019-6293	SCREW, ASSEMBLY: 95104 NO. 549-0931-003 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 36)	EA	1	4	*	2	*	2	2	1035			
X2F		WIRING HARNESS: 95104 NO. 549-1678-004	EA	1	1	*	*	*	*	*	*	5		
P F	5935-059-9987	CONNECTOR, RECEPTACLE: 71468 NO. DAM3W3P	EA	1	1	*	2	*	*	*	2	83		P2
P F	5821-019-6291	OSCILLATOR, RADIO FREQUENCY: 95104 NO. 549-1680-004	EA	1	1	*	*	*	*	*	*	43		
P F	5905-681-6462	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF102K	EA	1	3	*	2	*	3	*	2	3	1820	
X2F		CHASSIS, ELECTRICAL EQUIPMENT: 95104 NO. 549-1686-005	EA	1	1	*	*	*	*	*	*	*		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CODE	FEDERAL STOCK NUMBER	MODEL NUMBER	DESCRIPTION	UNIT OF ISSUE	(6)				(7)				(8)	(9)	(10)	
					QTY IN PK	QTY IN UN	QTY INC IN PK	QTY INC IN UN	(A)	(B)	(C)	(D)			(A)	(B)
									05-1-2	00-1-15	1-20	05-1-2			FIGURE NUMBER	ITEM OR SYMBOL NUMBER
P	5935-061-1363		JACK, TIP: NU. SKT41H40 98291	EA	1	1	1	1	*	*	*	*	2			J2
P	5935-080-9292		JACK, TIP: NU. SKT41ORN 98291 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	1	*	2	*	*	3			J3
P	5935-080-9293		JACK, TIP: NU. SKT41VEL 98291 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	1	*	2	*	*	3			J4
P	5935-951-4054		JACK, TIP: NU. SKT41ARN 98291 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	1	*	2	*	*	3			J1
P	5905-723-5251		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF22K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 12)	EA	10	1	1	1	*	2	*	2	1820			R36
P	5905-686-3798		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF272K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 10)	EA	1	3	1	1	*	2	*	2	1820			R25, R30, R44
P	5905-681-9969		RESISTOR, FIXED, COMPOSITION, OR: 81349 NU. RC07GF332K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	2	1	1	*	2	*	2	1318			R30, R44
P	5905-682-4098		RESISTOR, FIXED, COMPOSITION, OR: 81349 NU. RC07GF392K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 11)	EA	1	3	1	1	*	2	*	2	1825			R30, R44, R24
P	5905-686-9998		RESISTOR, FIXED, COMPOSITION, OR: 81349 NU. RC07GF472K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 22) (R30, R44, R26, R27, R31, R38, R44, R45)	EA	1	10	1	1	*	7	14	*	4630			SEE DESC.
P	5905-691-0195		RESISTOR, FIXED, COMPOSITION, OR: 81349 NU. RC07GF562K	EA	1	2	1	1	*	2	*	2	1325			R30, R44

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															
SOURCE CD	(2) FEDERAL STOCK NUMBER	MODEL 123456 IND CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) DEPOT MAINT. PL. PER 100 EQUIP.	(10) ILLUSTRATIONS	
							DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
							(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			
P F	5905-681-9970		(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 11) RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF822K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	2	*	*	*	*	*	13		R30.R44	
P F	5905-683-2238		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF103K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 47) (R30, R44, R23, R28, R32, R34, R35, R37, R42)	EA	1	9	*	3	6	*	3	6 4090		SEE DESC.	
P F	5905-726-4413		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF123K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 12)	EA	1	2	*	2	3	*	2	3 1330		R30.R44	
P F	5905-681-8818		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF153K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 8)	EA	1	2	*	2	3	*	2	3 1324		R30.R44	
P F	5905-687-0000		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF183K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 15)	EA	1	2	*	2	3	*	2	3 1330		R30.R44	
P F	5905-687-0002		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF223K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 18)	EA	1	2	*	2	3	*	2	3 1330		R30.R44	
P F	5905-686-3838		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF273K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA	1	2	*	2	3	*	2	3 1320		R30.R44	
P F	5905-686-3903		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF333K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	2	*	2	2	*	2	2 1312		R30.R44	
P F	5905-686-3358		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF393K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 15)	EA	1	2	*	2	2	*	2	2 1315		R30.R44	
CONTINUED															

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE			CONTINUED											
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)		(6)		(7) 30 DAY MAINT. ALW.				(8) EQUIP. MAINT. 100 PER 1000 EQUIP.	(11) ILLUSTRATIONS	
				QTY INC IN UN PK	QTY INC IN UNIT	DS	GS	DS	GS	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER			
P	F 5905-683-2246	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF473K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	2	*	2	2	*	2	2	1315		R30,R44
P	F 5905-681-8853	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF683K	EA	10	2	*	2	2	*	2	2	136		R30,R44
P	F 5905-686-3356	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF823K	EA	1	2	*	2	2	*	2	2	136		R30,R44
P	F 5905-686-3129	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF104K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	2	*	2	2	*	2	2	1318		R30,R44
P	F 5910-755-0010	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM06F152J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	2	86		C24
P	F 5910-686-6126	CAPACITOR, FIXED: 72915 NO. DM15F510J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 12)	EA	1	1	*	2	2	*	2	4	824		C13
P	F 5910-957-8579	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM06F122J03	EA	1	1	*	2	2	*	2	2	86		C19
P	F 5910-790-3789	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM06F222J03	EA	1	1	*	*	2	*	*	2	83		C28
P	F 5910-964-5757	CAPACITOR, FIXED, CERAMIC DIELECTRIC: 00656 NO. MC80V222AM	EA	1	1	*	*	2	*	*	2	83		C18
P	F 5910-660-7496	CAPACITOR, FIXED: 00656 NO. MC80V502AM	EA	1	3	*	2	2	*	2	2	1812		C15,C16,C26
P	F 5910-809-6480	CAPACITOR, FIXED, MICA DIELECTRIC: 72915 NO. DM15E102J00W	EA	1	2	*	2	2	*	2	2	136		C17,C27
P	F 5910-685-9692	CAPACITOR, FIXED: 00656 NO. MC80V103AM (AUTHORIZED ALLOWANCES BASED ON A TOTAL	EA	1	2	*	2	2	*	2	2	1312		C21,C35

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
SOURCE CD	MAINT. CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL CD 123456	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.					(10) ILLUSTRATIONS		
									DS			GS		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
									(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100	(8) 1-100 PER CENT P 100 EQUIP.	(9) 1-100 PER CENT P 100 EQUIP.
P	F		5910-752-4545		OF 3) CAPACITOR, FIXED: NO. MC80V203AM (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) C23, C30 THRU C32	EA	1	4	*	2	2	*	2	2	2715	SEE DESC.
P	F		5910-812-7276		CAPACITOR, FIXED: NO. 5C10A (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 11)	EA	1	1	*	2	3	*	2	3	830	C40
P	F		5910-702-0726		CAPACITOR, FIXED, MICA DIELECTRIC: NO. DM15C050J01 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6) C14, C20, C25, C29	EA	10	4	*	2	2	*	2	2	2718	SEE DESC.
P	F		5910-578-1984		CAPACITOR, FIXED, MICA DIELECTRIC: NO. DM15C100J01 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 16)	EA	1	4	*	2	4	*	2	4	2740	C14, C20, C 25, C29
P	F				CAPACITOR, FIXED, MICA DIELECTRIC, OR.: NO. DM15C120J01 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA		4	*	2	2	*	2	2	2718	C14, C20, C 25, C29
P	F		5910-894-0421		CAPACITOR, FIXED, MICA DIELECTRIC: NO. DM15C150J01 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 9)	EA	1	4	*	2	3	*	2	3	2725	C14, C20, C 25, C29
P	F		5910-543-0741		CAPACITOR, FIXED, MICA DIELECTRIC: NO. DM15C180J01 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 9)	EA	1	4	*	2	3	*	2	3	2725	C14, C20, C 25, C29
P	F		5910-723-5267		CAPACITOR, FIXED, MICA DIELECTRIC, OR.: NO. CM05E200J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 13)	EA	1	4	*	2	3	*	2	3	2730	C14, C20, C 25, C29
P	F		5910-824-8035		CAPACITOR, FIXED, MICA DIELECTRIC, OR.: NO. CM05E270J03	EA	1	4	*	2	2	*	2	2	2714	C14, C20, C 25, C29

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(6)	(7)					(8)	(9)	(10)	
SOURCE CD	(2) FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	QTY IN UN PK	QTY INC IN UNIT	(A)	(B)	(C)	30 DAY MAINT. ALLOW.			1 YR. ALW. PER 100 EQUIP.	DEF. PER 100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
										DS	GS					
		1123456	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)													
P	F		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E330J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA		4	*	2	2	*	2	2	2	2714		C14.C20.C25.C29
P	F	5910-844-4638	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E390J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA	1	4	*	2	2	*	2	2	2	2714		C14.C20.C25.C29
P	F	5910-827-7476	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E470J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA	1	4	*	2	2	*	2	2	2	2714		C14.C20.C25.C29
P	F	5910-825-5288	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E60J01 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2	2712		C14.C20.C25.C29
P	F	5910-352-9883	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E680J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2	2712		C14.C20.C25.C29
P	F	5910-378-1976	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E820J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	4	*	2	2	*	2	2	2	2713		C14.C20.C25.C29
P	F	5910-892-7961	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E101J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA	1	4	*	2	2	*	2	2	2	2724		C14.C20.C25.C29
P	F	5910-660-4982	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E121J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2	2715		C14.C20.C25.C29
P	F	5910-726-3212	CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F151J03	EA	1	4	*	2	2	*	2	2	2	2712		C14.C20.C25.C29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE					(3)	(7)					(8)	(9)	(10)		
SOURCE CD	MAINT CD	FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK			30 DAY MAINT. ALW.			1 YR. ALW PER 100 EQUIP.	FIGURE NUMBER	ITEM OR SYMBOL NUMBER	
						INC	IN	UN	DS	(A)	(B)				(C)
			123456												
P	F	5910-577-1194		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F181J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29
P	F	5910-652-9692		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F221J03	EA	1	4	*	2	2	*	2	2	2712	C14.C20.C 25.C29
P	F	5910-638-3166		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F271G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	4	*	2	2	*	2	2	2716	C14.C20.C 25.C29
P	F	5910-604-7562		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F33KJ03	EA	1	4	*	2	2	*	2	2	2712	C14.C20.C 25.C29
P	F	5910-020-2499		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F391J03	EA	1	4	*	2	2	*	2	2	2712	C14.C20.C 25.C29
P	F	5910-087-0117		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 72915 NO. DM15F471J03	EA	1	4	*	2	2	*	2	2	2712	C14.C20.C 25.C29
P	F	5910-686-6126		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 72915 NO. DM15F510J03	EA	1	4	*	2	2	*	2	2	2712	C14.C20.C 25.C29
P	F	5910-823-1296		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F220J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 10)	EA	1	4	*	2	2	3	*	2	2725	C14.C20.C 25.C29
P	F	5910-957-8578		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E240J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29
P	F	5910-958-4175		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E430J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA	1	4	*	2	2	*	2	2	2717	C14.C20.C 25.C29
P	F	5910-837-6687		CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E510J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29
P	F			CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05E620J03	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29
					CONTINUED										

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															
SOURCE CD	FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	(4) QTY INC IN UN PK	(5) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) 1 PER 100 EQUIP. 1 CENTRAL PL 1 DEPOT MAINT. 100 EQUIP.	(10) ILLUSTRATIONS	
							DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
							(A)	(B)	(C)	(A)	(B)	(C)			
P	F	5910-614-0419	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E750J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29	
P	F	5910-725-7426	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F910J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29	
P	F	5910-825-3067	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F11J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29	
P	F	5910-824-8038	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F13J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29	
P	F	5910-825-3066	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F161J03	EA	1	4	*	2	2	*	2	2	2712	C14.C20.C 25.C29	
P	F	5910-723-3700	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F201J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29	
P	F	5910-611-5143	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6) CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F301J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2716	C14.C20.C 25.C29	
P	F	5910-964-7276	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC. OR.: 81349 NO. CM05F361J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	4	*	2	2	*	2	2	2715	C14.C20.C 25.C29	
P	F	5910-806-6033	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC: 72915 NO. DM15F431J03	EA	1	4	*	2	2	*	2	2	2712	C14.C20.C 25.C29	
P	F	5910-080-7561	(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5) CAPACITOR, FIXED, MICA DIELECTRIC: 72915 NO. DM19F252J03	EA	1	1	*	*	2	*	*	2	83	C33	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	FEDERAL STOCK NUMBER	MODEL NO	DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(9) DEPOT MAINT. ALW PER 100 EQUIP.	(10) ILLUSTRATIONS	
						(A)	(B)	(C)	(A)	(B)	(C)		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
P	FR5821-751-9471	123456	GROUP III TRANSLATOR, INTERMEDIATE FREQUENCY	EA	1	1	1	1	1	1	1	3		
P	FR5821-019-6293		SCREW ASSEMBLY: 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	4	*	*	*	*	*	10		
P	FR		IF. TRANSLATOR: 95104 NO. 549-0276-004	EA	1	*	*	*	*	*	*			
P	FR5999-019-6230		PRINTED CIRCUIT BOARD: 95104 NO. 549-0275-004	EA	1	*	*	*	*	*	*	4		
P	FR5910-542-7373		CAPACITOR, FIXED: 05397 NO. K2R2J20S (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	1	2	2	*	2	2	816		C1
P	FR5910-578-5758		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F121G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	2	*	2	*	2	2	1312		C3.C7
P	FR5910-680-4017		CAPACITOR, FIXED: 72915 NO. UM20F502G300WV	EA	1	1	*	*	*	*	2	83		C4
P	FR5910-950-0778		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NO. CC22CH240J	EA	1	1	*	*	*	*	2	83		C6
P	FR5910-754-8606		CAPACITOR, FIXED: 72915 NO. DM20F102J500WV (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	*	2	2	86		C8
P	FR5910-834-8193		CAPACITOR, VARIABLE: 95104 NO. 546-6482-002 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	2	*	2	2	89		C9
P	FR5910-668-5580		CAPACITOR, VARIABLE: 72982 NO. 557051U2P034K	EA	1	1	*	2	*	2	2	89		

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)											
SOURCE CD	(B)	(C)	REC. CODE	(2)	FEDERAL STOCK NUMBER	MODEL	IN CD	NO	(3)	DESCRIPTION	(4)	(5)	(6)	(7)			(8)	(9)	ILLUSTRATIONS		
														30 DAY MAINT. ALW.					(A)	FIGURE NUMBER	(B)
										QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK			
P	F				5910-087-2961					(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	4	*	2	2	2	2	2	2712	C10 THRU C12, C15
P	F				5910-037-4313					CAPACITOR, FIXED: 05571 NU. H1290	EA	1	1	*	2	2	2	2	86	C83	
P	F				5910-709-2024					CAPACITOR, FIXED ELECTROLYTIC: 05397 NU. K220J108	EA	1	1	*	2	2	2	2	816	C14	
P	F				5910-044-6782					(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	2	2	8	C19	
P	F				5910-080-6462					CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NU. CM05F391G03	EA	1	1	*	2	2	2	2	817	C75	
P	F				5905-377-1785					(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	1	*	2	2	2	2	83	R3	
P	F				5905-061-7148					CAPACITOR, FIXED, CERAMIC DIELECTRIC: 00656 NU. C80V103RM	EA	1	1	*	2	2	2	2	136	R8, R10	
P	F				5905-081-0944					(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA	1	1	*	2	2	2	2	133	R9	
P	F				5905-002-6730					RESISTOR, FIXED FILM: 81349 NU. RN60B6610F	EA	1	1	*	2	2	2	2	825	R11	
P	F				5905-686-3369					RESISTOR, FIXED: 91637 NU. RS15250R0H	EA	1	1	*	2	2	2	2	86	R12	
P	F				5905-079-3503					RESISTOR, VARIABLE: 91637 NU. 399-150-15	EA	1	1	*	2	2	2	2	815	R13	
										CONTINUED											

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	MAIN CD	FEDERAL STOCK NUMBER	(2)	MODEL	ND CD	(3)	DESCRIPTION	UNIT OF ISS	INC IN UN PK	INC IN UN UNIT	DS				GS				(A)	(B)	ITEM OR SYMBOL NUMBER
											(A)	(B)	(C)	(D)	(A)	(B)	(C)	(D)			
P F	5905-279-2616						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	10	1	*	2	2	*	2	2	2	2	815	R14	
							RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF153K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)														
P F	5905-171-2004						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)	EA	10	1	*	2	2	*	2	2	2	2	820	R15	
							RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF223K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7)														
P F	5905-192-3981						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	10	1	*	2	2	*	2	2	2	2	86	R16	
							RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF152K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)														
P F	5905-254-9201						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	2	2	*	2	2	2	2	812	R17	
							RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF473K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)														
P F	5950-055-2782						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	2	*	2	2	*	2	2	2	2	1312	L1.L10	
							COIL, RADIO, FREQUENCY: 99800 NO. 3715-53 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)														
P F	5950-061-2255						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	2	2	*	2	2	2	2	89	L2	
							TRANSFORMER, RF: NO. 37-583 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)														
P F	5961-617-8864						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	*	*	*	*	*	*	2	53	CR1	
							SEMI CONDUCTOR DEVICE, DIODE: 07933 NO. M04501														
P F	5950-009-0743						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	*	*	*	*	*	*	2	3	T1	
							TRANSFORMER, IF: NO. 35-292														
P F	5935-008-6134						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	*	*	*	*	*	*	2	2	J3	
							JACK, TIP: 78947 NO. 119437F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)														
P F	5935-083-1882						(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	*	*	*	*	*	*	*	82	J4	
							JACK, TIP: 78947 NO. 119437H														

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE														
SOURCE CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL 123456	(3) DESCRIPTION	(4) UNIT OF ISSUE	(7) 30 DAY MAINT. ALW.						(8) 1 YR. ALW. PER 100 EQUIP. 100 EQUIP. MAINT. CNGCY PL.	(10) ILLUSTRATIONS	
						DS		GS		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER			
						(A) 1-20	(B) 21-50	(A) 1-20	(B) 21-50					
P	F	5905-192-0667		(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3) RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF224K	EA	10	1	*	*	2	*	2	163	R6
P	F	6145-655-2167		CABLE RADIO FREQUENCY: NU. RG-196/U (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 19 FT)	FT	BLK	1	*	*				76	
P	F	5821-606-8528		IF TRANSLATOR: 95104 NU. 549-0279-005	EA	1	1	*	*	*	*	*	8	
P	F	5910-755-9291		CAPACITOR, FIXED: 05397 NU. K1J355 (FOR AUTHORIZED ALLOWANCE SEE GROUP II)	EA	1	1	*	*	*	*	*	8	C23
P	F	5910-611-2807		CAPACITOR, FIXED: 05571 NU. 150D225X9035B2	EA	1	1	*	*	2	*	2	83	C54
P	F	5910-809-8669		CAPACITOR, FIXED: 05397 NU. K15J20S (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 19)	EA	1	1	*	2	3	*	2	830	C33
P	F	5910-725-7421		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NU. CM05F221F03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	3	*	2	3	*	2	1820	C36, C39, C41
P	F	5910-068-2575		CAPACITOR, FIXED: 72915 NU. DM20F102K500WV (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	2	*	2	2	*	2	139	C44, C45
P	F	5910-686-6126		CAPACITOR, FIXED: 72915 NU. DM15F510J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	13	C42, C43
P	F	5910-083-0838		CAPACITOR, FIXED: 05571 NU. 5C11A (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 13)	EA	1	5	*	2	3	*	2	2726	C22, C35, C40, C71, C7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																							
		(2)		(3)				(4)		(5)		(7)					(8)		(9)		(10)		
SOURCE CD		FEDERAL STOCK NUMBER		MODEL		DESCRIPTION		UNIT OF ISSUE		QTY IN IN UN PK		30 DAY MAINT. ALW.		DS			GS			FIGURE NUMBER		ITEM OR SYMBOL NUMBER	
REC. CODE				123456										(A)		(B)		(C)		(A)		(B)	
P	F	5910-660-7430					CAPACITOR, FIXED: 05571 NO. 55C23A2 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 32)	EA	1	3	*	3	6	*	3	6	1850					C34.C37.C38	
P	F	5905-577-6743					RESISTOR, FIXED FILM: 81349 NO. RN70B1003F	EA	1	1	*	*	*	*	2	*	83					R39	
P	F	5905-686-3798					RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF272K (AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8					R30	
P	F	5905-691-0195					RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF562K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13					R31.R35	
P	F	5905-683-2238					RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8					R29	
P	F	5905-687-0000					RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF183K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8					R19	
P	F	5905-195-6800					RESISTOR, FIXED COMPOSITION 81349 NO. RC20GF561K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	10	1	*	2	2	*	2	2	812					R33.R34	
P	F	5905-195-6806					RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF102K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	10	2	*	2	2	*	2	2	1315					R21.R37	
P	F	5905-279-1876					RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF222K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 17)	EA	10	2	*	2	4	*	2	4	1338					R18.R27	
P	F	5905-185-8510					RESISTOR, FIXED COMPOSITION 81349 NO. RC20GF103K	EA	10	1	*	2	3	*	2	3	825					R20	
P	F	5905-279-1757					RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF152J (AUTHORIZED ALLOWANCES BASED AN A TOTAL	EA	10	1	*	2	2	*	2	2	86					R26	
																CONTINUED							

CONTINUED

REF AIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(A) SOURCE CD	(B) MAINT. CD	(C) REC. CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(7) 30 DAY MAINT. ALLOW.								(8) TER. ALW. PER EQUIP.	(9) TER. ALW. PER EQUIP.	(10) ILLUSTRATIONS			
						DS				GS									
						(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER		
P	F		5905-279-3500	OF 2) RESISTOR, FIXED COMPOSITION 81349 NO. R320GF183K	EA	10	1	*	2	2	*	2	2	2	815		R24		
P	F		5905-279-1878	RESISTOR, FIXED COMPOSITION: 81349 NO. RC20GF243J	EA	10	1	*	*	*	2	*	*	2	83		R28		
P	F		5905-686-9998	RESISTOR, FIXED COMPOSITION: 81349 NO. RC07GF472K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	8		R25		
P	F		5950-076-3903	COIL ASSEMBLY, VARIABLE: NO. 35-294	EA	1	1	*	*	*	2	*	*	2	83		L5		
P	F		5950-681-1548	TRANSFORMER, INTERMEDIATE FREQUENCY: 81851 NO. X153-4	EA	1	1	*	*	*	2	*	*	2	83		T2		
P	F		5950-796-3120	COIL, RADIO FREQUENCY: 76433 NO. J301-2000 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	2	*	*	*	*	*	*	*	13		L3.L6		
P	F		5961-826-7794	SEMI CONDUCTOR DEVICE, DIODE: 06743 NO. CTP563	EA	1	1	*	*	*	2	*	*	2	83		CR5A.CR5B		
P	F		5961-807-8299	SEMI CONDUCTOR DEVICE, DIODE: 80368 NO. 1N34AS (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 8)	EA	1	2	*	*	3	*	2	3	1324		CR3.CR4			
P	F		5961-617-4342	TRANSISTOR: 81349 NO. 2N274 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 8)	EA	1	4	*	2	3	*	2	3	2724		Q2 THRU Q5			
P	F		5960-831-2886	TRANSISTOR: 81349 NO. 2N542	EA	1	1	*	*	*	*	*	*	*	82		Q6		
P	F		5935-061-7744	JACK, TIP: 78947 NO. 1194378 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	*	2	*	*	2	4		J2			
P	F		5934-851-7465	JACK, TIP: 78947 NO. 119437D (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	*	2	*	*	2	4		J1			

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	MAIN CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL NUMBER 123456	(3) DESCRIPTION	UNIT OF MEASURE	IN UNIT		(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
							IN PK	UN								
P	P		5999-019-6232		OF 5) PRINTED CIRCUIT BOARD: 95104 NO. 549-0278-004	EA	1	1	*	*	*	*	*	*		
P	P		5905-683-7723		RESISTOR, FIXED, COMPOSITION 81349 NO. RC07GF153K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	2	2	*	2	*	R43	
P	P		5905-682-4098		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF392K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	R48	
X2F					WIRING HARNESS: 95104 NO. 546-6670-00	EA	1	1	*	*	*	*	*	*		
P	P		5910-637-4313		CAPACITOR, FIXED, ELECTROLYTIC: NO. K220J105	EA	1	1	*	*	*	*	*	*	C82	
P	P		5910-852-8795		CAPACITOR, FIXED: 05571 NO. 109D436XU100T2 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	K	*	*	*	*	*	*	C81	
P	P		5915-846-0452		FILTER, BAND-PASS: 95164 NO. 526-9377-00	EA	1	1	*	*	*	*	*	*	FL1	
P	P		5915-846-0453		FILTER, BAND-PASS: 95164 NO. 526-9376-00	EA	1	1	*	*	*	*	*	*	FL2	
P	P		5945-851-8889		RELAY, ARMATURE: 95412 NO. 3S279168239DT25C	EA	1	1	*	*	*	*	*	*	K2	
P	P		5905-686-3369		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF331K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	R46	
P	P		5960-608-0503		SEMI CONDUCTOR, DEVICE, DIODE: 72393 NO. HD2160	EA	1	1	*	*	*	*	*	*	CR6	
P	P		5905-279-3503		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF682K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	R38	
P	P		5910-811-4788		CAPACITOR, FIXED: 05571 NO. 33C41	EA	1	11	*	2	4	*	2	4		SEE DESC.

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																	
SOURCE CD	CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL NO. CD 123456	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)		(7) 30 DAY MAINT. ALW.						(8) ALW. PER EQUIP. CONDUCT. PER 100 EQUIP. DEPOT MAINT. 100 EQUIP.	(10) ILLUSTRATIONS	
							QTY INC IN UN PK	QTY INC IN UNIT	(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
P	F		5910-725-7428		(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 15) (C16 THRU C18, C46 THRU C50, C67 THRU C68)	EA	1	4	*	2	3	*	2	3	2725	C24, C26, C30, C31	
P	F		5910-666-7974		CAPACITOR, FIXED, MICA DIELECTRIC 81349 NO. CM05F910G03	EA	1	4	*	2	4	*	2	4	2735	C25, C27, C29, C32	
P	F		5910-883-0838		CAPACITOR, VARIABLE: 72982 NO. 557018U2P034R (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 17)	EA	1	2	*	*	*	*	*	*	13	C5, C51	
P	F		6145-655-2167		CABLE RADIO, FREQUENCY: NO. RG-1788/U	EA	BLK	2	*	*	*	*	*	*	33		
P	F		5935-685-9913		CONNECTOR, RECEPTACLE, ELECTRICAL: NO. UG-1051/U (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 15)	EA	1	3	*	2	2	*	2	2	1815	P1 THRU P3	
P	F		5910-084-2343		IF TRANSLATOR: 95104 NO. 549-1282-003	EA	1	1	*	*	*	*	*	*	*		
P	F		5999-019-6229		PRINTED CIRCUIT BOARD: 95104 NO. 549-0281-003	EA	1	1	*	*	*	*	*	*	3		
P	F		5910-752-4270		CAPACITOR, FIXED 05397 NO. K22J15S AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3	EA	1	1	*	2	2	*	2	2	89	C72	
P	F		5910-809-8669		CAPACITOR, FIXED: 05397 NO. K15J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8	C20	
P	F		5950-855-2762		COIL, RADIO FREQUENCY: 99800 NO. 3715-53 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8	L9	
P	F		5961-087-6047		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. IN645 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	*	*	*	*	*	*	8	CR7	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(7)						(8)	(9)		(10)	
SOURCE CD	MAINT. CODE	(2) FEDERAL STOCK NUMBER	MODEL NO.	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN PK	DS			GS			PER 100 EQUIP. ALW. PER 100 EQUIP. MAINT. CATEGORY PL.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
								(A)	(B)	(C)	(A)	(B)	(C)				
P	F	5905-702-1765	123456	RESISTOR, FIXED, FILM: 81349 NO. RN60B3162F	EA	1	1	1	*	2	*	2	*	2	83	R47	
P	F	5905-857-1994		RESISTOR, FIXED, FILM: 81349 NO. RN60B4642F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	*	2	*	2	*	2	86	R4	
P	F	5950-755-8586		COIL, RADIO FREQUENCY: 99000 NO. 3715-49	EA	1	1	1	*	2	*	2	*	2	83	L11	
P	F	6145-655-2167		CABLE, RADIO, FREQUENCY: 81349 NO. RG-178B/U (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	BLK	9	*	*	*	*	*	*	130			
P	F	5910-984-7588		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CMU5F101G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	1	*	2	*	2	*	2	815	C2	
P	F	5910-846-5673		CAPACITOR, FIXED: 72982 NO. 825013X5G0104P (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	1	*	*	*	*	*	*	8	C21	
P	F	5950-812-4443		COIL, RADIO FREQUENCY: NO. 22-155 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 13)	EA	1	1	1	*	2	3	*	2	3	830	L8	
P	F	5905-834-1708		RESISTOR, FIXED: 01121 NO. EB56G5	EA	1	1	1	*	*	2	*	*	2	83	R44	
P	F	5905-808-6135		RESISTOR, FIXED, COMPOSITION, OR: 81349 NO. RC07GF270J (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	10	1	1	*	2	2	*	2	2	86	R2	
P	F	5905-810-5641		RESISTOR, FIXED, COMPOSITION, OR: 81349 NO. RC07GF330K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	*	2	2	*	2	2	86	R2	
P	F	5905-820-9124	81	REISTOR, FIXED, COMPOSITION, OR: NO. RC07GF390K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	*	2	2	*	2	2	86	R2	
CONTINUED																	

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															(10)	
(3) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN UNIT	(7) 30 DAY MAINT. ALW.						(8) DEFECT MAINT. ALW PER 100 EQUIP.	(9) DEFECT MAINT. ALW PER 100 EQUIP.	(10) ILLUSTRATIONS		
						DS			GS					(A)	(B)	(C)
						(A)	(B)	(C)	(A)	(B)	(C)					
		MODEL NO CD 123456														
P	5905-802-6730	OF 2) RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8				R2
P	5905-682-4106	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF560K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	2	2	*	2	2	85				R2
P	5905-683-2235	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF680K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	2	86				R2
P	5905-686-3121	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF820K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	2	2	*	2	2	815				R2
P	5905-683-7721	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF101K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	2	2	*	2	2	812				R2
P	5905-982-5503	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF121K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	2	2	*	2	2	89				R2
P	5905-683-2243	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF151K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	2	2	*	2	2	815				R2
P	5905-808-6135	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF270J (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8				R5
P	5905-810-5641	RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF330K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8				R5
P	5905-820-9124	RESISTOR, FIXED, COMPOSITION, OR 81349 NO. RC07GF39K	EA	1	1	*	*	*	*	*	*	8				R5
CONTINUED																

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(3)			(4)			(5)			(7)			(8)	(9)	(10)	
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL 1234567890	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN UNIT	(A)	(B)	(C)	30 DAY MAINT. ALW.			1 YR. ALW. PER 100 EQUIP.	DEPOT MAINT. ALW. PER 100 EQUIP.	FIGURE NUMBER	ITEM OR SYMBOL NUMBER							
												DS	GS	GS											
P	F		5905-602-6730		(FOR AUTHORIZED ALLOWANCES SEE GROUP III) RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	51-100	21-50	51-100	*	*	R5								
P	F		5905-682-4106		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF560K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	R5								
P	F		5905-683-2235		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF680K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	R5								
P	F		5905-686-3121		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF820K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	R5								
P	F		5905-683-7721		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	R5								
P	F		5905-681-8818		RESISTOR, FIXED, COMPOSITION, OR: 81349 NO. RC07GF153K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	R45								
P	F		5905-687-0000		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF183K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	R45								
P	F		5905-687-0002		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF223K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	R45								
P	F		5905-686-3838		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF273K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	R45								
P	F		5905-686-3903		RESISTOR, FIXED, COMPOSITION, OR.: 81349 NO. RC07GF333K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	R45								
P	F		5905-686-3358		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF393K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	R45								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SOURCE CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK		(7) 30 DAY MAINT. ALW.						(10) ILLUSTRATIONS	
						DS		GS		(C)		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
						(A)	(B)	(A)	(B)	(A)	(B)		
P	5905-681-6462	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	1	*	1	*	R1	1
P	5905-681-9970	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF822K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-683-2238	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-726-4413	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF123K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-681-8818	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF153K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-752-3186	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF183K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-687-0000	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF183K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-686-3368	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF203J	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-687-0002	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF223K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	1	*	1	*	R42	1
P	5905-721-0597	RESISTOR, FIXED, COMPOSITION, OR.1 81349 NO. RC07GF243J	EA	1	1	1	*	1	*	1	*	R42	1
GROUP IV AMPLIFIER, ELECTRONIC CONTROL													
P	FR5821-045-8334	AMPLIFIER, ELECTRONIC CONTROL:	EA	1	1	1	*	1	*	1	*	1A6	1
P	FR5821-028-2522	AMPLIFIER SUBASSEMBLY: 95104 NO. 546-6215-004	EA	1	1	1	*	1	*	1	*		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)						
SOURCE CD	MAIN CODE	REC. CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN	(7) 30 DAY MAINT. ALW.						(8) PER 100 EQUIP. PLANT MAINT. PER 100 EQUIP.	(9) ILLUSTRATIONS	
								DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			
P F				PRINTER. CIRCUIT BOARD: 95104 NO. 546-6214-004	EA	1	1	*	*	*	*	*	*			
P F			5910-830-6353	CAPACITOR. FIXED: 05571 NO. 150D473X0035A2 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	2	2	*	2	2		C1	
P F			5910-685-9692	CAPACITOR. FIXED: 00656 NO. MC80V103AM (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*		C2	
P F			5910-742-7493	CAPACITOR. FIXED: 05571 NO. 150D406X0001B2	EA	1	4	*	2	2	*	2	2		C3.C4.C6.C7	
P F			5910-809-8669	CAPACITOR. FIXED: 05397 NO. K15J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*		C5.C8	
P F			5910-834-8493	CAPACITOR. FIXED: 05397 NO. K47J35S (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	2	*	2	2	*	2	2		C9.C10	
P F			5910-954-1913	CAPACITOR. FIXED: 05571 NO. S97897	EA	1	2	*	2	2	*	2	2		C11.C12	
P F			5961-064-1124	SEMI CONDUCTOR DEVICE. DIODE: 01281 NO. PS6903	EA	1	2	*	2	2	*	2	2		CR1.CR2	
P F			5961-783-5652	TRANSISTOR: 81349 NO. 2N651 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	4	*	2	2	*	2	2		Q1 THRU Q4	
P F			5905-857-1994	RESISTOR. FIXED. FILM: 81349 NO. RM60R4642F (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*		R1	
P F			5905-279-3505	81349 NO. RC20GF392J	EA	10	1	*	*	2	*	*	2		R2	
P F			5905-279-2616	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF153K	EA	10	1	*	*	*	*	*	*		R3	
CONTINUED																

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																			
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) DEPOT MAINT. ALLOW. PER 100 EQUIP. CNTRY PL	(9) ILLUSTRATIONS				
								DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER			
								(A)	(B)	(C)	(A)	(B)	(C)						
P	F		5905-279-3502	(FOR AUTHORIZED ALLOWANCES SEE GROUP III) RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF123K	EA	10	3	*	2	*	2	*	2	189		R5,R11,R13			
P	F		5905-252-5434	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF121J	EA	1	1	*	2	*	2	*	2	83		R6			
P	F		5905-185-8510	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8		R7			
P	F		5905-279-3506	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF332K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	10	1	*	2	*	2	*	2	812		R8			
P	F		5905-279-3513	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF221K	EA	10	1	*	*	*	2	*	2	83		R14			
P	F		5905-279-1876	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF222K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	2	*	*	*	*	*	*	13		R15,R16			
P	F		5905-279-1880	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF272K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	2	*	2	*	2	812		R17			
P	F		5905-299-1971	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF222K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	*	2	*	2	86		R18			
P	F		5905-190-8883	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF100K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	3	*	2	*	2	*	2	1812		R21,R23,R24			
P	F		5905-279-1723	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC32GF222K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	10	1	*	2	*	2	*	2	812		R22			
P	F		5905-729-7690	RESISTORS, FIXED: 83827 NO. 747-5132-00.	EA	1	1	*	*	*	2	*	*	83		R25			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE					(3)	(7)										(8)	(9)	(10)	
SOURCE CD	(2) FEDERAL STOCK NUMBER	MODEL IND CD 1123456	DESCRIPTION	UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	30 DAY MAINT. ALW.									(8) PER 100 PER CENTAGE PL. EQUIP.	(9) ALW PER 100 EQUIP.	(10) ILLUSTRATIONS	
							DS			GS			1 YR. ALW DEPOT MAINT.					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
							(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)		
P F	5905-027-0724		RESISTOR, THERMAL; 10646 NU. 763F2	EA	1	1	*	*	2	*	*	2	*	*	2	83	RT1		
P F	5934-854-7465		JACK, TIP; 78947 NO. 119437D (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	*		J1		
P F	5935-061-7744		JACK, TIP; 78947 NO. 119437B (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	*		J2		
P F	5905-279-3506		RESISTOR, FIXED; COMPOSITION; 81349 NU. RC20GF332J	EA	10	1	*	*	2	*	*	2	*	*	2	83	R10		
P F	5945-083-0687		CHOPPER, ELECTRODE; 81541 NO. 302-28	EA	1	1	*	*	2	*	*	2	*	*	2	53	G1		
P F	5935-737-1547		CONNECTOR, RECEPTACLE, ELECTRICAL; 71468 NO. DEM9P (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	*	8	P1		
P F	5960-892-3801		TRANSISTOR; 81349 NO. 2N457A	EA	1	3	*	*	2	*	*	2	*	*	2	186	Q5 THRU Q7		
P F	5905-081-7350		RESISTOR, FIXED, WIRE WOUND; 81349 NO. RW67V560	EA	1	2	*	2	2	*	2	2	*	2	2	136	R19, R20		
P F	5905-473-5251		RESISTOR, FIXED, COMPOSITION; 81349 NU. RC32GF102K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	2	*	2	2	*	2	2	*	2	2	1315	R9, R26		
P F	5821-019-6293		SCREW ASSEMBLY; 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	*	*	*	*	10			
GROUP V STABILIZER FREQUENCY																			
P	FR5821-751-9473		STABILIZER, FREQUENCY; 95104 NO. 528-0112-005	EA	1	1	1	1	1	1	1	1	1	1	1	3	1A4		
X2F			PLATE ELECTRICAL SHIELD; 95104 NO. 546-6704-002	EA		1	*	*	*	*	*	*	*	*	*				

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE					(3)	(2)				(1)				(10)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
SOURCE CD	MAINT CD	REC CODE	FEDERAL STOCK NUMBER	MODEL	IND CD	DESCRIPTION	UNIT OF ISSUE	(4)	(5)	QTY INC IN UN PK	(7)						(8)	(9)	ILLUSTRATIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
											30 DAY MAINT. ALW.			(A)	(B)	(C)			(D)	(E)	(F)	(A)	(B)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)				(O)	(P)						(Q)	(R)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
P	F		5910-812-4135			FILTR. RADIO, INTERFERENCE; 95104 NO. 241-0276-00 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																			
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY IN PK	(6) QTY IN UN	(7) 30 DAY MAINT. ALLOW.						(8) PER 100 EQUIP.	(9) PER 100 EQUIP.	(10) ILLUSTRATIONS		
									DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
									(A)	(B)	(C)	(A)	(B)	(C)					
				123456															
P	F		5905-686-9998		(FOR AUTHORIZED ALLOWANCES SEE GROUP II) RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	*	27		R5,R6,R11 .R12		
P	F		5905-686-9995		RESISTOR, FIXED, COMPOSITION 81349 NO. RC07GF154K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	10	2	*	2	*	2	*	2	139		R7,R10		
P	F		5950-081-2204		COIL, RADIO FREQUENCY: NO. 22-222	EA	1	1	*	*	*	2	*	2	86		L1		
P	F		5950-812-4443		COIL, RADIO FREQUENCY: NO. 22-155 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	13		L4,L5		
P	F		5950-060-8090		COIL, RADIO FREQUENCY: 88063 NO. X191-1 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	2	*	2	*	2	89		L2		
P	F		5950-060-8092		COIL, RADIO FREQUENCY: 88063 NO. X194-1 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	*	2	*	2	86		L3		
P	F		5950-081-2205		COIL, RADIO FREQUENCY: NO. 22-104 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	1	*	2	*	2	*	2	818		L6		
P	F		5910-378-5758		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F121G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8		C8		
P	F		5910-702-0726		CAPACITOR, FIXED: 72915 NO. DM15C050J1 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	10	1	*	*	*	*	*	*	8		C7		
P	F		5910-806-0650		CAPACITOR, FIXED: 72915 NO. DM15F510G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	2	*	2	*	2	89		C3		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE					(3)	(4)	(5)	(7)					(8)	(9)	(10)			
SOURCE CD	MAINT CD	REF. CODE	(2) FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	QTY IN PK	INC IN UNIT	QTY IN UNIT	30 DAY MAINT. ALW.					1 YR ALW. EQUIP.	100 EQUIP. MAINT.	ILLUSTRATIONS	
										(A)	(B)	(C)	(A)	(B)			(C)	(A)
P	F		5910-543-0741	123456	CAPACITOR, FIXED: 72915 NO. DM15C180J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	21-50	51-100	51-100	8		C1	
P	F		5910-617-4365		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F201G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	*	*	2	2	2	812		C6	
P	F		5910-578-1976		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E820J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8		C10	
P	F		5910-080-4019		CAPACITOR, FIXED: 00656 NO. C80V503RM (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 37) (C2,C5,C11,C13,C14,C16)	EA	1	6	*	*	*	3	6	3	6	3360	SEE DESC.	
P	F		5910-965-9441		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM06F102G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	*	*	2	2	2	89		C9	
P	F		5910-828-9918		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E470G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 9)	EA	1	1	*	*	*	2	3	3	820		C12	
P	F		5910-892-7961		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F101J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8		C4	
P	F		5935-812-6115		JACK, TIP: 78947 NO. 119437E (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	*	*	*	*	2		J5	
P	F		5935-061-7744		JACK, TIP: 78947 NO. 119437B (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*		J2	
P	F		5931-851-7165		JACK, TIP: 78947 NO. 119437D (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*		J1	
P	F		5961-809-1870		TRANSISTOR: 81349 NO. 2N1285	EA	1	4	*	*	*	2	3	3	2728		Q1 THRU Q4	
CONTINUED																		

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															(10)			
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL 123456789	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN UNIT	(7) 30 DAY MAINT. ALW.						(8) DEPOT MAINT. PER 100 EQUIP.	(9) ALW PER 100 EQUIP.	(10)	
									DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
									(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100				
P	F		5910-377-1194		(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 28) CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F181J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8		C15	
P	F		5910-838-3166		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F271G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8		C17	
P	F		6145-655-2167		CABLE, RADIO FREQUENCY: NO. RG-196/U (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	FT BLK			*	*	*	*	*	*				
P	FR				REFERENCE MIXER: 95104 NO. 546-6757-004	EA	1	1	*	*	*	*	*	*			C76.C77	
P	P	F	5910-809-8669		CAPACITOR, FIXED: 05397 NO. K15J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	10			
P	P	F	5950-812-4443		COIL, RADIO FREQUENCY: NO. 22-155 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8		L16	
P	P	F	5950-081-2205		COIL, RADIO FREQUENCY: NO. 22-104 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	8		L18	
P	P	F	5950-060-8092		COIL, RADIO FREQUENCY: 88063 NO. X191-1 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	8		L17	
P	P	F	5961-609-1870		TRANSISTOR: 81349 NO. 2N1285 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	2	*	*	*	*	*	*	13		Q14.Q15	
P	P	F	5905-682-4107		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF151K	EA	1	1	*	*	2	*	*	*	83		R66	
P	P	F	5905-686-9998		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF472K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8		R67	
P	P	F	5905-683-2238		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K	EA	1	4	*	*	*	*	*	*	27		R68.R71.R73.R74	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(3)			(7)			(8)	(9)	(10)	
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL 123456	DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	30 DAY MAINT. ALLOW.						(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER				
								(A) 1-20	(B) 21-50	(C) 51-100	(D) 1-20	(E) 21-50	(F) 51-100						
P	F		5905-486-9995		(FOR AUTHORIZED ALLOWANCES SEE GROUP II) RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF134K (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	FA	10	1	*	*	*	*	*	*	*	8	R72		
P	F		5910-578-5758		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F121G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	8	C78	
P	F		5910-964-7276		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F361J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	8	C82	
P	F		5910-955-0010		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM06F152J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	FA	1	1	*	*	*	*	*	*	*	*	8	C83	
P	F		5910-080-4019		CAPACITOR, FIXED: 00656 NO. C80V503RM (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	3	*	*	*	*	*	*	*	*	18	C75.C81.C84	
P	F		5999-019-6236		PRINTED CIRCUIT BOARD: 95104 NO. 546-6756-004	EA	1	1	*	*	2	*	*	*	2	*	3		
P	F		5905-486-3838		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF273K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	8	R69	
P	F		5910-725-7421		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F221G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	8	C79	
P	F		59821-813-7422		AMPLIFIER, INTERMEDIATE FREQUENCY: 95104 NO. 546-6761-004	EA	1	1	*	*	*	*	*	*	*	*	5		
P	F		5999-019-6237		PRINTED CIRCUIT BOARD: 95104 NO. 546-6760-004	EA	1	1	*	*	*	*	*	*	*	*	3		
P	F		5910-080-6462		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 00656 NO. C80V103RM (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	3	*	*	*	*	*	*	*	*	18	C100 THRU C102	
P	F		5950-812-4443		COIL, RADIO FREQUENCY: NO. 22-122 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	3	*	*	*	*	*	*	*	*	18	L20.L22	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE													(10)			
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(9) DEPT MAINT. PL. PER 100 EQUIP. 1 YR. ALW. 100 EQUIP.	(11) ILLUSTRATIONS	
								DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			
P F			5961-809-1870	TRANSISTOR: 81349 NO. 2N1285 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	4	*	*	*	*	*	27		Q16 THRU Q19	
P F			5950-060-8090	COIL, RADIO FREQUENCY: 88063 NO. X191-1 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	8		L19	
P F			5961-811-0768	SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N3064	EA	1	2	*	2	2	2	2	1012		CR9,CR10	
P F			5905-688-3738	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF182K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 9)	EA	1	4	*	2	3	3	2	2725		R77,R78,R83,R84	
P F			5905-682-4098	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF392K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	8		R31	
P F			5905-686-9998	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF472K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	8		R82	
P F			5905-726-4413	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF123K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	8		R85	
P F			5905-681-9969	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF332K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	8		R87	
P F			5905-686-9996	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF821K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	2	*	2	2	2	2	136		R80,R86	
P F			5905-615-7339	RESISTOR, FIXED, FILM: 81349 NO. RN60B2152F	EA	1	2	*	2	2	2	2	136		R89,R90	
P F			5905-069-3919	RESISTOR, FIXED FILM: 81349 NO. RN60B1692F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	2	*	2	2	2	2	1318		R91,R92	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE												
(3)		(2)		(1)		(7)		(6)	(5)	(4)	(3)	(10)
DESCRIPTION		FEDERAL STOCK NUMBER		MODEL NUMBER		30 DAY MAINT. ALLOW.		QTY INC IN UN PK	QTY INC IN UN PK	UNIT OF ISSUE		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
SOURCE CD	MAINT CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(8) QTY INC IN UN PK	(9) QTY INC IN UN PK	(10) ILLUSTRATIONS	
							DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
REC. CODE	MODEL CD	1	2	3	4	5	6	7	8	9	10	11	12	13		
P	F	5935-811-1382	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DEM1W3P (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	1	2	2	2	2	2	2	2	89	P1
P	F	5915-849-8825	FILTER, BAND PASS: 06820 NO. 4189A	EA	1	1	1	2	2	2	2	2	2	2	53	FL2
P	F	5915-846-0450	FILTER BAND-PASS MECHANICAL 95104 NO. 526-9410-00	EA	1	1	1	2	2	2	2	2	2	2	53	FL1
P	F	5910-666-7974	CAPACITOR VARIABLE 72982 NO. 5501802P034R FOR AUTHORIZED ALLOWANCES SEE GROUP 3	EA	1	4	1	2	2	2	2	2	2	2	27	C18,C19
P	F	5910-812-7276	CAPACITOR, FIXED 05573 NO. 5C10A FOR AUTHORIZED ALLOWANCES SEE GROUP 2	EA	1	1	1	2	2	2	2	2	2	2	8	C116
P	F	5910-660-7430	CAPACITOR, FIXED 05573 NO. 55C23A2 FOR AUTHORIZED ALLOWANCES SEE GROUP 3	EA	1	7	1	2	2	2	2	2	2	2	33	C115,C117 -C122
P	F	5910-952-7046	CAPACITOR, FIXED, MICA DIELECTRIC 81349 NO. CM05E560G03	EA	1	1	1	2	2	2	2	2	2	2	83	C20
P	F	6145-655-2167	CABLE RADIO FREQUENCY RG-1788/U 81349 FOR AUTHORIZED ALLOWANCES SEE GROUP 1	EA	BLK	12	1	2	2	2	2	2	2	2	164	
P	F	5905-687-0002	RESISTOR, FIXED, COMPOSITION 81349 NO. KC07GF223K FOR AUTHORIZED ALLOWANCES SEE GROUP 2	EA	1	2	1	2	2	2	2	2	2	2	13	R75,R76
P	F	5821-019-6293	SCREW, ASSEMBLY: 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	1	2	2	2	2	2	2	2	10	
P	F	6145-045-5004	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-2	FT	BLK		1	2	2	2	2	2	2	2	4	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE														
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY IN UN PK	(6) QTY IN UN PK	(7) 30 DAY MAINT. ALW.						(8) PER 100 EQUIP.	(10) ILLUSTRATIONS	
						DS		CS		1 YR. ALW. PER 100 EQUIP.			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
						(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			
P	6145-045-5006	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-1	FT BLK			*	*	2	*	*	2	4		
P	6145-050-6723	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-0	FT BLK			*	*	2	*	*	2	4		
P	6145-045-5007	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-3	FT BLK			*	*	2	*	*	2	4		
P	6145-060-7316	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-4	FT BLK			*	*	2	*	*	2	4		
P	6145-060-7317	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-5	FT BLK			*	*	2	*	*	2	4		
P	6145-060-7318	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-6	FT BLK			*	*	2	*	*	2	4		
P	6145-046-4568	CABLE, RADIO FREQUENCY: 71102 NO. B3009CG29-8	FT BLK			*	*	2	*	*	2	4		
P	6145-612-5034	CABLE, RADIO FREQUENCY: NO. RG-1788/U	FT BLK			*	*	2	*	*	2	4		
GROUP VI POWER SUPPLY, LOW VOLTAGE														
X2F		CHASSIS, ELECTRICAL EQUIPMENT: 95104 NO. 546-6669-004	EA	1	1	*	*	*	*	*	*	5		J3
P	5935-615-6734	JACK, TIP: 98291 NO. SKT58CORN	EA	1	1	*	*	2	*	*	2	5		
P	5935-806-2688	JACK, TIP: 98291 NO. SKT58CORN	EA	1	1	*	*	2	*	*	2	5		J1
P	5935-808-9550	JACK, TIP: 98291 NO. SKT58CORN	EA	1	1	*	*	2	*	*	2	5		J2
P		POWER, SUPPLY, SUBASSEMBLY: 95104 NO. 546-6651-00	EA		1	*	*	*	*	*	*			
P	5961-686-8534	TRANSISTOR: 01349 NO. 2N670	EA	1	1	*	*	*	*	*	*	83		Q1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT,
AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE						(3)	(7)										(8)	(9)	(10)	
(3) SOURCE CD	(3) MAINT. CD	(3) RCG CODE	(2) FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN	30 DAY MAINT. ALW.						(C) 51-100	(B) 21-50	(A) 1-20	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
									DS		GS		ALW							PER 100 EQUIP.
				1123456	IND				(A)	(B)	(C)	(A)	(B)	(C)						
P	F		5960-842-6181		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N3018A	EA	1	1	*	*	*	*	*	*	53		CR1			
P	F		5905-809-6366		RESISTOR, FIXED: 91637 NO. RS2BR1500H	EA	1	2	*	2	2	*	2	2	137		R1,R10			
P	F		5905-252-4018		RESISTOR, FIXED, COMPOSITION 81249 NO. RC20GF470K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	2	2	*	2	2	87		R9			
P	F		5905-683-2238		RESISTOR, FIXED, COMPOSITION 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8		R20			
P	FR				RESISTOR, ASSEMBLY: 95104 NO. 546-6656-002	EA		1	*	*	*	*	*	*	8					
P	F		5905-279-3418		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC42GF390J	EA	1	1	*	*	2	*	*	2	85		R2			
P	F		5905-279-1879		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF270K	EA	10	2	*	2	2	*	2	2	1310		R3,R4			
P	F		5905-279-1880		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF272K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1	*	*	*	*	*	*	8		R17			
P	F		5905-195-6791		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF681K	EA	10	1	*	2	2	*	2	2	810		R16			
P	FR				POWER SUPPLY SUBASSEMBLY: 95104 NO. 546-7324-003	EA		1	*	*	*	*	*	*	*					
P	F		5905-171-1999		RESISTOR, FIXED, COMPOSITION 81349 NO. RC20GF821K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	10	1	*	*	2	*	*	2	85		R13			
P	F		5905-195-6791		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF681K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	10	1	*	*	*	*	*	*	8		R14			
P	F		5961-833-7100		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N2621A	EA	1	1	*	*	*	*	*	*	53		CR2			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																	(10)	
(3)	(2)	(3)	(4)	(5)	(6)	(7)						(8)	(9)		(10)			
						30 DAY MAINT. ALLOW.			QTY INC IN UNIT	QTY INC IN UNIT	ILLUSTRATIONS		FIGURE NUMBER	ITEM OR SYMBOL NUMBER				
MODEL	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UNIT	QTY INC IN UNIT	DS	GS	DS				GS			DS	GS	DS	GS
P	F	5305-021-8606	SCREW, CAPTIVE: 95104 NU. 549-0932-003	EA	1	4	*	2	*	*	2	*	2	278				
P	F	5910-080-4137	CAPACITOR, FIXED: 05571 NU. 029613	EA	1	1	*	*	*	2	*	*	2	85	C1A.C1B			
P	F	5910-080-1732	CAPACITOR, FIXED: 05571 NU. 40D196A2	EA	1	1	*	*	*	2	*	*	2	85	C2			
P	F	5910-831-8493	CAPACITOR, FIXED, ELECTROLYTIC: 05397 NU. K47J35S (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1	*	*	*	*	*	*	*	19	C3			
P	F	5935-061-1369	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NU. 0AM15P	EA	1	1	*	*	*	2	*	*	2	85	P1			
P	F	5961-713-6813	SEMI CONDUCTOR, DEVICE, DIODE: 81349 NU. 1N1492 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 17)	EA	1	1	*	2	*	3	2	*	3	534	CR3			
P	F	5950-809-4535	REACTOR 97905 NU. 28145	EA	1	1	*	*	*	*	*	*	*	55	L1			
P	F	5961-819-3318	TRANSISTOR: 81349 NU. 2N458A	EA	1	1	*	*	*	*	*	*	*	83	Q2			
P	F	5905-825-1977	RESISTOR, VARIABLE: 80294 NU. 224L1-101	EA	1	1	*	*	*	2	*	*	2	135	R5			
P	F	5905-850-0248	RESISTOR, FIXED: 91637 NU. RS5-150R0G	EA	1	1	*	*	*	2	*	*	2	85	R6			
P	F	5905-811-9398	RESISTOR, FIXED, WIRE WOUND: 81349 NU. RW30V400	EA	1	1	*	*	*	2	*	*	2	85	R8			
P	F	5905-195-6761	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF104K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 8)	EA	10	1	*	2	*	2	*	2	2	816	R11			
P	F	5905-682-1250	RESISTOR, VARIABLE: 80294 NU. 224L1-501	EA	1	1	*	*	*	2	*	*	2	134	R15			
P	F	5905-683-2238	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF103K	EA	1	1	*	*	*	*	*	*	*	8	R21			
																	CONTINUED	

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)						
SOURCE CD	MAIN CODE	(2) FEDERAL STOCK NUMBER	MODEL 123456	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(8) QTY INC IN UN PK	(9) QTY INC IN UN PK	(10) ILLUSTRATIONS	
							DS		GS		1 YR. ALW.				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
P	F	5905-299-1541		(FOR AUTHORIZED ALLOWANCES SEE GROUP II) RESISTOR, FIXED, COMPOSITION: 81349 NO. KC20GF151K	EA	10	1	*	*	2	*	*	2	85.4		R19
P	F	5961-081-7446		SEMI CONDUCTOR, DEVICE, DIODE: 95104 NO. 548-9375-003	EA	1	1	*	*	*	*	*	*	53		
P	F	5961-752-5240		TRANSISTOR: 81349 NO. 2N1131	EA	1	1	*	*	*	*	*	*	83		Q3
P	F	5961-088-2938		TRANSISTOR: 12065 NO. ST4265	EA	1	1	*	*	*	*	*	*	83		Q5
GROUP VII POWER SUPPLY																
P	F	5821-019-6293		SCREW ASSEMBLY: 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	*	10		
X2F				WIRING HARNESS: 95104 NO. 546-6597-00	EA		1	*	*	*	*	*	*	5		
P	F	5935-775-0949		CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DCM37P (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	2	85		P1
P	F	5820-952-6029		POWER SUPPLY SUBASSEMBLY: 95104 NO. 546-6606-002	EA	1	1	*	*	*	*	*	*			
P	F	5961-713-6813		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N1492 (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	8	*	*	*	*	*	*	27		CR6-CR13
P	F	5910-686-6430		CAPACITOR, FIXED: 05571 NO. P/N 40C286A (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 17)	EA	1	8	*	2	3	*	2	3	4030		C9-C16
P	F	5820-952-7064		POWER SUPPLY SUBASSEMBLY: 95104 NO. 546-6631-003	EA	1	1	*	*	*	*	*	*			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(3) SOURCE CD	(4) MAINT CD	(5) RC CODE	(6) FEDERAL STOCK NUMBER	(7) MODEL CD 123456	(8) DESCRIPTION	(9) 30 DAY MAINT. ALW.										(10) ILLUSTRATIONS	
						QTY INC	QTY INC	QTY INC	QTY INC	QTY INC	QTY INC	QTY INC	QTY INC	QTY INC	QTY INC	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
P	F	5905-060-3731	FR5905-060-3731		RESISTOR, FIXED, WIRE WOUND: 81349 NO. RW69V1RQ	EA	1	6	*	2	2	*	2	2	3312		R5-R10
P	F	5905-965-8778	FR5905-965-8778		RESISTOR, FIXED, WIRE WOUND: 81349 NO. RW67V1R8	EA	1	1	*	*	*	*	*	*	85		R20
P	F	5905-081-7349	FR5905-081-7349		RESISTOR, FIXED, WIRE WOUND: 81349 NO. RW67V161	EA	1	1	*	*	*	*	*	*	85		R12
P	F	5905-279-2643	FR5905-279-2643		RESISTOR, FIXED, COMPOSITION: 81349 NO. HC32GF101K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	2	810		R3
P	F	5905-279-1723	FR5905-279-1723		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC32GF22K (AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	10	1	*	*	*	*	*	*	8		R1
P	F	5905-809-8932	FR5905-809-8932		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC42GF820K	EA	1	1	*	*	*	*	*	*	85		R2
P	F	5910-617-3246	FR5910-617-3246		CAPACITOR, FIXED: 96733 NO. L888W1333-3	EA	1	1	*	*	*	*	*	*	85		C2
P	F	5910-809-4512	FR5910-809-4512		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NO. CL31CJ140MP3	EA	1	1	*	*	*	*	*	*	85		C25
P	F	5961-754-5694	FR5961-754-5694		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N1487 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	*	*	*	*	*	55		CR1
P	F	5820-952-8632	FR5820-952-8632		POWER SUPPLY SUBASSEMBLY: 95104 NO. 546-7292-003	EA	1	1	*	*	*	*	*	*	*		
P	F	5945-965-8786	FR5945-965-8786		RELAY, ARMATURE: 95102 NO. 3SAF1305	EA	1	1	*	*	*	*	*	*	128		K3
P	F	5961-754-5694	FR5961-754-5694		SEMI CONDUCTOR, DIODE: 81349 NO. 1N1487 (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	4	*	*	*	*	*	*	16		CR2-CR5
P	F	5961-087-6047	FR5961-087-6047		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N645	EA	1	1	*	*	*	*	*	*	5		CR25

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																		
(3) SOURCE CD	(3) MAINT CD	(3) REC CODE	(2) FEDERAL STOCK NUMBER	(3) MODEL 1234567890	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN PK	(7) 30 DAY MAINT. ALLOW.						(8) DEPOT MAINT. ALLOW.		(10) ILLUSTRATIONS	
									(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100	(A) FIGURE NUMBER
					(FOR AUTHORIZED ALLOWANCES SEE GROUP I)													
P F					POWER SUPPLY SUBASSEMBLY: 95104 NO. 546-6639-003	EA	1	1	*	*	*	*	*	*	*			
P F			5905-610-0655		RESISTOR, FIXED: 00213 NO. 1550S10-0-1PCT	EA	1	3	*	2	*	2	*	2	2	186		R11, R17, R21
P F			5905-279-1930		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC42GF224J	EA	10	4	*	2	*	2	*	2	2	278		R13-R16
P F			5910-952-8400		CAPACITOR, FIXED: 61775 NO. DA154-001J	EA	1	1	*	2	*	2	*	2	2	810	C6	
P F			5910-087-6969		CAPACITOR, FIXED: 05571 NO. S92921	EA	1	1	*	*	*	2	*	*	2	85		C27
P F			5910-552-1938		CAPACITOR, FIXED: 05571 NO. 33C2 FOR AUTHORIZED ALLOWANCES SEE GROUP I	EA	1	1	*	*	*	*	*	*	*	8		C6
P F			5915-046-0599		FILTER, MOLDED: 95104 NO. 545-6177-003 (FOR AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	*	2	510		FL1
P F			5920-952-8634		POWER SUPPLY SUBASSEMBLY: 95104 NO. 546-6608-002	EA	1	1	*	*	*	*	*	*	*			CR14-CR21
P F			5961-713-6813		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N1492 (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	1	8	*	*	*	*	*	*	*	27		
P F			5910-686-6430		CAPACITOR, FIXED: 05571 NO. 40C286A (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	8	*	*	*	*	*	*	*	40		C17-C24
P F			5945-811-2821		RELAY, ARMATURE: 04221 NO. 45A4032	EA	1	1	*	*	*	*	*	*	*	123		K1
P F			5945-850-8422		RELAY, ARMATURE: 04221 NO. 94-3749	EA	1	1	*	*	*	*	*	*	*	123		K2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT,
AND DEPOT MAINTENANCE[illegible]

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)								
SOURCE CD	(1) MAINT CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN	(7) 30 DAY MAINT. ALW.						(8) QTY INC IN UN PK	(9) QTY INC IN UN	(10)			
							DS			GS					(A)	(B)	(C)	
							(A)	(B)	(C)	(A)	(B)	(C)						
12	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
P	F	5960-973-2700	TRANSISTOR: 81349 NO. 2N1100	EA	1	6	*	2	2	*	2	2	2	336				
P	F	5961-087-6047	SEMI CONDUCTOR DEVICE. DIODE: 81349 NO. 1N645 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	*	*	*	*	*	*	*	5			CR26	
GROUP VIII. AMPLIFIER. RADIOFREQUENCY POWER																		
P	FR	5821-845-8990	AMPLIFIER. RADIO FREQUENCY POWER: 95104 NO. 544-9283-00	EA	1	1	1	1	1	1	1	1	1	3			1A11	
X2F			WIRING HARNESS: 95104 NO. 548-1377-00	EA		1	*	*	*	*	*	*	*	5				
P	F	5935-259-4630	CONNECTOR. RECEPTACLE. ELECTRICAL: 71468 NO. DB-25P	EA	1	1	*	*	*	*	*	*	*	85			P4	
P	F	6145-655-2167	CABLE. RADIO FREQUENCY: (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	BLK	1	*	*	*	*	*	*	*	27				
P	F	5950-878-2442	COIL. RADIO FREQUENCY: 76487 NO. J303-5-0	EA	1	1	*	*	*	*	*	*	*	83			L10	
P	F	5950-887-0489	COIL. RADIO FREQUENCY: 90526 NO. 240-0073-00	EA	1	1	*	*	*	*	*	*	*	83			L1	
P	F	5960-926-0211	ELECTRON TUBE: 73445 NO. 4CX250F7204	EA	1	2	2	3	6	2	3	6	71	40			V1,V2	
P	F	5930-301-1787	SWITCH. SENSITIVE: 15906 NO. 11SM3	EA	1	2	*	*	*	*	*	*	*	195			S4,S5	
P	F	5930-034-2338	SWITCH. SECTION ROTARY: 25244 NO. PA234-011	EA	1	1	*	*	*	*	*	*	*	123			S2	
P	F	5930-034-2340	SWITCH. SECTION ROTARY: 25244 NO. PA234-012	EA	1	1	*	*	*	*	*	*	*	123			S3	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																			
SOURCE CD	MFG CODE	(2) FEDERAL STOCK NUMBER	MODEL	(3) DESCRIPTION	UNIT OF ISSUE	(5) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(8) QTY PER 100 EQUIP.	(9) QTY PER 100 EQUIP.	(10) ILLUSTRATIONS				
							DS		GS		CS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER			
			123456				(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100							
P F		5915-046-0599		FILTER, MOLDED: 95104 NO. 545-6177-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	1 *	*	*	*	*	*	5		FL1				
P F		5935-685-9913		CONNECTOR, RECEPTACLE, ELECTRICAL: 81349 NO. UG-1051/U	EA	1	3 *	*	*	*	*	*	18		P1,P2,P5				
P F		5935-080-6959		CONNECTOR, RECEPTACLE, ELECTRICAL: NO. 133 (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	1 *	*	*	*	*	*	8		P3				
P F		5905-490-8889		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	10	2 *	*	*	*	*	*	13		R18,R21				
P F		5905-279-2643		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC32GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	3 *	*	*	*	*	*	18		R6,R8,R4				
P F		5905-473-5251		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1 *	*	*	*	*	*	8		R17				
P F		5905-279-1876		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF22K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1 *	*	*	*	*	*	8		R25				
P F		5910-280-8374		CAPACITOR, FIXED: 72982 NO. 327047X5T10102Z (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1 *	2	2	*	2	2	86		C51				
P F		5910-812-7318		CAPACITOR, FIXED: 25244 NO. DA655-043	EA	1	1 *	*	2	*	*	2	83		C53				
P F		5910-615-0036		CAPACITOR, FIXED: 25244 NO. 850S12ZP0RM5PCT	EA	1	1 *	*	2	*	*	2	83		C4				
P F		5910-609-8020		CAPACITOR, FIXED: 25244 NO. 850S67ZP0RM5PCT	EA	1	1 *	*	2	*	*	2	83		C5				

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	MAINT CD	REC. CODE	(2)		(3)	(4)	(5)	(6)	(7)					(8)	(10)	
			FEDERAL STOCK NUMBER	MODEL					DS	GS	GS	GS	GS		(A)	(B)
				1	2	3	4	5	6	7	8	9	10	11	12	13
P	F	5910-519-6789			CAPACITOR, FIXED: 25244 NO. 850S402PORM5PCT	EA	1	1	*	*	2	*	2	83		C6
P	F	5910-809-8019			CAPACITOR, FIXED: 25244 NO. 850S120NORM5PCT	EA	1	2	*	2	2	*	2	136		C7,C12
P	F	5910-809-8015			CAPACITOR, FIXED: 25244 NO. 850S140NORM5PCT	EA	1	1	*	*	2	*	2	83		C8
P	F	5910-887-6975			CAPACITOR, FIXED: 95275 NO. V112-123022T375R0J	EA	1	2	*	2	2	*	2	136		C9,C47
P	F	5910-752-4270			CAPACITOR, FIXED: 05397 NO. K33J15S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	8		C63
P	F	5910-811-3476			CAPACITOR, FIXED: 95275 NO. V112-120017V131J	EA	1	2	*	2	2	*	2	136		C13,C42
P	F	5910-811-3475			CAPACITOR, FIXED: 95275 NO. V112-118C13V500J	EA	1	1	*	*	2	*	2	83		C14
P	F	5910-811-8302			CAPACITOR, FIXED: 95275 NO. V112-119017V325R0J	EA	1	1	*	*	2	*	2	83		C15
P	F	5910-061-9556			CAPACITOR, FIXED: 95275 NO. V112-124022W701J	EA	1	1	*	*	2	*	2	83		C16
P	F	5910-811-8304			CAPACITOR, FIXED: 95275 NO. V112-121017W301J	EA	1	1	*	*	2	*	2	83		C17
P	F	5910-061-8233			CAPACITOR, FIXED, GLASS DIELECTRIC: 95275 NO. V112-122022W935R0J	EA	1	1	*	*	2	*	2	83		C18
P	F	5910-811-8303			CAPACITOR, FIXED: NO. V122-144017W581J	EA	1	1	*	*	2	*	2	83		C19
P	F	5910-061-7435			CAPACITOR, FIXED: NO. V143-064032V172J	EA	1	2	*	2	2	*	2	136		C20,C58
P	F	5910-552-1938			CAPACITOR, FIXED: 05571 NO. 33C2 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	5	*	*	*	*	*	27		SEE DESC.

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)									
SOURCE CODE	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	(6)				(7)				(8)	(9)	ILLUSTRATIONS					
				QTY INC IN UN PK	QTY INC IN UN UNIT	30 DAY MAINT. ALW.				QTY INC IN UN PK	QTY INC IN UN UNIT			QTY INC IN UN PK	QTY INC IN UN UNIT	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER		
						DS	GS	DS	GS										
		C21,C37,C38,C52,C61																	
P F	5910-822-5683	CAPACITOR, FIXED: 81349 NU. CK63AM103M (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 25)	EA	10	3														C23,C25
P F	5821-815-8943	GASKET, TUBE UUCT: 95104 NU. 546-6513-003	EA	1	1														
P FR		AMPLIFIER SUBASSEMBLY: 95104 NU. 546-6475-002	EA		1														
P F	5950-774-5201	COIL, RADIO FREQUENCY: 44655 NU. Z-14PSM17	EA	1	1														L2
P F	5905-279-2643	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC32GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	2														R22,R2
P F	5910-088-3851	CAPACITOR, FIXED: 25244 NU. 850S302PURN5PCT	EA	1	1														C1
P F	5910-682-3135	CAPACITOR, FIXED: 25244 NU. 0A172-069J	EA	1	1														C2
P F	5910-811-3477	CAPACITOR, FIXED: 95275 NU. V112-113013V200J	EA	1	1														C3
X2F		BRACKET, SWITCH: 95104 NU. 546-1355-003	EA		1														
P F	5935-683-7618	JACK, TELEPHONE: 89291 NU. SKT100RN (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1														J3
P FR		AMPLIFIER, SUBASSEMBLY: 95104 NU. 546-6355-002	EA		1														
P F	5961-826-7794	SEMI CONDUCTOR DEVICE, DIODE: 71575 NU. 1N198MATCHED	EA	1	1														CR2A,CR2B
P F	5905-615-7726	RESISTOR, FIXED FILM: 81349 NU. RN6586190F	EA	1	2														R10,R11

CR23, C25

L2

R22, R2

C1

C2

C3

J3

CR2A, CR2B

R10, R11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY IN UN PK	(6) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(8) DEPOT MAINT. ALW PER 100 EQUIP.	(10) ILLUSTRATIONS	
								DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			
P F			5905-342-7670	RESISTOR, FIXED FILM: 81349 NO. HN65B7501F	EA	1	2	*	2	2	*	2	2	136	R12,R13	
P F			5905-190-8869	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	10	1	*	*	*	*	*	*	8	R14	
P F			5910-578-1984	CAPACITOR, FIXED: 72915 NO. DM15C100J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8	C26	
P F			5910-723-3700	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F201J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8	C33	
P F			5910-022-5683	CAPACITOR, FIXED: 81349 NO. CK63AW103M (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	10	2	*	*	*	*	*	*	13	C34,C35	
P F			5905-195-6800	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF561K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8	R35	
P F			5950-846-0601	TRANSFORMER, DISCRIMINATOR: 95104 NO. 546-6503-003	EA	1	1	*	*	2	*	*	2	84	T1	
P F			5950-828-5334	COIL, RADIO FREQUENCY: 95104 NO. 546-6374-002	EA	1	1	*	*	2	*	*	2	83	L3	
P F			5950-060-1794	COIL, PAD: 95104 NO. 546-6375-002	EA	1	1	*	*	2	*	*	2	83	L5	
P F			5950-050-7366	COIL, RADIO FREQUENCY: 95104 NO. 554-4693-002	EA	1	1	*	*	2	*	*	2	83	L6	
P F			5950-809-4004	COIL, SHUNT: 95104 NO. 546-6377-002	EA	1	1	*	*	2	*	*	2	83		
P F			5950-828-8344	COIL, COMPENSATOR: 95104 NO. 546-6378-002	EA	1	1	*	*	2	*	*	2	83	L8	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE						(3)	(7)										(8)	(9)	(10)																																																																																																																																																																																																																																																																																																
SOURCE CD	(B)	(C)	REC. CODE	(2)	FEDERAL STOCK NUMBER	MODEL IN CD 123456	DESCRIPTION	UNIT OF ISSUE	(4)				(5)				(6)				(7)				(A)	(B)																																																																																																																																																																																																																																																																																									
									QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK			QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK	QTY INC IN UN PK

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT,
AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)														
SOURCE CD		MAINT CD		FEDERAL STOCK NUMBER		MODEL		DESCRIPTION		(4)		(5)		(6)		(7)		(8)		(9)		(10)		
P		F		5961-646-4611		123456		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N457		EA		1		1		1-20		21-50		51-100		CR4		
P		F		5910-061-9081		123456		CAPACITOR, FIXED. CERAMIC DIELECTRIC: 72982 NO. 2443000X5S0101J		EA		1		1		1-20		21-50		51-100		C54		
P		F		5910-280-8374		123456		CAPACITOR, FIXED: 72982 NO. 327047X5T0102Z (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)		EA		1		1		1-20		21-50		51-100		C57		
P		F		5905-826-8070		123456		RESISTOR, VARIABLE: 80294 NO. 224L1-103		EA		1		1		1-20		21-50		51-100		R20		
P		F		5820-058-1190		123456		AMPLIFIER, SUBASSEMBLY: 95104 NO. 546-6337-00		EA		1		1		1-20		21-50		51-100		B2		
P		F		6105-849-7817		123456		MOTOR, CONTINUOUS: NO. 665-52-184		EA		1		1		1-20		21-50		51-100		B1		
P		F		6105-849-5458		123456		MOTOR, CONTINUOUS: 95104 NO. 230-0303-00 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)		EA		1		1		1-20		21-50		51-100		B1		
P		F		5821-807-4343		123456		GEAR, SPUR: 95104 NO. 546-6412-002		EA		1		1		1-20		21-50		51-100		B2		
P		F		5821-807-4342		123456		GEAR, SPUR: 95104 NO. 546-6414-002		EA		1		1		1-20		21-50		51-100		B2		
P		F		5905-961-5763		123456		GEAR, SPUR: 95104 NO. 546-6423-002		EA		1		1		1-20		21-50		51-100		B2		
P		F		5821-801-9328		123456		GEAR, CLUSTER: 95104 NO. 546-6422-002		EA		1		1		1-20		21-50		51-100		B2		
P		F		5821-815-8899		123456		GEAR, SPUR: 95104 NO. 546-6424-002		EA		1		1		1-20		21-50		51-100		B2		
P		F		5950-858-1213		123456		COIL, ASSEMBLY: 95104 NO. 546-6338-00		EA		1		1		1-20		21-50		51-100		L4		
P		F		5821-801-9325		123456		GEAR, CLUSTER: 95104 NO. 546-6409-002		EA		1		1		1-20		21-50		51-100		B3		
CONTINUED																								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)									
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN	(7) 30 DAY MAINT. ALW.					(8) 1 YR ALW PER 100 EQUIP.	(9) 1 YR ALW PER 100 EQUIP.	(10) ILLUSTRATIONS				
								DS	GS	AS	BS	CS			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER			
				(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)				1-20	21-50	51-100	1-20	21-50	51-100						
P	F		5910-686-6932	CAPACITOR, FIXED: 90853 NO. S081K02104M	EA	1	1	*	*	2	*	*	2	84		C30			
P	F		5821-019-6293	SCREW ASSEMBLY: 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	*	10					
P	F		5905-279-3519	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF220K	EA	10	1	*	*	2	*	*	2	83		R7			
P	F		5910-617-4961	CAPACITOR, FIXED, ELECTROLYTIC: 95412 NO. 29F575G4 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	44		C10			
P	F		5930-064-9025	SWITCH, SECTION, ROTARY: 96924 NO. A50261-718L RG1	EA	1	1	*	*	2	*	*	2	123		S1			
P	F		5930-083-6140	SWITCH, SECTION, ROTARY: 76854 NO. 206078LK	EA	1	1	*	*	2	*	*	2	123		S1			
P	F			RESISTOR, ASSEMBLY: 95104 NO. 544-4703-004	EA			*	*	*	*	*	*	*					
P	F		5905-051-4631	RESISTOR, FIXED, COMPOSITION: 10646 NO. 773SP6	EA	1	2	*	2	2	*	2	2	138		R42,R43			
P	F		5935-065-2037	SOCKET, ELECTRON TUBE: 95104 NO. 553-4478-003	EA	1	2	*	2	2	*	2	2	106		XV1,XV2			
P	F		6145-655-2167	CABLE, RADIO FREQUENCY: NO. RG-178B/U (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	BLK	1	*	*	*	*	*	*	27					
P	F		9545-021-3551	SILVER, RIBBON: 95104 NO. 820-0171-00 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	BLK	1	*	*	*	*	*	*	*					
P	F		5905-254-7110	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC42GF124K	EA	1	1	*	*	2	*	*	2	3		R24			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	(5)				(7)				(8)	(10)	
				QTY INC UN PK	QTY INC UN	QTY INC UN	QTY INC UN	30 DAY MAINT. ALW.				1 YR. ALW. PER 100 EQUIP.	(A)	(B)
								DS	GS	GS	GS			
								(A)	(B)	(C)	(A)	(B)	(C)	
P	5910-739-7953	CAPACITOR, FIXED: 95412 NO. 29F2221G2	EA	1	2	*	2	2	*	2	2	2	2	C45.C46
P	5905-985-5477	RESISTOR, ASSEMBLY: 95104 NO. 548-1366-003	EA	1	1	*	*	*	*	*	*	2	83	
P	FR5820-053-1429	AMPLIFIER, SUBASSEMBLY: 95104 NO. 549-4304-004	EA	1	1	*	*	*	*	*	*	*	*	
P	5910-027-7035	CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NO. CL25BQ130UP3	EA	1	2	*	2	2	*	2	2	2	134	C31.C32
P	5961-810-4572	SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N1491	EA	1	1	*	*	*	*	*	*	*	52	CR1
P	5961-826-9048	SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N30208	EA	1	1	*	*	*	*	*	*	*	52	CR6
P	5961-809-1105	SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N30438	EA	1	1	*	*	*	*	*	*	*	52	CR5
P	5905-810-0702	RESISTOR, VARIABLE: 74150 NO. KS22931	EA	1	1	*	*	*	*	2	*	2	134	R2
X2F		HOLDER, RESISTOR: 95104 NO. 546-6518-004	EA	1	1	*	*	*	*	*	*	*	*	
P	5935-683-7649	JACK, TIP: 98291 NO. SKT10YEL (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	*	2	4	J4
P	5935-686-9970	JACK, TELEPHONE: 98291 NO. SKT10RED (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	*	2	54	J2
P		JACK, TELEPHONE: 98291 NO. SKT10BRN (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	*	2	54	J1
P	5905-279-3514	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF181K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	10	1	*	2	2	*	2	*	2	84	R3

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)							
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALLOW.						(8) PER 100 EQUIP.	(9) PER 100 EQUIP.	(10) ILLUSTRATIONS	
								DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100				
P F			5905-195-6806	OF 2) RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 10	1										R9	
P F			5905-279-2661	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC32GF182K	EA 10	1										R16	
P F			5905-254-9201	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF473K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 1	1										R1	
P F			5905-171-1986	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF563K	EA 10	1										R15	
P F			5905-195-6761	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF104K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA 10	1										R27	
P F			5905-192-4504	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC42GF822K	EA 10	1										R4	
P F			5905-279-2650	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC32GF562K	EA 10	1										R37	
P F			5910-577-6846	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NU. CM050101K03	EA 1	1										C60	
P F			5905-003-3468	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF106J	EA 1	2										R39, R40	
P F			5910-058-1659	CAPACITOR, FIXED: 0656 NU. BSF18B122	EA 1	1										C62	
P F			5961-081-8848	SEMI CONDUCTOR DEVICE, DIODE: 80294 NU. FD1009	EA 1	2										CR8A, CR8B	
P F			5905-683-6643	RESISTOR, VARIABLE: 80294 NU. 260L1-502	EA 1	1										R38	
P F			5945-050-4281	RELAY, ARMATURE: 09026 NU. B7X300D37-26V	EA 1	1										K3	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(7)						(8)	(9)	(10)	
SOURCE CD	FEDERAL STOCK NUMBER	MODEL NUMBER	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN	30 DAY MAINT. ALW.						DEPOT MAINT. PER 100 EQUIP. PL	FIGURE NUMBER	ITEM OR SYMBOL NUMBER	
							DS			GS						FIGURE NUMBER
REC. CODE		123456					1-20	21-50	51-100	(A)	(B)	(C)	1 YR. ALW. 51-100			
P	FR5821-055-8940		GROUP IX STABILIZER, FREQUENCY 95104 NO. 528-0329-005	EA	1	1	*	*	*	*	*	*	3			
P	F 5910-755-9291		CAPACITOR, FIXED: 05397 NO. K1J35 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13		C5, C6	
P	F 5950-612-4422		CAPACITOR, FIXED: 05571 NO. 150U185X903582	EA	1	1	*	*	2	*	*	2	83		C2	
P	F 5950-796-3120		COIL, RADIO FREQUENCY: 76487 NO. J301-220 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	5	*	*	*	*	*	*	27		L2, L12, L15	
P	F 5915-848-7966		COIL, RADIO FREQUENCY: 76487 NO. J301-2000 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	5	*	*	*	*	*	*	27		L1, L8, L11	
P	F 5910-578-1984		FILTER, RADIO INTERFERENCE: 01121 NO. SMFBA2 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	5		FL1	
P	F 5910-543-0741		CAPACITOR, FIXED OR: 72915 NO. DM15C100J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*			A1C12, A2C12	
P	F 5910-623-1296		CAPACITOR, FIXED: 81349 NO. DM15C180J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13		A1C12, A2C12	
P	F 5910-623-1296		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F220J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13		A1C12, A2C12	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE				(5) QTY INC IN UN PK				(6) 30 DAY MAINT. ALW.				(7) DEPOT MAINT. ALW PER EQUIP.	(8) ILLUSTRATIONS		(9) ITEM OR SYMBOL NUMBER
(10) MAIN CD	(11) REC CODE	(12) MODEL	(13) 123456	(14) DS	(15) BS	(16) CS	(17) AS	(18) BS	(19) CS	(20) AS	(21) BS	(22) CS	(23) AS	(24) BS	(25) CS	(26) AS	(27) BS	(28) CS
P	F	5910-824-8035	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E270J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	*	*	*	*	A1C12, A2C12	
P	F	5910-844-4638	CAPACITOR, FIXED, MICA DIELECTRIC OR; 81349 NO. CM05E390J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	*	*	*	*	A1C12, A2C12	
P	F	5910-958-4175	CAPACITOR, FIXED, MICA DIELECTRIC OR; 81349 NO. CM05E430J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	*	*	*	*	A1C12, A2C12	
P	F	5910-827-7476	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E470J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	*	*	*	*	A1C12, A2C12	
P	F	5910-984-8375	CAPACITOR, FIXED; 72915 NO. VCM15E111G	EA	1	2	*	*	*	*	*	*	*	*	*	*	C11, C12	
P	F	5961-883-4340	TRANSISTOR; 81349 NO. 2N489	EA	1	2	*	*	*	*	*	*	*	*	*	*	Q3, Q4	
P	F	5935-885-6505	CONNECTOR, PLUG, ELECTRICAL; 71468 NO. DM53740-5000	EA	1	2	*	*	*	*	*	*	*	*	*	*	A2, A3	
P	F	5935-811-1382	CONNECTOR, RECEPTACLE, ELECTRICAL; 71468 NO. DEM13W3P (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	*	*	*	*	P1	
P	F	5821-819-6293	SCREW, ASSEMBLY; 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	*	*	*	*	*		
X2F			CHASSIS, ELECTRICAL, EQUIPMENT; 95104 NO. 548-5987-004	EA	1	*	*	*	*	*	*	*	*	*	*	*		
P	F	5935-851-4054	JACK TIP; 98291 NO. SKT41BRN	EA	1	1	*	*	*	*	*	*	*	*	*	*	.41	

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
(3)	(2)	(1)	(4)	(5)	(6)	(7)									(10)	
						30 DAY MAINT. ALW.			PER 100 EQUIP.			DEPT MAINT. ALW. PER 100 EQUIP.			(A)	(B)
MODEL	FEDERAL STOCK NUMBER	ND CD	DESCRIPTION	QTY INC IN UN PK	QTY INC IN UN UNIT	DS	GS	DS	GS	DS	GS	FIGURE NUMBER	ITEM OR SYMBOL NUMBER			
1	2	3	4	5	6	7	8	9	10	11	12	13	14			
			(FOR AUTHORIZED ALLOWANCES SEE GROUP II)													
P	F	5935-061-1363	JACK, TIP: 98291 NO. SKT410RED (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	J2			
P	F	5935-080-9292	JACK, TIP: 98291 NO. SKT410RN (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	J3			
P	F	5935-080-9293	JACK, TIP: 98291 NO. SKT41YEL (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	J4			
P	F	5935-988-4769	JACK, TIP: 98291 NO. SKT41GRN SPECTRUM, GENERATOR: 95104 NO. 548-5985-003	EA	1	1	*	*	*	2	*	2	J5			
P	F	5820-064-8971	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F131G03 AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5	EA	1	1	*	*	*	*	*	*	C8			
P	F	5910-812-8952	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F131G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	*	*	2	*	2	C8			
P	F	5910-812-8952	CAPACITOR, FIXED: 72951 NO. DM15FOJ03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	2	*	2	C9			
P	F	5910-686-6126	CAPACITOR, FIXED: 05571 NO. 5C7A (L4AA2-2780)	EA	1	1	*	*	*	*	*	*	C10			
P	F	5910-812-7276	CAPACITOR, FIXED: 05571 NO. 5C10A (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	C7			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE														(10)	
SOURCE CD	REF. CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(7) 30 DAY MAINT. ALW.					(8) PER 100 EQUIP. 1 YR ALW. CNTRCT MAINT.	(10) ILLUSTRATIONS				
					DS			GS			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER			
					(A)	(B)	(C)	(A)	(B)				(C)		
P	F	5910-080-4020	CAPACITOR, FIXED: 00656 NO. C80V203RM (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 21)	EA	1	1	2	5	*	2	5	840		C3	
P	F	5905-683-2243	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF151K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8		R1
P	F	5905-192-3981	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF152K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8		R2
P	F	5905-683-2238	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8		R3
P	F	5905-299-2052	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC32GF561K	EA	10	1	*	*	*	*	2	d3			R4
P	F	5905-688-3365	RESISTOR, VARIABLE: 80294 NO. 224P1-202	EA	1	2	*	2	*	2	2	278			R5,R6
P	F	5950-715-0792	COIL, RADIO FREQUENCY: 81349 NO. MS16224-16	EA	1	2	*	*	*	2	2	133			L6,L7
P	F	5950-543-9367	COIL, RADIO FREQUENCY: 81349 NO. MS16224-18	EA	1	1	*	*	*	2	*	83			L5
P	F	5950-860-9188	COIL, RADIO FREQUENCY: 76487 NO. J301-1000 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	2	*	2	*	2	2	136			L3,L4
P	F	5961-824-8448	TRANSISTOR: 81349 NO. 2N706 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	*	*	2	*	83			Q1
P	F	5961-985-2363	TRANSISTOR: 81349 NO. 2N2218	EA	1	1	*	*	*	*	*	82			Q2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE														
(3) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)		(7)						(8)	(10)	
				QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.			DEPOT MAINT. ALW.				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
MAINT CD	MODEL 123456					(A)	(B)	(C)	(A)	(B)	(C)			
P	5970-072-7149	INSULATOR, TRANSISTOR: 07047 NO. A10123	EA	1	2	*	*	2	*	*	2	103		
P		AMPLIFIER, SUBASSEMBLY: 95104 NO. 548-5989-005	EA	2	2	*	*	*	*	*	*		A1.A2	
P	5999-021-6649	PRINTED, CIRCUIT BOARD: 95104 NO. 549-8802-003	EA	1	2	*	*	*	*	*	*	2		
P	5910-092-7961	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F101J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13	C1	
P	5910-011-5143	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F301J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13	C10	
P	5910-051-0693	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F271G03	EA	1	2	*	2	2	*	2	2	1312	C7	
P		CAPACITOR, FIXED: 72915 NO. DM15E102J100WV (L44A2-0528)	EA	2	2	*	*	*	*	*	*	13	C6	
P	5910-830-6353	CAPACITOR, FIXED: 05571 NO. 150D473X0035A2 (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	2	*	*	*	*	*	*	13	C11	
P	5960-082-3525	SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. IN198 (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	2	*	*	*	*	*	*	10	CR1,CR2	
P	5950-011-9476	COIL, RADIO FREQUENCY: 95104 NO. 546-7213-002	EA	1	2	*	*	2	*	*	2	132	L1	
P	5950-093-0434	COIL, RADIO FREQUENCY: 76487 NO. J301-100 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	2	*	*	2	*	*	2	133	L2	
P	5950-011-0525	TRANSFORMER POWER: 95104 NO. 546-7214-002	EA	1	2	*	2	2	*	2	2	4	T1	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE													
(3)	(2)	(1)	(4)	(5)	(6)	(7)						(10)	
						30 DAY MAINT. ALW.						ILLUSTRATIONS	
SOURCE CD	FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	DS	GS	DS	GS	DS	GS	(A)	(B)
(C)	(B)	(A)	(3)	(4)	(5)	(A)	(B)	(C)	(A)	(B)	(C)	FIGURE NUMBER	ITEM OR SYMBOL NUMBER
P F	5961-809-1870	1123456	TRANSISTOR: 81349 NO. 2N1225 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1 4	*	*	*	*	*	*		Q1.04
P F	5905-687-0002		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF223K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1 8	*	*	*	*	*	*		SEE DESC.
P F	5905-687-0000		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF183K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1 4	*	*	*	*	*	*		R2.R5
P F	5905-686-9996		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF821K (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1 2	*	*	*	*	*	*		R6
P F	5905-688-3738		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF182K (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1 2	*	*	*	*	*	*		R7
P F	5905-686-3798		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF272K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1 2	*	*	*	*	*	*		R13
P F	5905-683-2242		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF471K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1 2	*	2	2	*	2	2		R14
P F	5905-683-2238		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1 4	*	*	*	*	*	*		R1.R15
P F	5905-691-0195		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF562K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1 2	*	*	*	*	*	*		R17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
SOURCE CD	(3) REQ. CODE	(2) FEDERAL STOCK NUMBER	MODEL 12345678	DESCRIPTION (3)	UNIT OF ISSUE (4)	QTY INC IN PK (5)	QTY INC IN UNIT (6)	(7) 30 DAY MAINT. ALW.						(8) ALW. PER 100 EQUIP. DEFOT MAINT. 1 YR. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS	
								DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			
P F		5910-812-7276		CAPACITOR, FIXED: 05571 NO. 5C10A (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	27		C4.C9	
P F		5910-080-4020		CAPACITOR, FIXED: 00656 NO. C80V203RM (FOR AUTHORIZED ALLOWANCES SEE GROUP IX) C2, C3, C5, C13	EA	1	8	*	*	*	*	*	40		SEE DESC.	
P F		5950-796-3120		COIL, RADIO FREQUENCY: 76487 NO. J301-2000 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	27		L3	
P F		5961-821-8118		TRANSISTOR: 81349 NO. 2N706 (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	4	*	*	*	*	*	27		Q2.Q3	
P F		5905-683-2243		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF151K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	13		R8	
P F		5905-686-3121		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF820K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	13		R11	
P F		5905-683-7721		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	13		R10	
P F		5905-686-9994		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF122K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	2	*	2	2	*	2	138		R9	
P F		5961-854-8986		RESISTOR, TERMINAL: 10646 NO. 763F93	EA	1	2	*	2	2	*	2	136		RT1	
P F		5905-723-5251		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF222K (GROUP II)	EA	10	2	*	*	*	*	*	13		R18	

SOURCE CD	MAIN CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL		(3) DESCRIPTION	UNIT OF ISSUE	IN PK	IN UNIT	(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
				123456	789												
P	F		5905-725-6995			RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF71K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	10	2	*	2	2	*	2	2	136	R7.R8
P	F		5910-812-7276			CAPACITOR, FIXED: 05571 NO. 5C10A (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13	C1.C4
P	F		5905-683-2238			RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8	R9
						GROUP X AMPLIFIER, AUDIO FREQUENCY											
P	FR		5821-845-8915			AMPLIFIER, AUDIO FREQUENCY: 95104 NO. 546-6053-00	EA	1	1	1	1	1	1	1	1	53	1A9
P	F		5821-019-6293			SCREW ASSEMBLY: 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	*	10	
P	F		5905-723-5251			RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF222K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	10	1	*	*	*	*	*	*	8	R18
P	F		5935-685-9913			CONNECTOR, RECEPTACLE, ELECTRICAL: NO. UG-105/U (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8	P1
P	F		5961-542-7005			TRANSISTOR: 81349 NO. 2N158	EA	1	2	*	*	*	*	*	*	2	Q1.Q2
P	F		5950-842-2247			COIL, RADIO FREQUENCY: 76487 NO. J301-500 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	8	L5

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															
SOURCE CD	MAINT. CODE	(2) FEDERAL STOCK NUMBER	MODEL NO. CD 123456789	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)			(7) 30 DAY MAINT. ALW.			(8) DEPOT MAINT. ALW. PER 100 EQUIP.	(9) ILLUSTRATIONS		
						QTY INC IN UN PK	QTY INC IN UNIT	DS			GS				
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20			(B) 21-50	(C) 51-100
P	F	5910-612-4135		GROUP VIII) FILTIER. RADIO. INTERFERENCE: 01121 NO. FCS2 (FOR AUTHORIZED ALLOWANCES SEE GROUP I) C46. C14. C36. C37	EA	1	4	*	*	*	*	*	*	SEE DESC.	
P	F	595821-818-3743		AMPLIFIER SUBASSEMBLY: 95104 NO. 546-7268-004	EA	1	1	*	*	*	*	*	*	A1	
P	F	5999-019-6254		PRINTED. CIRCUIT BOARD: 95104 NO. 29F493	EA	1	1	*	*	*	*	*	2		
P	F	5910-611-2808		CAPACITOR. FIXED: 05571 NO. 150D684X0035A2	EA	1	1	*	*	2	*	*	83	C6	
P	F	5910-609-8669		CAPACITOR. FIXED: 05397 NO. K15J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	3	*	*	*	*	*	18	C2.C3.C5	
P	F	5910-801-9721		CAPACITOR. FIXED: 05397 NO. K47J35S (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	2	*	*	*	*	*	13	C8.C9	
P	F	5910-542-7373		CAPACITOR. FIXED: 05397 NO. K2R2J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	2	*	*	*	*	*	13	C1.C13	
P	F	5961-607-8299		SEMI CONDUCTOR DEVICE: 80368 NO. 1N34AS (FOR AUTHORIZED ALLOWANCES SEE GROUP III) / CR2. CR7. CR11	EA	1	3	*	*	*	*	*	18	SEE DESC.	
P	F	5935-683-1882		JACK. TIP: 78947 NO. 119437H (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	J4	
P	F	5935-608-6134		JACK TIP 78947 NO. 119437F (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	J3	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(7)										(8)	(10)	
SOURCE CD	MAINT CD	RC CODE	(2) FEDERAL STOCK NUMBER	DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	30 DAY MAINT. ALW.						(9) ALW PER 100 EQUIP. DEPT MAINT. PER 100 EQUIP.	ILLUSTRATIONS		
								DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
IND	CD	MODEL	1123456					(A)	(B)	(C)	(A)	(B)	(C)				
P	F		5941-783-5652	TRANSISTOR: 81349 NO. 2N651 (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1	*	*	*	*	*	*	*	8	Q8	
P	F		5905-279-1876	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF222K	EA	10	1	*	*	*	*	*	*	*	8	R20	
P	F		5905-752-7374	RESISTOR, FIXED: 01121 NO. E85661	EA	1	2	*	2	2	*	2	2	134	R10, R16		
P	F		5905-171-1998	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF333K	EA	10	1	*	*	*	*	*	*	82	R49		
P	F		5905-279-2302	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC42GF560K	EA	1	1	*	*	*	*	*	*	82	R17		
P	F		5905-725-6995	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF21K (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	10	1	*	*	*	*	*	*	8	R15		
P	F		5905-279-2553	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC32GF122K	EA	10	1	*	*	*	2	*	*	82	R14		
P	F		5905-171-2004	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF223K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8	R1		
P	F		5905-192-3971	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF331K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	*	*	*	*	*	*	8	R13		
P	F		5905-279-1757	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF152J (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8	R12		
P	F		5905-279-3505	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF392K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	10	1	*	2	2	*	2	2	84	R8		
P	F		5905-279-1880	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF272K	EA	1	1	*	*	*	*	*	*	8	R4		

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE						(3)	(7)										(8)	(9)	(10)	
SOURCE CD	(2) FEDERAL STOCK NUMBER	MODEL 123456	DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN PK	30 DAY MAINT. ALW.						(8) PER 100 EQUIP. CATEGORY PL.	(9) DEPOT MAINT. ALW. 100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER				
							DS		GS		GS									
							(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)					
P F	5905-279-2626		(FOR AUTHORIZED ALLOWANCES SEE GROUP IV) RESISTOR, FIXED, COMPOSITION: 81349 NO. RC32GF681K	EA 10	1	*	*	*	2	*	*	*	2	*	*	2	R7			
P F	5935-812-61151		JACK TIP 78947 NO. 119437E (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA 1	1	*	*	*	*	*	*	*	*	*	*	*	J5			
P F	5905-279-3500		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF183K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 10	1	*	*	*	*	*	*	*	*	*	*	*	R3			
P F	5905-686-3121		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF820K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 1	1	*	*	*	*	*	*	*	*	*	*	*	R11			
P F	5905-279-2515		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF474K	EA 10	1	*	*	*	2	*	*	*	2	*	*	2	R21			
P F	5905-195-6800		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF561K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 10	1	*	*	*	*	*	*	*	*	*	*	*	R9			
P F	5905-171-2004		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF223J (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA 10	2	*	2	2	2	*	2	2	2	2	2	2	R23,R24			
P F	5910-815-6804		CAPACITOR, FIXED: 05397 NO. KR33J35S	EA 1	1	*	*	*	2	*	*	*	2	*	*	2	C45			
P F	5905-683-2239		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF201J	EA 1	1	*	*	*	2	*	*	*	2	*	*	2	R55			
P F	5910-814-5869		CAPACITOR, FIXED: 05571 NO. 1500685X0035B2 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA 1	1	*	2	2	2	*	2	2	2	2	2	2	C12			
P F	5961-087-6047		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N645	EA 1	1	*	*	*	*	*	*	*	*	*	*	*	CR1			
CONTINUED																				

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																		
SOURCE CD	FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	(5)			(7)					(8)	(9)	(10)			
					QTY INC IN UN PK	QTY INC IN UN	QTY INC IN UN	30 DAY MAINT. ALW.							FIGURE NUMBER	ITEM OR SYMBOL NUMBER		
								(A)	(B)	(C)	(A)	(B)					(C)	
		1123456																
			FOR AUTHORIZED ALLOWANCES SEE GROUP I)															
P	F	5961-053-1432	SEMI CONDUCTOR DEVICE, DIODE; 80211 NO. SZ685	EA	1	1	*	*	*	*	*	*	52				CR13	
P	FR	5821-818-3738	AMPLIFIER, SUBASSEMBLY; 95104 NO. 546-7273-004	EA	1	1	*	*	*	*	*	*				A2		
P	F	5910-660-7430	CAPACITOR, FIXED; 05571 NO. 55C23A2 (FOR AUTHORIZED ALLOWANCES SEE GROUP III) C24, C34, C35, C40, C42	EA	1	1	*	*	*	*	*	*	27				SEE DESC.	
P	F		CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E750G03 (L44A2-1371)	EA	1	1	*	*	*	2	*	2	83				C17	
P	F	5910-883-0838	CAPACITOR, FIXED; 05571 NO. 5C11A (FOR AUTHORIZED ALLOWANCES SEE GROUP III) C15, C16, C21, C25, C27, C48	EA	1	6	*	*	*	*	*	*	33				SEE DESC.	
P	F	5910-686-6126	CAPACITOR, FIXED; 72915 NO. DM15F510J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13				C30, C32	
P	F	5910-725-7421	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8				C33	
P	F	5910-812-7287	CAPACITOR, FIXED; 72982 NO. 338011U2J0131G	EA	1	1	*	*	*	2	*	2	83				C41	
P	F	5961-807-8299	SEMI CONDUCTOR DEVICE, DIODE; 80368 NO. IN34AS (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	3	*	*	*	*	*	*	13				CR4, CR5-CR6	
P	F	5934-851-7465	JACK, TIP; 78947 NO. 119437D (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*					J1	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN UNIT	(7) 30 DAY MAINT. ALW.						(8) QTY INC IN UN UNIT	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS	
						DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
MAINT CD	REC. CODE	MODEL	IND CD	1	2	3	4	5	6	7	8	9	10		
P F	5935-061-7744	JACK. TIP: 78947 NO. 1194378 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	51-100	*	*	51-100	*	J2
P F	5950-010-5470	COIL. RADIO FREQUENCY: 99800 NO. 3715-59	EA	1	2	*	*	*	*	*	*	*	*	132	L1.L4
P F	5950-061-2235	TRANSFORMER. RADIO FREQUENCY: NO. 37-583 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	*	*	13	L2.L3
P F	5961-617-4342	TRANSISTOR: 81349 NO. 2N274	EA	1	4	*	*	*	*	*	*	*	*	27	04.05.06.07
P F	5905-279-3499	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF273J	EA	1	1	*	*	2	*	*	2	*	*	82	R22
P F	5905-279-1876	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF222F (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	2	*	*	*	*	*	*	*	*	13	R26.R30
P F	5905-279-3500	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF183K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	3	*	*	*	*	*	*	*	*	183	R27.R33.R36
P F	5905-185-8510	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	3	*	*	*	*	*	*	*	*	18	R28.R31.R34
P F	5905-195-6806	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	*	*	8	R47
P F	5905-279-1880	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF272K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1	*	*	*	*	*	*	*	*	8	R39
P F	5905-171-2004	RESISTOR. FIXED. COMPOSITION: 81349 NO. RC20GF223K	EA	10	1	*	*	*	*	*	*	*	*	8	R37
CONTINUED															

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																	
(3) SOURCE CD	(2) FEDERAL STOCK NUMBER	(1) MODEL NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)			(7) 30 DAY MAINT. ALW.						(8)	(9)	(10) ILLUSTRATIONS	
					QTY INC IN UN PK	QTY INC IN UN	UNIT	DS	GS	DS	GS	(A)	(B)			(C)	(A)
P F	5905-192-3973	123456	(FOR AUTHORIZED ALLOWANCES SEE GROUP III) RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF471J	EA 10	1	*	2	*	2	*	2	*	2	83		R38	
P F	5910-725-7428	123456	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F910G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 1	2	*	*	*	*	*	*	*	*	13		C20, C28	
P F	5910-809-8669	123456	CAPACITOR, FIXED: 05397 NO. K1SJ20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 1	1	*	*	*	*	*	*	*	*	8		C22	
P F	5910-709-2024	123456	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F910G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 1	2	*	*	*	*	*	*	*	*	13		C23, C26	
P F	5910-068-2575	123456	CAPACITOR, FIXED: 72915 NO. DM20F102X500MV (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA 1	1	*	*	*	*	*	*	*	*	8		C29	
P F	5905-491-0195	123456	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF562K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA 1	2	*	*	*	*	*	*	*	*	13		R40, R45	
P F	5905-484-3798	123456	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF272K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA 1	1	*	*	*	*	*	*	*	*	8		R46	
P F	5905-723-5251	123456	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF222J	EA 10	1	*	*	*	2	*	*	*	*	82		R48	
P F	5905-058-1191	123456	RESISTOR, THERMAL: 10646 NO. 997H2	EA 1	1	*	*	*	2	*	*	*	*	82		RT1	
P F	5950-854-8973	123456	TRANSFORMER, IF: NO. 35-199	EA 1	1	*	*	*	2	*	*	*	*	82		T2	
P F	5950-881-1547	123456	TRANSFORMER IF: NO. 35-239	EA 1	1	*	*	*	2	*	*	*	*	82		T3	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)						
SOURCE CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL 1234567	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(8) PER 100 EQUIP.	(9) PER 100 EQUIP.	(10)	
							DS		GS		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER				
							(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20					(B) 21-50	(C) 51-100
P	F	5905-486-0080		RESISTOR, FIXED FILM: 81349 NO. KN60B2611F	EA	1	1	*	*	2	*	*	2	82		R32
P	F	5905-171-2004		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF223J (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8		R43
P	F	5910-601-8982		CAPACITOR, VARIABLE: 95104 NO. 546-6482-002 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	13		C18.C19
P	F	5910-668-5580		CAPACITOR, VARIABLE: 72982 NO. 557051U2P034R (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	13		
P	F	5905-195-6806		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF102J (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	8		R29
P	F	5905-676-8887		RESISTOR, FIXED, FILM: 81349 NO. RN60B2151F	EA	1	1	*	*	2	*	*	2	82		R35
P	F	5910-814-5869		CAPACITOR, FIXED: 05571 NO. 1500685X003582 (FOR AUTHORIZED ALLOWANCES SEE GROUP X)	EA	1	1	*	*	*	*	*	*	8		C31
P	F			TRANSISTOR: 95104 NO. 352-0507-00 L44A2-3017	EA	1	1	*	*	2	*	*	2	82		Q3
P	F	5935-812-7323		JACK, TIP: 78947 NO. 119437G	EA	1	1	*	*	2	*	*	2	3		J6
P	F	5961-783-5652		TRANSISTOR: 81349 NO. 2N651 (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1	*	*	*	*	*	*	8		Q9
P	F	5910-542-7373		CAPACITOR, FIXED: 05397 NO. K2R2J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	13		C11.C44

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE			(3)	(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD	(2)	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	QTY IN PK	INC IN UNIT	QTY IN PK	30 DAY MAINT. ALW.						DEPOT MAINT. ALW PER EQUIP	ILLUSTRATIONS	
								DS			GS					(A) FIGURE NUMBER
RC CODE	MODEL	CD	1	2	3	4	5	6	7	8	9	10	11	12	13	
P	5910-752-4270		CAPACITOR, FIXED: 05297 NU. K22J15S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1									C43	
P	5905-185-8510		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF103K	EA	10	1									R51	
P	5905-279-2616		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF153K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1									R53	
P	5905-279-1876		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF222K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1									R50	
P	5905-279-2616		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF153K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1									R52	
P	5905-195-6806		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1									R54	
P	5950-950-7707		TRANSFORMER, AUDIO FREQUENCY: NU. 8C3189	EA	1	1									T1	
P	5950-850-7811		TRANSFORMER, AUDIO FREQUENCY: NU. A12493	EA	1	1									T4	
P	5910-811-4788		CAPACITOR, FIXED: 05571 NU. 33C41 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2									C38,C39	
X2F			WIRING HARNESS: 95104 NU. 546-7257-00	EA		1										
P	6145-655-2167		CABLE, RADIO FREQUENCY: NU. RG-1788/U (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	BLK	1										
P	5945-850-6533		RELAY, ARMATURE: 95412 NU. 3SAF1131	EA	1	1									K1	
P	5905-984-1666		RESISTOR, VARIABLE: 91637 NU. 399-10K15	EA	1	1									R5	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)				
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(7) 30 DAY MAINT. ALW.					(8) QTY INC IN PLANT EQUIP. QTY INC IN PLANT EQUIP. QTY INC IN PLANT EQUIP.	(9) ILLUSTRATIONS		
						DS			GS			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
						(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50				(C) 51-100
P	F		5905-501-5174	RESISTOR, VARIABLE: 80294 NO. 200L1-501	EA	1	2	*	2	2	2	276		A4
P	PR		5821-801-9339	AMPLIFIER SUBASSEMBLY: 95104 NO. 546-7351-003	EA	1	1	*	*	*	*	*		A4
P	F		5910-837-9326	CAPACITOR, FIXED: 05571 NO. 1500476X9035S2	EA	1	2	*	2	2	2	136		C47.C49
P	F		5910-808-8971	CAPACITOR, FIXED: 05571 NO. 1500334X9035A2	EA	1	2	*	2	2	2	136		C50.C51
P	F		5950-842-2247	COIL, RADIO FREQUENCY: 76487 NO. J301-500 (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	1	*	*	*	*	8		L6
P	F		5961-087-6047	SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N645 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	3	*	*	*	*	13		CR8.CR9.C R10
P	F		5905-726-4413	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF123K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	8		R25
P	F		5961-087-6047	SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N645 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	2	*	*	*	*	10		CR12.CR14
P	F		5905-190-8881	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF182K	EA	10	1	*	*	2	*	82		R58
P	F		5905-279-3503	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF682K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	8		R57
P	F		5905-195-5546	RESISTOR, FIXED, COMPOSITION OR: 81349 NO. RC20GF330K	EA	10	1	*	*	2	*	83		R56
P	F		5905-195-5546	RESISTOR, FIXED, COMPOSITION OR: 81349 NO. RC20GF390K	EA	10	1	*	*	2	*	82		R56
P	F		5905-252-4018	RESISTOR, FIXED, COMPOSITION OR: 81349 NO. RC20GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	1	1	*	*	*	*	8		R56
P	F		5905-279-1897	RESISTOR, FIXED, COMPOSITION OR: 81349 NO. RC20GF560K	EA	1	1	*	2	2	*	84		R56
CONTINUED														

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD	(2) FEDERAL STOCK NUMBER	MODEL NUMBER	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	GS	(C)	1 YR ALW PER 100 EQUIP.	FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
			(AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)														
P	F	5905-195-5571	RESISTOR, FIXED, COMPOSITION OR.: 81349 NO. RC20GF680K	EA	10	1	*	*	2	*	*	2	*	2	82		R56
P	F	5905-279-1894	RESISTOR, FIXED, COMPOSITION OR.: 81349 NO. RC20GF820K	EA	10	1	*	*	2	*	*	2	*	2	82		R56
P	F	5905-190-8889	RESISTOR, FIXED, COMPOSITION OR.: 81349 NO. RC20GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	10	1	*	*	*	*	*	*	*	*	8		R56
P	F	5905-279-3514	RESISTOR, FIXED, COMPOSITION OR.: 81349 NO. RC20GF181K (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	10	1	*	*	*	*	*	*	*	*	8		R56
P	F	5905-171-2006	RESISTOR, FIXED, COMPOSITION OR.: 81349 NO. RC20GF271K	EA	10	1	*	*	2	*	*	2	*	2	82		R56
P	F	5905-279-1890	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF391K	EA	10	1	*	*	2	*	*	2	*	2	82		R56
			GROUP XI TRANSLATOR, RADIOFREQUENCY														
P	FR	5821-868-7528	TRANSLATOR, RADIO FREQUENCY: 95104 NO. 528-0113-00	EA	1	1	1	1	1	1	1	1	1	1	3		1A12
P	FR	5821-846-6037	OSCILLATOR, RADIO FREQUENCY: 95104 NO. 522-2424-004	EA	1	1	1	1	1	1	1	1	1	1	42		
P	F	5821-019-6293	SCREW ASSEMBLY: 95104 NO. 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	4	*	*	*	*	*	*	*	*	10		
X2F			GEAR, PLATE ASSEMBLY: 95104 NO. P/N 546-7440-00	EA	1	1	*	*	*	*	*	*	*	*	8		
P	F	6105-049-5458	MOTOR, CONTINUOUS: 95104 NO. P/N 230-0303-00 (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	1	*	9	18	*	9	18	*	9	18	82	81

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)					
SOURCE CD	REC. CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY IN PK INC IN UNIT	(7) 30 DAY MAINT. ALLOW.						(8) QTY IN PK INC IN UNIT	(9) QTY IN PK INC IN UNIT	(10)	
						DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
						(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100				
P	F	3110-447-4775	BEARING, BALL, AN: 40920 NO. S5632FCHH-P37-101	EA	1	2	*	2	*	2	192				
P	F	3110-807-1711	BEARING, ROLLER: 60399 NO. B24MILA6085A	EA	1	4	*	2	2	2	274				
P	F	5821-806-8533	GEAR, SPUR: 95104 NO. 546-6981-002	EA	1	1	*	*	*	*	82				
P	F	5821-806-8532	GEAR, SPUR: 95104 NO. 546-6984-002	EA	1	1	*	*	*	*	82				
P	F	5820-816-9735	GEAR, SPUR: 95104 NO. 546-7377-003	EA	1	1	*	*	*	*	82				
P	F	5821-801-9325	GEAR, CLUSTER: 95104 NO. 546-6409-002 (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	1	*	9	18	*	9	18	82		
P	F	3110-050-4289	BEARING, ROLLER, NEEDLE: 60399 NO. B47MILL6055A	EA	1	2	*	*	*	*	132				
P	F	5950-818-3747	COIL, RADIO FREQUENCY: 95104 NO. 546-7469-003	EA	1	1	*	*	2	*	2	83			
P	FR		TRANSLATOR, RADIO FREQUENCY: 95104 NO. 546-1369-004	EA	1	1	*	*	*	*	8				
P	F	5821-858-1214	TERMINAL BOARD: 95104 NO. 548-1368-004	EA	1	1	*	*	2	*	2	82			
P	F	5905-190-8880	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF122K (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	10	1	*	*	2	*	2	82			R80
P	F	6145-655-2167	CABLE, RADIO FREQUENCY:	FT	BLK	3	*	*	*	*	53				
P	F	5905-195-6761	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF104K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	10	1	*	*	*	*	8				R67
P	F	5905-185-8510	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	8				R66

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT,
AND DEPOT MAINTENANCE[illegible]

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															(10)	
(3)	(2)	(3)	(4)	(5)	(6)	(7)						(8)	(9)	(10)		
						30 DAY MAINT. ALW.								(A)	(B)	
SOURCE CD	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN	(A)	(B)	(A)	(B)	(C)	FIGURE NUMBER	ITEM OR SYMBOL NUMBER				
P F	5935-083-7657	JACK, TIP: 98291 NO. SKT108LU	EA	1	1	*	*	2	*	2	2	J6				
P F	5950-060-3087	COIL, RADIO, FREQUENCY: 95104 NO. 546-7094-002	EA	1	1	*	*	2	*	2	2	L90				
P FR	5820-076-3523	TRANSLATOR SUBASSEMBLY: 95104 NO. 546-6971-00	EA	1	1	*	*	*	*	*	2					
P F	5930-083-6161	SWITCH, SECTION ROTARY: 76854 NO. 199123GA	EA	1	1	*	*	2	*	2	122	S12				
P F	5930-083-6139	SWITCH SECTION ROTARY: 76854 NO. 211232GA	EA	1	1	*	*	2	*	2	122	S9				
P F	5930-083-6160	SWITCH, SECTION ROTARY: 76854 NO. 199127GA	EA	1	1	*	*	2	*	2	122	S8				
P F	5930-034-2322	SWITCH, SECTION ROTARY: 95104 NO. 269-2177-00	EA	1	1	*	*	2	*	2	122	S13				
P F	5930-083-6163	SWITCH, SECTION, ROTARY: 76854 NO. 199182GA	EA	1	1	*	*	2	*	2	122	S14				
P F	5930-020-9554	SWITCH, SECTION ROTARY: 76854 NO. 199183GA	EA	1	1	*	*	*	*	*	122	S11				
P F	5930-083-6165	SWITCH, SECTION, ROTARY: 76854 NO. 199184GA	EA	1	1	*	*	2	*	2	122	S10				
P FR	5910-045-5012	CAPACITOR, ASSEMBLY: 95104 NO. 546-7137-003	EA	1	1	*	*	*	*	*	82					
P F	5910-080-3689	CAPACITOR, FIXED, MICA DIELECTRIC: 72915 NO. DM15E1480G500WV	EA	1	1	*	*	2	*	2	83	C190				
P F	5910-088-4314	CAPACITOR, FIXED, MICA DIELECTRIC: 72915 NO. DM15E1330F500WV	EA	1	1	*	*	2	*	2	83	C191				
P F	5910-080-3688	CAPACITOR, FIXED: 72915 NO. DM15E1140G500WV	EA	1	1	*	*	2	*	2	83	192				
P F	5910-084-7588	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F101G03	EA	1	1	*	*	*	*	*	8	C194				

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)									
(A) SOURCE CD	(B) MAINT CD	(C) REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK			(6) 30 DAY MAINT. ALW.			(8) PER 100 EQUIP. MAINT. ALW	(9) ILLUSTRATIONS	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER				
						(A) PK	(B) UN	(C) IN	(A) 1-20	(B) 21-50	(C) 51-100					(A) 1-20	(B) 21-50	(C) 51-100	
P	F		5910-080-4014	CAPACITOR, FIXED, MICA DIELECTRIC; 72915 NO. DM15E890G500WV	EA	1	1	*	2	*	2	*	2	83		C195			
P	F		5910-080-4013	CAPACITOR, FIXED, MICA DIELECTRIC; 72915 NO. DM15E790G500WV	EA	1	1	*	2	*	2	*	2	83		C197			
P	F		5910-080-2330	CAPACITOR, FIXED, MICA DIELECTRIC; 72915 NO. 72915	EA	1	1	*	2	*	2	*	2	83		C198			
P	F		5910-842-3332	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM5E620G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	2	*	2	*	2	812		C200			
P	F		5910-080-2331	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. DM15E540G500WV	EA	1	1	*	2	*	2	*	2	83		C201			
P	F		5910-028-9918	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E470G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	2	*	2	*	2	8		C203			
P	F		5910-068-1334	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E430G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	2	*	2	*	2	812		C204			
P	F		5910-638-3171	R, FIXED, MICA DIELECTRIC; 81349 NO. CM05E390G03	EA	1	1	*	2	*	2	*	2	83		C205			
P	F		5910-957-2054	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E330G03	EA	1	1	*	2	*	2	*	2	83		C206			
P	F		5910-050-7367	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E300G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	*	2	*	2	*	2	810		C207			
P	F		5910-067-5697	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E270G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	*	2	*	2	86		C208			
P	F		5910-823-1296	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05G220J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	9	18	*	9	18	8		C215			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN PK						(6) QTY INC IN PK						(7) 30 DAY MAINT. ALW.						(8) QTY INC IN PK	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS	
																										(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
P	F	FR	5950-018-3736	COIL, ASSEMBLY, RADIO FREQUENCY: 95104 NO. 546-7121-003	EA	1	1	*	*	*	*	1	1	*	*	*	*	51-100	21-50	1-20	51-100	21-50	1-20	82			Z5
P	F	5821	019-0024	STABILIZER, COIL BLOCK: 95104 NO. 546-7110-003	EA	1	1	*	*	*	*	1	1	*	*	*	*							82			
P	F	5950	007-5394	COIL, RADIO, FREQUENCY: 95104 NO. 546-7128-003	EA	1	3	*	*	*	*	1	3	*	*	*	*	2	*	*	2	*	*	186			L95.L103. L104
P	F			COIL, RADIO, FREQUENCY: 95104 NO. 546-7129-003 (LHA2-3796)	EA		2	*	*	*	*		2	*	*	*	*	2	*	*				134			L94.L105
P	F	5950	007-5395	COIL, RADIO, FREQUENCY: 95104 NO. 546-7130-003 L93. L96. L97. L106. THRU L108	EA	1	6	*	*	*	*	1	6	*	*	*	*	2	*	*	2	*	*	3314			SEE DESC.
P	F	5950	007-5396	COIL, RADIO FREQUENCY: 95104 NO. 546-7131-003 (C- L91. L92. L98. L99. L109. THRU L112)	EA	1	8	*	*	*	*	1	8	*	*	*	*	2	*	*	2	*	*	4016			SEE DESC.
P	F	5950	007-5397	COIL, RADIO, FREQUENCY: 95104 NO. 546-987-5397 L100. L113 THRU L115	EA	1	4	*	*	*	*	1	4	*	*	*	*	2	*	*	2	*	*	278			SEE DESC.
P	F	5950	007-5398	COIL, RADIO FREQUENCY: 95104 NO. 546-7133-003 L101. L102. L116 THRU L118	EA	1	5	*	*	*	*	1	5	*	*	*	*	2	*	*	2	*	*	2710			SEE DESC.
X2F				COUPLING, HALF: 95104 NO. 546-6818-002	EA		1	*	*	*	*		1	*	*	*	*							8			
P	F			COUPLING, HALF: 04 NO. 546-1352-002 (LAAA2-3849) (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA		1	*	*	*	*		1	*	*	*	*	2	*	*				84			
P	F	5915	028-4813	SUPPRESSOR, PARA: 95104 NO. 546-7051-002	EA	1	3	*	*	*	*	1	3	*	*	*	*	2	*	*				183			Z2 THRU Z4
P	F	5905	052-4018	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	1	1	*	*	*	*	1	1	*	*	*	*							8			
X2F				WIRING HARNESS: 95104 NO. 546-6977-00	EA		1	*	*	*	*		1	*	*	*	*							5			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																					
(1)		(2)		(3)		(7)										(8)	(9)	(10)			
SOURCE CD	REC. CODE	FEDERAL STOCK NUMBER	MODEL	IND CD	DESCRIPTION	UNIT OF ISSUE	(5)		QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						PER 100 EQUIP.	DEPOT MAINT. ALW. PER 100 EQUIP.	ILLUSTRATIONS		
							(4)	(6)			DS		GS		(C)						
							(A)	(B)	(A)	(B)	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(A)	(B)	
P F		5935-775-0949			CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. UCM37P (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	1			1	*	*	*	*	*	*	*	*		p9
X2F					WIRING HARNESS: 95104 NO. 546-6978-00	EA		1			1	*	*	*	*	*	*	*	*		
P F		6145-722-5932			CABLE, RADIO FREQUENCY HG-188/U	EA	BLK	3			2	*	2	*	2	*	2	2	539		
P F		6145-655-2167			CABLE, RADIO FREQUENCY RG-196/U (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	BLK	1			*	*	*	*	*	*	*	*	27		
P F		5930-820-5450			DETENT, SWITCH: 95104	EA	1	1			*	*	*	2	*	*	2	103			
P FR					TRANSLATOR, RADIO FREQUENCY: 95104 NO. 546-7114-003	EA		1			*	*	*	*	*	*	*	*		R41.R44	
P F		5905-195-6761			RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF104K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	10	2			*	*	*	*	*	*	*	13			
P F		5905-254-9201			RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF473K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2			*	*	*	*	*	*	*	13			R39.R43
X2F					TERMINAL, BOARD: 95104 NO. 549-4461-003	EA		1			1	*	*	*	*	*	*	8			
P F		5821-828-8334			TERMINAL BOARD: 95104 NO. 546-7116-003	EA	1	2			*	*	*	*	*	*	*	132			TB6.TB8
P F		5910-812-7286			CAPACITOR, FIXED: 72982 NO. 338011R2H0510G	EA	1	1			1	*	*	*	*	*	2	83			C258
P F		5910-723-5267			CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E20J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	3			*	*	*	*	*	*	*	18			C179.C183 .C257
P F		5910-838-4242			CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E510G03	EA	1	2			2	*	2	*	2	*	2	136			C178.C188
P F		5910-617-4365			CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F201G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	2			*	*	*	*	*	*	*	13			C180.C185

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)							
SOURCE CD	REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL 123456	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)		(7) 30 DAY MAINT. ALW.				(8)	(9)		ILLUSTRATIONS		
						QTY IN PK	QTY INC IN UNIT	DS		GS			(A)	(B)	(C)	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20						
P	F	5910-808-2236		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NO. CC31PG620G	EA	1	1	*	*	2	*	2	83			C182	
P	F	5910-811-4992		CAPACITOR, FIXED, MICA DIELECTRIC: 72195 NO. UM19F102F03	EA	1	1	*	*	2	*	2	83			C186	
P	F	5910-702-5897		CAPACITOR, VARIABLE: 72393 NO. 1N953	EA	1	2	*	2	2	2	2	136			C177.C276	
P	F	6145-655-2167		CABLE, RADIO FREQUENCY RG-196/U (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	FT	BLK	2	*	*	*	*	*	13				
P	F	5905-802-6730		RESISTOR, FIXED, COMPOSITION: 81349 NO. KC07GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	8			R81	
P	F	5910-578-1984		CAPACITOR, FIXED: 72195 NO. UM15C100J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	8			C184	
P	F	5910-709-2024		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F391G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	8			C181	
P	F	5950-847-2302		TRANSFORMER, RADIO FREQUENCY: 95104 NO. 546-7066-002	EA	1	1	*	*	2	*	2	82			T4	
P	F	5910-809-8660		CAPACITOR, FIXED, MICA DIELECTRIC: 72982 NO. 63301208B352J	EA	1	1	*	*	2	*	2	83			C134	
P	F	5915-846-0449		FILTER, BANDPASS: 95104 NO. 546-7045-003	EA	1	1	*	*	*	*	*	51			FL1	
P	F	5950-706-9463		COIL, RADIO FREQUENCY: 99800 NO. 2150-36	EA	1	2	*	*	2	*	2	134			L124.L129	
P	F	5950-060-0754		INDUCTANCE STANDARD: NO. X228-1	EA	1	1	*	*	*	*	*	192			L123	
P	F	5950-060-1392		INDUCTANCE STANDARD: NO. X226-1	EA	1	3	*	*	2	*	2	463			L125 THRU L127	
P	F	5950-060-9687		INDUCTANCE STANDARD: NO. X230-1	EA	1	1	*	*	*	*	*	192			L128	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(3)			(7)					(8)	(9)	(10)																																																																																																	
(2) FEDERAL STOCK NUMBER	MODEL 12345678901	DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK			(6) 30 DAY MAINT. ALW.					(7) 30 DAY MAINT. ALW.			(8) DEPOT MAINT. ALW PER 100 EQUIP.	(9) 1 YR ALW PER 100 EQUIP.	(10) ILLUSTRATIONS																																																																																																				
				(A) 1-20	(B) 21-50	(C) 51-100	(D) 101-200	(E) 201-500	(F) 501-1000	(G) 1001-2000	(H) 2001-5000	(I) 5001-10000	(J) 10001-20000	(K) 20001-50000				(L) 50001-100000	(M) 100001-200000	(N) 200001-500000	(O) 500001-1000000	(P) 1000001-2000000	(Q) 2000001-5000000	(R) 5000001-10000000	(S) 10000001-20000000	(T) 20000001-50000000	(U) 50000001-100000000	(V) 100000001-200000000	(W) 200000001-500000000	(X) 500000001-1000000000	(Y) 1000000001-2000000000	(Z) 2000000001-5000000000	(AA) 5000000001-10000000000	(AB) 10000000001-20000000000	(AC) 20000000001-50000000000	(AD) 50000000001-100000000000	(AE) 100000000001-200000000000	(AF) 200000000001-500000000000	(AG) 500000000001-1000000000000	(AH) 1000000000001-2000000000000	(AI) 2000000000001-5000000000000	(AJ) 5000000000001-10000000000000	(AK) 10000000000001-20000000000000	(AL) 20000000000001-50000000000000	(AM) 50000000000001-100000000000000	(AN) 100000000000001-200000000000000	(AO) 200000000000001-500000000000000	(AP) 500000000000001-1000000000000000	(AQ) 1000000000000001-2000000000000000	(AR) 2000000000000001-5000000000000000	(AS) 5000000000000001-10000000000000000	(AT) 10000000000000001-20000000000000000	(AU) 20000000000000001-50000000000000000	(AV) 50000000000000001-100000000000000000	(AW) 100000000000000001-200000000000000000	(AX) 200000000000000001-500000000000000000	(AY) 500000000000000001-1000000000000000000	(AZ) 1000000000000000001-2000000000000000000	(BA) 2000000000000000001-5000000000000000000	(BB) 5000000000000000001-10000000000000000000	(BC) 10000000000000000001-20000000000000000000	(BD) 20000000000000000001-50000000000000000000	(BE) 50000000000000000001-100000000000000000000	(BF) 100000000000000000001-200000000000000000000	(BG) 200000000000000000001-500000000000000000000	(BH) 500000000000000000001-1000000000000000000000	(BI) 1000000000000000000001-2000000000000000000000	(BJ) 2000000000000000000001-5000000000000000000000	(BK) 5000000000000000000001-10000000000000000000000	(BL) 10000000000000000000001-20000000000000000000000	(BM) 20000000000000000000001-50000000000000000000000	(BN) 50000000000000000000001-100000000000000000000000	(BO) 100000000000000000000001-200000000000000000000000	(BP) 200000000000000000000001-500000000000000000000000	(BQ) 500000000000000000000001-1000000000000000000000000	(BR) 1000000000000000000000001-2000000000000000000000000	(BS) 2000000000000000000000001-5000000000000000000000000	(BT) 5000000000000000000000001-10000000000000000000000000	(BU) 10000000000000000000000001-20000000000000000000000000	(BV) 20000000000000000000000001-50000000000000000000000000	(BW) 50000000000000000000000001-100000000000000000000000000	(BX) 100000000000000000000000001-200000000000000000000000000	(BY) 200000000000000000000000001-500000000000000000000000000	(BZ) 500000000000000000000000001-1000000000000000000000000000	(C1) 1000000000000000000000000001-2000000000000000000000000000	(C2) 2000000000000000000000000001-50000000000000000000000000000	(C3) 5000000000000000000000000001-100000000000000000000000000000	(C4) 10000000000000000000000000001-2000000000000000000000000000000	(C5) 20000000000000000000000000001-50000000000000000000000000000000	(C6) 50000000000000000000000000001-100000000000000000000000000000000	(C7) 100000000000000000000000000001-2000000000000000000000000000000000	(C8) 200000000000000000000000000001-50000000000000000000000000000000000	(C9) 500000000000000000000000000001-100000000000000000000000000000000000	(C10) 1000000000000000000000000000001-200000000000000000000000000000000000	(C11) 2000000000000000000000000000001-5000000000000000000000000000000000000	(C12) 5000000000000000000000000000001-10000000000000000000000000000000000000	(C13) 10000000000000000000000000000001-20000000000000000000000000000000000000	(C14) 20000000000000000000000000000001-500000000000000000000000000000000000000	(C15) 50000000000000000000000000000001-1000000000000000000000000000000000000000	(C16) 100000000000000000000000000000001-200	(C17) 200000000000000000000000000000001-5000	(C18) 500000000000000000000000000000001-100	(C19) 1000000000000000000000000000000001-2000	(C20) 2000000000000000000000000000000001-500	(C21) 5000000000000000000000000000000001-1000	(C22) 10000000000000000000000000000000001-200	(C23) 20000000000000000000000000000000001-5000	(C24) 50000000000000000000000000000000001-100	(C25) 100000000000000000000000000000000001-2000	(C26) 200000000000000000000000000000000001-5000	(C27) 500000000000000000000000000000000001-1000	(C28) 1000000000000000000000000000000000001-200	(C29) 2000000000000000000000000000000000001-500	(C30) 5000000000000000000000000000000000001-100	(C31) 10000000000000000000000000000000000001-200	(C32) 20000000000000000000000000000000000001-500	(C33) 50000000000000000000000000000000000001-100

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT,
AND DEPOT MAINTENANCE

SOURCE CD	MAIN CD	REC CD	(2) FEDERAL STOCK NUMBER	MODEL		(3) DESCRIPTION	UNIT OF ISSUE	IN UN PK	IN UNIT	(A) 1-20	(B) 21-50	(C) 51-100	(A) 02-1	(B) 21-50	(C) 51-100	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
				MODEL	CD												
				123456	IN CD												
P	F		5950-842-2247			COIL. RADIO FREQUENCY: 76487 NO. J301-500 (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	3	*	*	*	*	*	*	18	L60.L75.L78
P	F		5960-615-0243			ELECTRON TUBE: 95412 NO. 6CL6	EA	1	2	4	10	18	4	10	1820925	V6.V7	
P	F		5960-262-0167			ELECTRON TUBE: 80368 NO. 12AT7WA	EA	1	4	3	9	16	3	9	1618735		
P	F		5960-348-5068			ELECTRON TUBE: 95248 NO. 6CD6	EA	1	2	2	3	6	2	3	67125	V4.V5	
P	F		5950-808-7572			CORE. ADJUSTABLE TUNING: 78488 NO. 57-634-8	EA	1	3	*	*	2	*	*	2	6	E12 THRU E14
P	F		5950-087-1562			CORE. ADJUSTABLE TUNING: 92054 NO. 5E2788-2	EA	1	4	*	2	2	*	2	2	8	E15 THRU E18
P	F		5950-060-9188			COIL. RADIO FREQUENCY: 76487 NO. J301-1000	EA	1	2	*	*	*	*	*	*	13	L80.L121
P	F		5961-284-7608			SEMICONDUCTOR DEVICE. DIODE: 81349 NO. 1N67A	EA	1	1	*	*	*	*	*	*	82	CR6
P	F		5935-685-9913			CONNECTOR. RECEPTACLE. ELECTRICAL UG-1051/U: (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	8	*	*	*	*	*	*	40	P1 THRU P8
P	F		5960-564-4755			SHIELD. ELECTRON TUBE: 95104 NO. 541-8166-002	EA	1	4	*	2	2	*	2	2	5915	E1 THRU E3. E11
P	F		5960-552-0236			SHIELD. ELECTRON TUBE: 95104 NO. 541-8166-002	EA	1	1	*	2	2	*	2	2	1915	
P	F		5960-865-4500			SHIELD. ELECTRON TUBE: 95104 NO. 541-8161-002	EA	1	1	*	2	2	*	2	2	1915	
P	F		5960-649-8665			INSERT. ELECTRON TUBE SHIELD: 95104 NO. 541-6521-002	EA	1	1	*	2	*	*	2	*	194	
P	F		5960-686-7500			SHIELD. ELECTRON TUBE: 75104 NO. 541-6555-003	EA	1	2	*	2	*	*	2	*	108	E5.E6
P	F		5960-865-5067			SHIELD. ELECTRON TUBE: 95104 NO. 541-8165-002	EA	1	1	*	2	*	*	2	*	58	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOW						(10) ILLUSTRATIONS	
							DAYS						(9) CROSS REFERENCE TO ILLUSTRATION	(8) ITEM OR SYMBOL NUMBER
							(A)	(B)	(C)	(D)	(E)	(F)		
P	F	5960-865-4501	SHIELD, ELECTRON TUBE: 95104 NU. 541-8162-002 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	58	
P	F	5960-617-5785	INSERT, ELECTRON TUBE: 95104 NU. 541-6522-002 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	194	
P	F	5905-602-6730	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	3	1-20	21-50	51-100	1-20	21-50	51-100	18	R1,R6,R78
P	F	5905-682-4098	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF392K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	8	R33
P	F	5905-686-9994	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF122K (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	8	R2
P	F	5905-723-5251	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF222K R7,K8,R36,R40	EA	10	4	1-20	21-50	51-100	1-20	21-50	51-100	27	SEE DESC.
P	F	5905-687-0002	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF223K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	8	R9
P	F	5905-686-3129	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF104K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	1-20	21-50	51-100	1-20	21-50	51-100	13	R31,R53
P	F	5905-681-8957	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF474K	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	83	R4
P	F	5905-279-1752	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF120K	EA	10	1	1-20	21-50	51-100	1-20	21-50	51-100	83	R74
P	F	5905-252-4018	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	8	R12
P	F	5905-279-1897	RESISTOR, FIXED, COMPOSITION: 81349 NU. RC20GF560K	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	8	R14

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(3)										(4)										(5)										(6)										(7)										(8)										(9)										(10)																																																																															
FEDERAL STOCK NUMBER										MODEL										DESCRIPTION										UNIT OF ISSUE										QTY INC IN UN PK										QTY INC IN UN										30 DAY MAINT. ALW.										QTY INC IN UN										PER 100 PER ALW. PER 100 PER ALW. PER 100 PER ALW.										(A)										(B)										ITEM OR SYMBOL NUMBER										(A)										(B)										FIGURE NUMBER										SYMBOL NUMBER									
P F 5905-190-8889										(FOR AUTHORIZED ALLOWANCES SEE GROUP X)										EA 10 2 *										1 2 *										21-50										51-100										13										R63, R79																																																																																									
P F 5905-252-5434										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF101K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)										EA 1 1 *										1 *										21-50										51-100										8										R20																																																																																									
P F 5905-279-3513										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF121K (FOR AUTHORIZED ALLOWANCES SEE GROUP X)										EA 10 2 *										2 *										21-50										51-100										134										R51, R65																																																																																									
P F 5905-982-5503										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF121K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)										EA 1 2 *										*										21-50										51-100										13										R10, R19																																																																																									
P F 5905-682-4105										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF224K										EA 1 3 *										2 *										21-50										51-100										186										R27 THRU R29																																																																																									
P F 5905-190-8880										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF122K (FOR AUTHORIZED ALLOWANCES SEE GROUP XI) R13, R45, R72										EA 10 3 *										*										21-50										51-100										18										SEE DESC.																																																																																									
P F 5905-279-1876										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF222K (FOR AUTHORIZED ALLOWANCES SEE GROUP III) R5, R11, R15, R16, R32, R35, R50										EA 10 7 *										*										21-50										51-100										33										SEE DESC.																																																																																									
P F 5905-279-3506										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF332K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)										EA 10 3 *										*										21-50										51-100										18										R61, R88, R89																																																																																									
P F 5905-279-3504										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF472K										EA 10 1 *										*										21-50										51-100										2										R22																																																																																									
P F 5905-185-8510										RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)										EA 10 1 *										*										21-50										51-100										8										R64																																																																																									

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)									
(3) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN UNIT	(7) 30 DAY MAINT. ALW.									(8) CENTRAL DEPOT MAINT. PLANT OR EQUIP.	(9) CENTRAL DEPOT MAINT. PLANT OR EQUIP.	(10) ILLUSTRATIONS		
						DS			GS			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER						
						(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100								
		III)																	
P	F	5905-727-8001	RESTOR. FIXED. COMPOSITION: 81349 NO. RC07GF681K	EA	1	1	*	*	*	2	*	*	*	2	*	*	R59		
P	F	5905-195-6761	RESTOR. FIXED. COMPOSITION: 81349 NO. RC20GF104K (FOR AUTHORIZED ALLOWANCES SEE GROUP VI)	EA	10	3	*	*	*	*	*	*	*	*	*	*	R17, R18, R52		
P	F	5905-279-1734	RESTOR. FIXED. COMPOSITION: 81349 NO. RC32GF330K	EA	10	1	*	*	*	2	*	*	*	2	*	*	R69		
P	F	5905-810-0650	RESTOR. FIXED. WIRE WOUND: 81349 NO. WS2C250RUH	EA	1	1	*	*	*	2	*	*	*	2	*	*	R71		
P	F	5905-080-5899	RESTOR. FIXED. WIRE WOUND: 81349 NO. RW69V101	EA	1	1	*	*	*	2	*	*	*	2	*	*	R68		
P	F	5905-691-0195	RESTOR. FIXED. COMPOSITION: 81349 NO. RC07GF562K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	*	*	R30		
P	F	5905-828-5804	RESTOR. FIXED: 00213 NO. 1550S10000-3PCT	EA	1	2	*	*	2	2	*	2	2	2	2	2	R25, R70		
P	F	5910-544-6494	CAPACITOR. FIXED: 00853 NO. M23-1000M	EA	1	1	*	*	2	2	*	2	2	2	2	2	C140		
P	F	5910-811-8297	CAPACITOR. FIXED. MICA DIELECTRIC: 00853 NO. M72-360G	EA	1	1	*	*	*	2	*	*	*	2	*	*	C125		
P	F	5910-702-0726	CAPACITOR. FIXED: 72136 NO. DM15C050J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	10	1	*	*	*	*	*	*	*	*	*	*	C270		
P	F	5910-894-0421	CAPACITOR. FIXED: 72136 NO. UM15C150J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	*	*	C212		
P	F	5910-943-0741	CAPACITOR. FIXED: 72136 NO. UM15C180J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	*	*	C57		
CONTINUED																			

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE					(3)	(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD	MAINT CD	REG CODE	(2) FEDERAL STOCK NUMBER	MODEL 12345678	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						PER 100 EQUIP.	ALW. PER 100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
									DS		GS		CS					
									(A)	(B)	(C)	(A)	(B)	(C)				
P	F		5910-067-5697		II) CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E270G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	*	*	*	*	*	*	*	*	C14	
P	F		5905-086-9998		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF472K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	R55	
P	F		5910-578-1984		CAPACITOR, FIXED: 81349 NO. DM15C100J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	C23	
P	F		5910-725-7428		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F910G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	C126	
P	F		5910-617-4365		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F201G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	*	*	C165	
P	F		5910-984-7588		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F101G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	*	13	C142.C143	
P	F		5910-725-7421		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F221G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	*	C274	
P	F		5910-851-0693		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F271G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	1	*	*	*	*	*	*	*	*	C12	
P	F		5910-824-9780		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F331G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	2	2	*	2	2	2	2	C6	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																			
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL CD	CD	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN	(7) 30 DAY MAINT. ALW.						(8) 1 PER 100 EQUIP. ALW. PER 100 EQUIP. PL.	(9) 1 PER 100 EQUIP. ALW. PER 100 EQUIP. PL.	(10) ILLUSTRATIONS	
										(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
P	F		5910-811-4041			CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F361G03	EA	1	1	*	*	2	*	*	2	83		C9	
P	F		5910-812-8952			CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F131G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	1	*	*	*	*	*	*	8		C1	
P	F		5910-754-8606			CAPACITOR, FIXED; 81349 NO. DM20F102J500MV (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8		C137	
P	F		5910-666-7228			CAPACITOR, FIXED; 81349 NO. CK60AW102M (FOR AUTHORIZED ALLOWANCES SEE GROUP XI) C2, C15, C16, C59, C60, C93, C102, C131, C13 C169, C170, C172 THRU C174, C211, C214, C231	EA	1	17	*	*	*	*	*	*	71		SEE DESC.	
P	F		5910-822-5683			CAPACITOR, FIXED; 81349 NO. CK63AW103M (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII) C3 THRU C5, C17, C24, C25, C4, C96, C99 THRU 101, 130, 133, 136, 171, 209, 213, 232, 255, 260	EA	10	20	*	*	*	*	*	*	63		SEE DESC.	
P	F		5910-828-9918			CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E470G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	8		C176	
P	F		5910-667-8288			CAPACITOR, FIXED, CERAMIC DIELECTRIC; 72982 NO. 2465-010W5T0102F C152 THRU C154, C233 THRU C246, C263	EA	1	16	*	4	7	*	4	7	7754		SEE DESC.	
P	F		5910-660-7430			CAPACITOR, FIXED; 03571 NO. 55C23A2 (FOR AUTHORIZED ALLOWANCES SEE GROUP III) C55, C56, C155 THRU 160, 162, 164, 167, 249 THRU 251, 253, 254	EA	1	17	*	*	*	*	*	*	71		SEE DESC.	
P	F		5910-844-6782			CAPACITOR, FIXED, CERAMIC DIELECTRIC; 81349 NO. CL25BQ040UP3 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	*	*	*	*	*	*	8		C166	
P	F		5910-667-6639			CAPACITOR, VARIABLE; 72982 NO. 557018C0P010R	EA	1	1	*	*	*	2	*	2	82		C128	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	MAINT. CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(7) 30 DAY MAINT. ALLOW.						(10) ILLUSTRATIONS	
					QTY INC IN UN PK	QTY INC IN UN UNIT	DS			(8) 1 YR. ALLOW PER 100 EQUIP. DEFECT MAINT. ALLOW PER 100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
							(A)	(B)	(C)			
1	2	3	4	5	6	7	8	9	10	11	12	13
P	F	5910-666-7974	CAPACITOR, VARIABLE: 72982 NO. 557018U2P034H (FOR AUTHORIZED ALLOWANCES SEE GROUP III) C7, 10, 13, 127, 187, 256	EA	1	6	*	*	*	33		
P	F	5910-542-7373	CAPACITOR, FIXED: 05397 NO. KSR2J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	8		C95
P	F	5960-166-7667	ELECTRON TUBE 94144 NO. 6AH6WA	EA	1	4	3	7	13	6475		V8 THRU V11
P	F	5905-683-7723	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	8		R3
P	F	5905-256-3361	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC426F102K	EA	10	1	*	*	*	8		R21
P	F	5905-279-2643	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC326F101K (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	1	*	*	*	8		R26
P	F	5905-279-3503	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC206F682K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	8		R34
P	F	5905-299-1971	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC206F822K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1	*	*	*	8		R42
P	F	5910-726-2448	CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NO. CC22CH050D	EA	1	1	*	*	*	8		R129
P	F	5905-683-2238	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	13		R37,R92
P	F	5905-279-1723	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC326F222K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	10	2	*	*	*	13		R38,R46
P	F	5910-726-8696	CAPACITOR, FIXED, CERAMIC DIELECTRIC OR: 81349 NO. CC20CH120J	EA	1	1	*	*	2	83		C61

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10) ILLUSTRATIONS						
(3) SOURCE CD	(4) MAINT CD	(5) FEDERAL STOCK NUMBER	(6) MODEL	(7) DESCRIPTION	(8) UNIT OF ISSUE	(9) QTY INC IN PK				(10) 30 DAY MAINT. ALW.				(11) FIGURE NUMBER	(12) ITEM OR SYMBOL NUMBER	
						(13) PK	(14) IN	(15) INC	(16) QTY	(17) DS		(18) GS				
										(19) (A)	(20) (B)	(21) (A)	(22) (B)	(23) (C)	(24) (A)	(25) (B)
P	F	5910-583-1776	123456	CAPACITOR, FIXED, CERAMIC DIELECTRIC OR: 81349 NO. CC20CH150G	EA	1	1	1	1	2	2	2	2	2	83	C61
P	F	5910-853-8651		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NO. CC20CH090C	EA	1	1	1	1	2	2	2	2	2	83	C61
P	F	5961-087-6047		SEMICONDUCTOR, DEVICE, DIODE: 81349 NO. 1N645 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	3	1	1	2	2	2	2	2	13	CR1, CR5, CR9
P	F	5910-617-4961		CAPACITOR, FIXED, ELECTROLYTIC: 95412 NO. 29F575G4 (FOR AUTHORIZED ALLOWANCES SEE GROUP VII)	EA	1	1	1	1	2	2	2	2	2	19	C230
P	F	5910-811-4788		CAPACITOR, FIXED: 05571 NO. 33C41 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	1	1	2	2	2	2	2	13	C271, C272
P	F	5910-129-9183		CAPACITOR, VARIABLE: 72982 NO. 557018C0P039R	EA	1	1	1	1	2	2	2	2	2	83	C141
P	F	5821-845-9262		ACTUATOR, ROTARY: 95104 NO. 546-6873-005	EA	1	1	1	1	1	1	1	1	1	41	
P	F	5910-581-2547		CAPACITOR, FIXED: 05571 NO. 111D105X0150G1 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1	1	2	2	2	2	2	8	C1
P	F	6105-849-5458		MOTOR, CONTINUOUS: 95104 NO. 230-0303-00 (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	2	1	1	2	2	2	2	2	13	B1, B2
P	F	5930-064-6285		SWITCH, LEVEL: 80625 NO. 216-0046-00	EA	1	1	1	1	2	2	2	2	2	122	S7
P	F	5961-087-6047		SEMICONDUCTOR DEVICE, DIODE: 81349 NO. 1N645 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	3	1	1	2	2	2	2	2	13	CR2 THRU CR4
P	F	3020-019-6266		GEAR, SPUR: 95104 NO. 546-6779-002	EA	1	1	1	1	2	2	2	2	2	82	
P	F	3020-865-5935		GEAR, CLUSTER: 95104 NO. 546-6795-002	EA	1	1	1	1	2	2	2	2	2	82	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SOURCE CD	FEDERAL STOCK NUMBER	MODEL	DESCRIPTION	UNIT OF ISSUE	IN PK	IN UNIT	IN		FIGURE NUMBER	ITEM OR SYMBOL NUMBER	
							(A)	(B)			
P F	5820-067-8284	123456	COUPLING. SHAFT. FLEXIBLE: 95104 NO. 546-6825-002	EA	1	1	1-20	*	51-100	*	82
P FR			PLATE. FRONT: 95104 NO. 546-6826-002	EA	1	1	1-20	*	21-50	*	
P F	5821-015-2399		GEAR. CLUSTER: 95104 NO. 549-5499-003	EA	1	1	1-20	*	51-100	2	83
P F	3020-853-0622		GEAR. CLUSTER. SPUR: 95104 NO. 546-6833-002	EA	1	1	1-20	*	21-50	2	83
P F	3020-853-0618		GEAR. CLUSTER. SPUR: 95104 NO. 546-6834-002	EA	1	1	1-20	*	51-100	2	82
P F	3020-853-0619		GEAR. CLUSTER. SPUR: 95104 NO. 546-6798-002	EA	1	1	1-20	*	21-50	2	82
P F	5905-810-0643		RESISTOR. FIXED: 15909 NO. C9560	EA	1	1	1-20	*	51-100	2	82
P F	5905-810-0648		RESISTOR. FIXED. WIRE WOUND: 15909 NO. C9557	EA	1	1	1-20	*	21-50	2	82
P F	5905-810-0647		RESISTOR. FIXED: 15909 NO. C9558	EA	1	1	1-20	*	51-100	2	82
P F	5905-810-0646		RESISTOR. FIXED: 15909 NO. C9559 (FOR AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1-20	*	21-50	2	82
P F	5905-060-5286		RESISTOR. FIXED: 15909 NO. C9561	EA	1	1	1-20	*	51-100	2	82
P F	5905-810-0639		RESISTOR. FIXED: 15909 NO. C9562	EA	1	1	1-20	*	21-50	2	82
P F	5905-061-5341		RESISTOR. FIXED. WIRE WOUND: 15909 NO. C9563	EA	1	1	1-20	*	51-100	2	82
P F	5905-810-0631		RESISTOR. FIXED: 15909 NO. C9564	EA	1	1	1-20	*	21-50	2	82
P F	5905-810-0633		RESISTOR. FIXED: 15909 NO. C9565	EA	1	1	1-20	*	51-100	2	82

(2)
FEDERAL
STOCK
NUMBER

MODEL	IND CD
1	6
2	5
3	4
4	3
5	2
6	1

(3)	DESCRIPTION
-----	-------------

P	F	5930-020-9555	SWITCH, SECTION ROTARY: 76854 NO. 207578A	EA	1	1	*	*	2	*	2	122	
P	FR	5821-019-6273	RESISTOR, WAFER ASSEMBLY: 95104 NO. 546-6861-002	EA	1	1	*	*	*	*	*	6	S5
P	F	5905-810-0628	RESISTOR, FIXED: 15909 NO. C9566	EA	1	1	*	*	2	*	2	82	R32
P	F	5905-810-0627	RESISTOR, FIXED: 15909 NO. C9567	EA	1	1	*	*	2	*	2	122	R31
P	F	5930-084-3400	SWITCH SECTION, ROTARY: 76854 NO. 208961A	EA	1	1	*	*	2	*	2	82	
P	F	5905-949-5327	RESISTOR, FIXED, WIRE WOUND 81349 NO. RW30V160	EA	1	1	*	*	2	*	2	83	R33
P	F	3020-853-0623	GEAR, CLUSTER, SPUR: 95104 NO. 546-6781-002	EA	1	1	*	*	*	*	*	82	
P	FR	5821-019-6275	ACTUATOR SUBASSEMBLY: 95104 NO. 546-6866-004	EA	1	1	*	*	*	*	*		S1, S2
P	F	5930-083-8508	SWITCH, SECTION, ROTARY: 76854 NO. 1963668K	EA	1	2	*	*	2	*	2	194	
P	F	5905-060-5288	RESISTOR, FIXED: 15909 NO. C9571	EA	1	1	*	*	2	*	2	82	R7
P	F	5905-809-6364	RESISTOR, FIXED: 15909 NO. C9575	EA	1	1	*	*	2	*	2	82	R2
P	F	5905-810-2777	RESISTOR, FIXED: 15909 NO. C9577	EA	1	1	*	*	2	*	2	82	R11
P	FR	5961-087-6047	SEMICONDUCTOR DEVICE: 81349 NO. 1N645 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	*	*	*	*	*	5	CR1
P	F	3020-752-7989	GEAR, SPUR: 95104 NO. 542-4560-002	EA	1	1	*	*	2	*	2	82	
P	F	5915-019-9093	GEAR, SPUR: 95104 NO. 546-6807-002	EA	1	1	*	*	*	*	*	82	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
(2)		(3)		(4)	(5)	(6)	(7)						(8)	(9)	(10)	
FEDERAL STOCK NUMBER		DESCRIPTION					30 DAY MAINT. ALW.								FIGURE NUMBER	ITEM OR SYMBOL NUMBER
SOURCE CD	MAINT CD	MODEL	IND CD	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN PK	(A)	(B)	(C)	(A)	(B)	(C)	1 YR. ALW. PER 100 EQUIP.	DEPOT MAINT. PER 100 EQUIP.		
P F		5945-806-8638		EA	1	1	*	*	*	*	*	*	82			
P F		5895-033-9633		EA	1	1	*	*	*	*	*	2	82			
P F		5821-019-6277		EA	1	1	*	*	*	*	*	*	*		S4	
P F		5930-083-7158		EA	1	1	*	*	*	*	*	2	122			
P F		5905-810-0646		EA	1	1	*	*	*	*	*	*	*		R5	
P F		5905-810-0626		EA	1	1	*	*	*	*	*	2	82		R10	
P F		5905-810-2776		EA	1	1	*	*	*	*	*	2	82		R9	
P F		5905-060-5287		EA	1	1	*	*	*	*	*	2	82		R8	
P F		5905-810-0614		EA	1	1	*	*	*	*	*	2	82		R4	
P F		5905-809-6365		EA	1	1	*	*	*	*	*	2	82		R3	
P F		5905-810-0665		EA	1	1	*	*	*	*	*	2	82		R1	
P F		5930-020-9553		EA	1	1	*	*	*	*	*	2	122			
X2F				EA	1	1	*	*	*	*	*	*	16			
P F		5905-252-4018		EA	1	1	*	*	*	*	*	*	8		R34	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																						
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION			(4) UNIT OF ISSUE	(5) QTY INC IN UNIT		(7) 30 DAY MAINT. ALW.						(8) PER 100 EQUIP. PER 100 EQUIP.	(9) 1 YR ALW PER 100 EQUIP.	(10) ILLUSTRATIONS						
		MODEL CD	IND	CD		DS	(A)	(B)	GS	(A)	(B)	(C)	(A)			(B)						
P	F	5821-816-9742			GEAR. CLUSTER, SPUR: 95104 NU. 546-6985-002	EA	1	2	*	*	2	*	*	2	134							
P	F	5821-816-9741			GEAR. SPUR: 95104 NU. 546-6988-002	EA	1	2	*	*	2	*	*	2	134							
P	F	5821-816-9740			GEAR. CLUSTER, SPUR: 95104 NU. 546-6989-002	EA	1	1	*	*	2	*	*	2	82							
P	F				INDUCTANCE, STANDARD: NU. X501-1	EA	1	1	*	*	2	*	*	2	43		L130					
P	F	5910-814-5869			CAPACITOR, FIXED: 05571 NU. 150D685X035+2	EA	1	2	*	*	*	*	*	*	13		C168, C252					
P	F	5821-807-4349			TRANSLATOR, SUBASSEMBLY: 95104 NU. 546-7417-004	EA	1	1	*	*	2	*	*	2	2							
P	F	5821-807-4348			TRANSLATOR, SUBASSEMBLY: 95104 NU. 546-7418-004	EA	1	1	*	*	2	*	*	2	2							
P	F	5821-801-9337			TRANSLATOR, SUBASSEMBLY: 95104 NU. 546-7419-004	EA	1	1	*	*	2	*	*	2	2							
P	F	5821-019-8513			TRANSLATOR, SUBASSEMBLY: 95104 NU. 546-7420-004	EA	1	1	*	*	2	*	*	2	2		L61					
P	F	5821-019-0023			TUNING UNIT, RADIO FREQUENCY: 95104 NU. 554-6090-005	EA	1	1	*	*	2	*	*	2	82							
P	F	5950-809-1238			COIL, RADIO FREQUENCY: 14329 NU. 383-1	EA	1	1	*	*	2	*	*	2	82							
P	F	5950-809-1237			COIL, RADIO FREQUENCY: 14329 NU. 383-2	EA	1	1	*	*	2	*	*	2	82		L62A					
P	F	5950-809-1237			COIL, RADIO FREQUENCY: 14329 NU. 383-3 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	*	2	*	*	2	86		L62B					
P	F	5950-080-4678			COIL, RADIO FREQUENCY: 14329 NU. 383-6 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 7	EA	1	2	*	*	2	*	*	2	1314		L64A, L64B					

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE													(10)			
(3) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN UNIT	(7) 30 DAY MAINT. ALW.						(8) DEPT MAINT. 100 EQUIP. PER 100 PL. 1 YR. ALW. 100 EQUIP.	(9) ILLUSTRATIONS			
						DS		GS		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER					
						(A)	(B)	(A)	(B)							
P	F 5950-080-4682	COIL. RADIO FREQUENCY: 14329 NO. 383-7 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	*	2	*	2	*	2	84	L65A		
P	F 5950-811-2569	COIL. RADIO FREQUENCY: 14329 NO. 383-8	EA	1	1	1	*	*	*	*	*	*	82	L65B		
P	F 5950-809-1257	COIL. RADIO FREQUENCY: 14329 NO. 383-11 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 14)	EA	1	4	1	4	*	2	3	*	2	3	2728	SEE DESC.	
P	F 5950-809-1239	COIL. RADIO FREQUENCY: 14329 NO. 383-13 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 14)	EA	1	4	1	4	*	2	3	*	2	3	2728	SEE DESC.	
P	F 5950-080-2724	COIL. RADIO FREQUENCY: 14329 NO. 383-15 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 13)	EA	1	3	1	3	*	2	3	*	2	3	1826	L70A, L70B .L71A	
P	F 5950-080-4676	COIL. RADIO FREQUENCY: 14329 NO. 383-16 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 17)	EA	1	4	1	4	*	2	3	*	2	3	2734	SEE DESC.	
P	F 5950-080-4458	COIL. RADIO FREQUENCY: 14329 NO. 383-17 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 13)	EA	1	3	1	3	*	2	3	*	2	3	1826	L73B, L74A .L7	
P	F 5910-028-9918	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E470G03	EA	1	1	1	1	*	*	*	*	*	*	8	C138	
P	F 5950-693-0434	COIL. RADIO FREQUENCY: 76487 NO. J301-100 (AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	1	1	1	*	*	*	*	*	*	8	L81	
P	F 5950-080-4677	COIL. RADIO FREQUENCY: 14329 NO. 383-4 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 13)	EA	1	1	1	1	*	*	2	*	*	2	86	L63A	
													CONTINUED			

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)												
SOURCE CD	(1)	REC CODE	(2)	FEDERAL STOCK NUMBER	(3)	DESCRIPTION	(4)	(5)	(6)	(7)						(8)	(9)	ILLUSTRATIONS				
										30 DAY MAINT. ALLOW.								(A)	(B)	(C)	(A)	(B)
										US		GS		ALW.								
								QTY INC IN UN PK	QTY INC IN UNIT	(A)	(B)	(A)	(B)	(C)	(A)	(B)	FIGURE NUMBER	ITEM OR SYMBOL NUMBER				
										1-20	21-50	51-100	1-20	21-50	51-100							
P	F			5950-080-4681	OF 3)	COIL, RADIO FREQUENCY: 14329 NO. 383-5 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	*	*	*	*	*	2	86	L 634				
P	F			5905-279-3503		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF682K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	*	8	R 82				
P	F			5905-279-3505		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF392K (FOR AUTHORIZED ALLOWANCES SEE GROUP X)	EA	10	1	*	*	*	*	*	*	*	8	H 83				
P	F			5905-185-8510		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	10	1	*	*	*	*	*	*	*	8	R 84				
P	F			5905-171-2004		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF203J (FOR AUTHORIZED ALLOWANCES SEE GROUP X)	EA	10	1	*	*	*	*	*	*	*	8	R 85				
P	F			5821-816-9759		GEAR, SPUR: 95104 NO. 546-7412-002	EA	1	1	*	*	*	*	*	*	*	82					
X2F						CHASSIS ELECTRICAL EQUIPMENT: 95104 NO. 546-7412-002	EA	1	1	*	*	*	*	*	*	*						
P	F			5835-686-9770		JACK, TELEPHONE: NO. SKT10 RED (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	1	*	*	*	*	*	*	*	5					
P	F			5935-683-7648		JACK TELEPHONE: NO. SKT10 ORN (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	1	*	*	*	*	*	*	*	5					
P	F			5935-683-7649		JACK, TIP: NO. SKT10 YEL	EA	1	1	*	*	*	*	*	*	*						
P	F			5935-829-3154		JACK, TIP: NO. SKT10 VIO	EA	1	1	*	*	2	*	*	*	2	83					
P	FR			5821-809-4005		TUNER, RADIO FREQUENCY: 95104 NO. 546-7430-005	EA	1	1	*	*	*	*	*	*	*	81					

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)							
SOURCE CD	(1C)	REC. CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)		(6)			(7) 30 DAY MAINT. ALW.			(8) 1 YR. ALW. DEPT. MAINT. PER 100 EQUIP.	(9) 1 YR. ALW. DEPT. MAINT. PER 100 EQUIP.	ILLUSTRATIONS	
						QTY INC IN UN PK	QTY INC IN UNIT	DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								(A)	(B)	(C)	(A)	(B)	(C)				
P	F		5950-080-467A	COIL, RADIO FREQUENCY: NO. 383-6 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1	1	1	1	1	1	1	8	L438	
P	F		5950-080-4682	COIL, RADIO FREQUENCY: NO. 383-7 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1	1	1	1	1	1	1	8	L44A	
P	F		5950-809-1269	COIL, RADIO FREQUENCY: NO. 383-9	EA	1	1	1	1	1	1	1	1	1	82	L43A	
P	F		5950-809-1257	COIL, RADIO FREQUENCY: NO. 383-11 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI) L44B, L45A, L45B, L46A	EA	1	4	1	1	1	1	1	1	1	27	SEE DESC.	
P	F		5950-809-1239	COIL, RADIO FREQUENCY: NO. 383-13 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI) L46B, L47A, L47B, L48A	EA	1	4	1	1	1	1	1	1	1	27	SEE DESC.	
P	F		5950-080-2724	COIL, RADIO FREQUENCY: NO. 383-15 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	2	1	1	1	1	1	1	1	13	L48B, L49A	
P	F		5950-080-4676	COIL, RADIO FREQUENCY: NO. 383-16 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI) L49B, L50A, L50B, L51A, L51B, L52A, L52B	EA	1	7	1	1	1	1	1	1	1	33	SEE DESC.	
P	F		5950-080-4458	COIL, RADIO FREQUENCY: NO. 383-17 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI) L53A, L53B, L54A, L54B, L55A, L55B, L56A, L56B	EA	1	8	1	1	1	1	1	1	1	40	SEE DESC.	
P	F		5950-080-7151	TURNER, RADIO FREQUENCY SUBASSEMBLY: NO. 546-7431-005	EA	1	1	1	1	1	1	1	1	1	82		
P	F		5910-894-0421	CAPACITOR, FIXED: NO. DM15C150J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	1	1	1	1	1	1	8	C224	
P	F		5910-823-1296	CAPACITOR, FIXED, MICA DIELECTRIC: NO. CM05F220J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	1	1	1	1	1	1	8	C223	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) DEFECT MAINT. ALW PER 100 EQUIP. 1 YR ALW CHRG PER 100 EQUIP.	(9) ILLUSTRATIONS		(10)	
						DS			GS				(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER		
						(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100					
P F	5910-957-8578	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E240J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	*	*	*	*	*	*	*	*	C222	
P F	5910-723-5272	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E360G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 5)	EA	1	1	1	*	2	2	*	*	2	2	2	C221	
P F	5910-828-9918	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E470G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	1	*	*	*	*	*	*	*	*	C220	
P F	5910-842-3332	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E620G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1	*	*	*	*	*	*	*	*	C219	
P F	5910-726-3214	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E680G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	1	*	2	2	*	*	2	2	2	C218	
P F	5910-080-5153	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05E820G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	1	*	2	2	*	*	2	2	2	C217	
P F	5910-725-7428	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F910G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	1	*	*	*	*	*	*	*	*	C216	
P F	5910-984-7588	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F101G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	1	*	*	*	*	*	*	*	*	C124	
P F	5910-954-5505	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F111G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	10	1	1	*	2	2	*	*	2	2	2	C123	
P F	5910-804-7561	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F151G03	EA	1	2	2	*	2	2	*	*	2	2	2	C120, C121	
P F	5910-804-7560	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F161G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	1	*	2	2	*	*	2	2	2	C119	
CONTINUED																

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE												
SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)			(7) 30 DAY MAINT. ALW.			(8) PER 100 EQUIP. ALW. PER 100 EQUIP. DEPOT MAINT.	(10) ILLUSTRATIONS	
				QTY IN PK	INC IN UN	INC IN UNIT	DS (A)	DS (B)	DS (C)		GS (A)	GS (B)
		OF 3)										
P F	5910-725-7421	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F221G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	C116
P F	5910-840-9530	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F241G03	EA	1	1	*	*	2	*	2	83	C115
P F	5910-851-0693	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F271G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	1	*	*	*	*	*	8	C114
P F	5910-824-9780	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F331G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	*	*	*	*	*	8	C113
P F	5910-709-2024	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F391G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	8	C112
P F	5910-952-1708	CAPACITOR, FIXED, MICA DIELECTRIC; 72136 NO. DM15F471G03	EA	1	1	*	*	2	*	2	83	C111
P F	5910-080-1742	CAPACITOR, FIXED; 72136 NO. DM19F5720F500WV	EA	1	1	*	*	2	*	2	83	C110
P F	5910-809-8660	CAPACITOR, FIXED; 72136 NO. DM19F731F500WV	EA	1	1	*	*	2	*	2	83	C109
P F	5910-809-8656	CAPACITOR, FIXED; 72136 NO. DM19F981F500WV	EA	1	1	*	*	2	*	2	83	C107
P F	5910-809-8663	CAPACITOR, FIXED; 72136 NO. DM19F1421F500WV	EA	1	1	*	*	2	*	2	83	C105
P F		TUNING UNIT RADIO FREQUENCY; 95104 NO. 544-6088-004	EA	1	1	*	*	*	*	*	8	
P F	5821-808-6149	TUNER RADIO FREQUENCY SUBASSEMBLY; 95107 NO. 546-7432-005	EA	1	1	*	*	*	*	*	82	
P F	5910-978-1984	CAPACITOR, FIXED; 72136 NO. DM15C100J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	3	*	*	*	*	*	18	C89 THRU C91

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(7) 30 DAY MAINT. ALW.			(8)	(9)	(10) ILLUSTRATIONS	
SOURCE CD	(C) MAINT CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7)						(8) PER 100 EQUIP. PL. ALW. MAINT. 100 EQUIP.	(9)	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
							DS			GS						
							(A)	(B)	(C)	(A)	(B)	(C)				
P	F		CAPACITOR, FIXED; 72136 NO. DM15C120J01 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1-20	*	*	51-100	*	*	51-100	*	*	C88
P	F	5910-023-1296	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F220J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C87
P	F	5910-050-7367	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E300G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	2	1-20	*	*	21-50	*	*	21-50	*	*	C85, C86
P	F	5910-723-5272	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E360G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	2	1-20	*	*	21-50	*	*	21-50	*	*	C83, C84
P	F	5910-068-1334	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E430G03	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C82
P	F	5910-028-9918	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E470G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C81
P	F	5910-842-3332	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E620G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C80
P	F	5910-726-3214	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E680G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C79
P	F	5910-080-5153	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05E820G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C78
P	F	5910-666-7974	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM0F910G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C77
P	F	5910-954-5505	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F111G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	10	1	1-20	*	*	21-50	*	*	21-50	*	*	C76
P	F	5910-812-8952	CAPACITOR, FIXED, MICA DIELECTRIC; 81349 NO. CM05F131G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	1	1-20	*	*	21-50	*	*	21-50	*	*	C75

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)						
SOURCE CD	MAINT. CD	REC. CODE	(2)		(3)	(4)	(5)		(7)				(8)	(9)	ILLUSTRATIONS	
			FEDERAL STOCK NUMBER	MODEL			QTY IN UN	QTY INC IN UN	DS	GS	FIGURE NUMBER	ITEM OR SYMBOL NUMBER				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
P	F		5910-804-7560			CAPACITOR, FIXED, MICA DIELECTRIC; R1349 NO. CM05F161G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	*	*	*	*	*	*	C74
P	F		5910-827-5912			CAPACITOR, FIXED, MICA DIELECTRIC; R1349 NO. CM05F301G03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	2	*	*	C69
P	F		5910-080-3690			CAPACITOR, FIXED; 72136 NO. DM15E232UG500WV (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	2	*	*	C71
P	F		5910-809-8659			CAPACITOR, FIXED, MICA DIELECTRIC; 72136 NO. DM19F861F500WV (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	*	*	*	*	C66
P	F		5910-080-4010			CAPACITOR, FIXED; 72136 NO. DM15E411G300WV (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	*	*	*	*	C68
P	F		59521-808-6150			TUNER, RADIO FREQUENCY SUBASSEMBLY; 95104 NO. 546-7433-005	EA	1	1	*	*	*	*	*	*	L23A
P	F		5950-809-1237			COIL, RADIO FREQUENCY; 14329 NO. 383-3 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	*	*	*	*	*	*	L23B
P	F		5950-080-4677			COIL, RADIO FREQUENCY; 14329 NO. 383-4 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	*	*	*	*	*	*	L24A
P	F		5950-080-4681			COIL, RADIO FREQUENCY; 14329 NO. 383-5 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	*	*	*	*	*	*	L24A
P	F		5950-080-4681			COIL, RADIO FREQUENCY; 14329 NO. 383-5 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	*	*	*	*	*	*	L24A
P	F		5950-080-4678			COIL, RADIO FREQUENCY; 14329 NO. 383-6	EA	1	2	*	*	*	*	*	*	L24A, L25A

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE												
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(7) 30 DAY MAINT. ALW.					(8) PER 100 EQUIP. DEFECT MAINT. 100 EQUIP.	(10) ILLUSTRATIONS		
				DS		GS		(A)		(B)	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
REC. CODE	MODEL	IND. CD		QTY INC IN UN PK	1-20	21-50	51-100	1-20	21-50	51-100		
P F	5950-809-1268		(FOR AUTHORIZED ALLOWANCES SEE GROUP XI) COIL, RADIO FREQUENCY: 14329 NO. 383-10 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA 1	3 *	2	2	*	2	2	186	L258, L26A L268
P F	5950-809-1257		COIL, RADIO FREQUENCY: 14329 NO. 383-11 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA 1	3 *	*	*	*	*	*	18	L27A, L27B L28A
P F	5950-809-1243		COIL, RADIO FREQUENCY: 14329 NO. 383-12 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA 1	2 *	2	2	*	2	2	134	L288, L29A
P F	5950-809-1239		COIL, RADIO FREQUENCY: 14329 NO. 383-13 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA 1	3 *	*	*	*	*	*	18	L298, L30A L30B
P F	5950-080-2724		COIL, RADIO FREQUENCY: 14329 NO. 383-15 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI) L328, L33A, L338, L34A, L348	EA 1	5 *	*	*	*	*	*	27	SEE DESC.
P F	5950-080-4676		COIL, RADIO FREQUENCY: 14329 NO. 383-16 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA 1	3 *	*	*	*	*	*	18	L35A, L35B L36A
P F	5950-080-4458		COIL, RADIO FREQUENCY: 14329 NO. 383-17 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA 1	1 *	*	*	*	*	*	8	L368
P FR			TUNING UNIT, RADIO FREQUENCY: 95104 NO. 554-6089-004	EA 1	1 *	*	*	*	*	*	8	
P FR	5821-080-7152		TUNER RADIO FREQUENCY SUBASSEMBLY: 95104 NO. 546-7434-005	EA 1	1 *	*	*	*	*	*	8	L9A
P F	5950-809-1237		COIL, RADIO FREQUENCY: 14329 NO. 383-3 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA 1	1 *	*	*	*	*	*	8	
P F	5950-080-4677		COIL, RADIO FREQUENCY: 14329 NO. 383-4 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA 1	1 *	*	*	*	*	*	8	L9B

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)	
(3)	(4)	(5)	(6)	(7)	(8)	(9)	ILLUSTRATIONS				
							(A)	(B)			
									FIGURE NUMBER	ITEM OR SYMBOL NUMBER	
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN PK	30 DAY MAINT. ALW. DS (A) (B) (C) GS (A) (B) (C)	DEPOT MAINT. ALW. PER 100 EQUIP. 1 YR. ALW. PER 100 EQUIP.					
MODEL 1234567890											
P F 5950-080-4681	COIL. RADIO FREQUENCY: 14329 NO. 383-5	EA	1	1	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	8	L10A			
P F 5950-080-4678	COIL. RADIO FREQUENCY: 14329 NO. 383-6 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	2	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	13	L108, L11A			
P F 5950-809-1268	COIL. RADIO FREQUENCY: 14329 NO. 383-10 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	3	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	18	L118, L12A .L12B			
P F 5950-809-1257	COIL. RADIO FREQUENCY: 14329 NO. 383-11 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	3	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	18	L13A, L13B .L14A			
P F 5950-809-1243	COIL. RADIO FREQUENCY: 14329 NO. 383-12 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	2	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	13	L148, L15A			
P F 5950-809-1239	COIL. RADIO FREQUENCY: 14329 NO. 383-13 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	3	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	18	L158, L16A .L16B			
P F 5950-080-2724	COIL. RADIO FREQUENCY: 14329 NO. 383-15 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	5	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	27	SEEDESC			
P F 5950-080-4676	COIL. RADIO FREQUENCY: 14329 NO. 383-16 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	3	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	18	L21A, L21B .L22A			
P F 5950-688-6930	COIL. RADIO FREQUENCY: 78429 NO. 10100-127	EA	1	1	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	82	L84			
P F 5950-801-1525	COIL. RADIO FREQUENCY: 78429 NO. 10100-123	EA	1	1	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	82	L86			
P F 5950-645-6060	COIL. RADIO FREQUENCY: 78429 NO. 10100-125	EA	1	1	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	82	L85			
P F 5950-828-5333	COIL. RADIO FREQUENCY: 95104 NO. 546-7076-002	EA	1	1	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	83	L89			
P F 5950-811-9479	COIL. RADIO FREQUENCY: 95104 NO. 546-70077-002	EA	1	1	1-20 * 21-50 * 51-100 *	1 YR. ALW. PER 100 EQUIP.	83	L88			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(2) FEDERAL STOCK NUMBER		(3) DESCRIPTION		(4) UNIT OF ISSUE		(5) QTY INC IN UN PK		(6) QTY INC IN UN UNIT		(7) 30 DAY MAINT. ALLOW.					(8) P.P.	(9) ILLUSTRATIONS		(10)																																																																																																																																																																																																																																																																																																																																																																																																																																																										
SOURCE CD	MAINT CD	FED CD	FED CD	MODEL	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	11234567	112345

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(7)						(8)	(9)	(10)		
SOURCE CD	MAIN CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL NO 123456 CD	DESCRIPTION	UNIT OF ISSUE	QTY INC IN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						PER 100 EQUIP. ALLOW. PER 100 EQUIP. MAINT. DEPT ALLOW. PER 100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
									DS			GS					
									(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			
P	F		5905-069-3919		RESISTOR, FIXED, FILM; 81349 NO. RN6081692F (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	*	R34	
P	F		5905-076-7972		RESISTOR, FIXED, FILM; 81349 NO. RN6081961F	EA	1	1	*	*	2	*	*	*	2	R35	
P	F		5905-086-3358		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF393J	EA	1	1	*	*	2	*	*	*	2	R36	
P	F		5905-052-3316		RESISTOR, FIXED FILM; 81349 NO. RN6083832F	EA	1	1	*	*	2	*	*	*	2	R37	
P	F		5905-088-3980		RESISTOR, FIXED FILM; 81349 NO. RN6086191F	EA	1	1	*	*	2	*	*	*	2	R38	
P	F		5905-083-7723		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF152K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*	R39	
P	F		5905-081-9969		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF332K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	R40	
P	F		5905-023-5251		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF222K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	10	1	*	*	*	*	*	*	*	R42	
P	F		5905-086-3903		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF333K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	R43	
P	F		5905-026-4413		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF123K	EA	1	1	*	*	*	*	*	*	*	R44	
P	F		5905-086-3129		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF104K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	R45	
P	F		5905-090-8883		RESISTOR, FIXED, COMPOSITION; 81349 NO. RC07GF100K (FOR AUTHORIZED ALLOWANCES SEE GROUP IV)	EA	1	1	*	*	*	*	*	*	*	R46	
P	F		5910-080-4020		CAPACITOR, FIXED; 00656 NO. C80V203RM (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	3	*	*	*	*	*	*	*	C27.C29.C37	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE															
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN PK	(7) 30 DAY MAINT. ALLOW.						(8) 100 EQUIP. PLANT. 100 EQUIP. PLANT. 100 EQUIP. PLANT.	(10) ILLUSTRATIONS		
						DS	GS	DS	GS	DS	GS		(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
P	5910-080-3690	CAPACITOR, FIXED: 72136 NO. CM15E2320G500WV (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	C33
P	5910-027-5912	CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F301G03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	C31
P	5910-080-4010	CAPACITOR, FIXED: 72136 NO. DM15E411G300WV (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	C30
P	5910-809-8659	CAPACITOR, FIXED: 72136 NO. DM19F861F500WV (FOR AUTHORIZED ALLOWANCES SEE GROUP XI)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	C28
P	5950-067-7508	TRANSFORMER, RADIO FREQUENCY: 95104 NO. 546-7108-003	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	
X2P		BRACKET, TELEPHONE JACK: 95104 NO. 549-5370-003	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	
P	5935-006-2645	JACK, TIP: NO. SKT10GF	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	J8
P	6145-655-2167	CABLE, RADIO FREQUENCY RG-196/U: FOR AUTHORIZED ALLOWANCES SEE GROUP III	FT BLK												
P	5950-055-2782	COIL, RADIO FREQUENCY: NO. 3715-53 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	L82
P	5905-254-1777	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC42GF273K	EA	10	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	R90
P	5910-755-9291	CAPACITOR, FIXED: 05397 NO. K1J35S (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	C278
P	5905-279-3494	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC20GF823K	EA	10	1	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	R91
P	5910-686-7757	CAPACITOR, FIXED: 05571 NO. 41C92	EA	1	3	1-20	21-50	51-100	1-20	21-50	51-100	1-20	21-50	51-100	C161, C163, C248

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE					(10)														
SOURCE CD	MAINT CD	FEDERAL STOCK NUMBER	MODEL NO 1234567890	DESCRIPTION (3)	UNIT OF ISSUE	(4)	(5)	QTY INC IN UN PK	(6)	(7)						(8)	(9)	(10)	
										30 DAY MAINT. ALLOW.								(A)	(B)
										DS		GS		(C)					
(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)						
P	F	5910-811-4964		(FOR AUTHORIZED ALLOWANCES SEE GROUP I) CAPACITOR, FIXED: 72136 NU. DM19F502J03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	1	*	2	2	*	2	2	2	2	C26		
P	F	5910-893-2394		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 00656 NU. MC80V102AM	EA	1	1	1	*	*	*	*	*	2	2	2	C28		
P	F	5910-080-0303		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 25244 NU. DA933-062	EA	1	1	1	*	*	*	*	*	2	2	2	C30		
P	F	5910-079-5665		CAPACITOR, FIXED, MICA DIELECTRIC: 72136 NU. DM15E471F300WV (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	2	1	*	2	2	*	2	2	2	2	C31, C34		
P	F	5910-080-6462		CAPACITOR, FIXED, CERAMIC DIELECTRIC: NU. C80V103RM (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	1	*	*	*	*	*	*	*	*	C32		
P	F	5910-805-6630		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NU. CC22CK010C	EA	1	1	1	*	*	2	*	*	2	2	2	C33		
P	F	5910-080-4019		CAPACITOR, FIXED: 00656 NU. C80V503RM (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	1	*	*	*	*	*	*	*	*	C35		
P	F	5910-809-8669		CAPACITOR, FIXED, ELECTROLYTIC: 05397 NU. K15J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	1	*	*	*	*	*	*	*	*	C36		
P	F	5910-342-7387		CAPACITOR, FIXED: 05397 NU. K4R7J35S	EA	1	1	1	*	*	2	*	*	2	2	2	C46		
P	F	5961-682-9178		TRANSISTOR: 81349 NU. 2N404	EA	1	2	1	*	*	2	*	*	2	2	2	Q12, Q13		
P	F	5961-809-1870		TRANSISTOR: 81349 NU. 2N1285 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	1	*	*	*	*	*	*	*	*	Q14		
P	F	5950-812-4431		COIL, RADIO FREQUENCY: NU. 33-330 (AUTHORIZED ALLOWANCES BASED ON A TOTAL	EA	1	1	1	*	2	2	*	2	2	2	2	L9		
CONTINUED																			

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD		(2) FEDERAL STOCK NUMBER	MODEL CD	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						1 YR. ALW. PER 100 EQUIP. DEPOT MAINT.	100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								DS		6S		51-100					
CD	CD	CD	CD	CD	CD	CD	CD	(A)	(B)	(C)	(A)	(B)	(C)	CD	CD	CD	
				(OF J)				1-20	21-50	51-100	1-20	21-50	51-100				
P	F	5950-060-8091		COIL, RADIO FREQUENCY: NU. X193-1	EA	1	2	*	*	2	*	*	2	132		L7.L8	
P	F	5935-808-6134		JACK TIP: NU. 119437F (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8		J3	
P	F	59821-806-8509		DIVIDER, FREQUENCY: NU. 546-6328-004	EA	1	1	*	*	*	*	*	*	*		E2	
P	F			COIL, RADIO FREQUENCY: NU. 33-330 (FOR AUTHORIZED ALLOWANCES SEE GROUP XII)	EA			*	*	*	*	*	*	*		L6.L10	
P	F	5910-809-8669		CAPACITOR, FIXED, ELECTROLYTIC: NU. K15J205 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	13		C38.C40	
P	F	5961-809-1870		TRANSISTOR: 81349 NU. 2N1285 (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	2	*	*	*	*	*	*	13		09.Q11	
P	F	5960-842-3525		SEMI CONDUCTOR DEVICE, DIODE: 81349 NU. 1N198 (FOR AUTHORIZED ALLOWANCES SEE GROUP VIII)	EA	1	1	*	*	*	*	*	*	5		CR2	
P	F	5961-577-6181		SEMI CONDUCTOR DEVICE, DIODE: 81349 NU. 1N627	EA	1	3	*	*	2	*	*	2	133		CR3 THRU CR5	
P	F	5961-808-8398		TRANSISTOR: 81349 NU. 2N491 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	*	*	*	*	*	*	8		Q10	
P	F	5935-061-7744		JACK, TIP: 81349 NU. 119437H (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*		J2	
P	F	5905-683-2243		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF151K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	8		R29	
P	F	5905-723-5251		RESISTOR, FIXED, COMPOSITION: 81349 NU. RC07GF22K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	10	1	*	*	*	*	*	*	8		R33	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE				(3)	(4)	(5)	(7)						(8)	(9)	(10)		
SOURCE CD	REF. CODE	(2) FEDERAL STOCK NUMBER	MODEL NO. CD 123456	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						PER 100 EQUIP. CRITICAL PL.	DEPOT MAINT. 100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
								DS			GS						
								(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100				
P	F	5905-686-9998		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF472K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*		R28	
P	F	5905-631-9970		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF822K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	1	*	*	*	*	*	*	*		R32	
P	F	5905-683-2238		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	13		R27, R30	
P	F	5905-726-4413		RESISTOR, FIXED COMPOSITION: 81349 NO. RC07GF123K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*		R31	
P	F	5910-988-6482		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. UM19F22F03 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	2	2	2	*	2	2	810		C23	
P	F	5910-080-6462		CAPACITOR, FIXED, CERAMIC DIELECTRIC: 00656 NO. C80V203RM (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	*		C39	
P	F	5910-080-4020		CAPACITOR, FIXED: 00656 NO. C80V203RM (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	1	*	*	*	*	*	*	*		C39	
P	F	5910-080-4019		CAPACITOR, FIXED: 00656 NO. C80V503RM (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	*		C24	
P	FR	5821-407-4344		DIVIDER, FREQUENCY: 95104 NO. 546-6335-005	EA	1	1	*	*	*	*	*	*	*		E1	
P	F	5910-040-4020		CAPACITOR, FIXED: 00656 NO. C80V203RM (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)	EA	1	8	*	*	*	*	*	*	40		SEE DESC.	
P	F	5910-061-6705		CAPACITOR, FIXED, MICA DIELECTRIC: 72136 NO. DM19F512F03	EA	1	4	*	2	2	*	2	2	2712		C5, C8, C14 .C15	
P	F	5910-080-4019		CAPACITOR, FIXED: 00656 NO. C80V503RM	EA	1	2	*	*	*	*	*	*	13		C12, C17	
CONTINUED																	

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE													
SOURCE CD	FEDERAL STOCK NUMBER	MODEL NUMBER	DESCRIPTION	UNIT OF ISSUE	(5)			(7)			(8)	(10)	
					QTY INC IN UN PK	QTY INC IN UN	QTY INC IN UN	30 DAY MAINT. ALLOW.				(A)	(B)
								DS	GS	GS			
					(A)	(B)	(C)	(A)	(B)	(C)		FIGURE NUMBER	ITEM OR SYMBOL NUMBER
P	5910-609-8669		(FOR AUTHORIZED ALLOWANCES SEE GROUP V) CAPACITOR, FIXED, ELECTROLYTIC: 05397 NO. K15J20S (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	33		C43,C44
P	5910-542-7387		CAPACITOR, FIXED: 05397 NO. K4R7J35S	EA	1	1	*	2	*	2	83		C21
P	5910-755-9291		CAPACITOR, FIXED: 05397 NO. K1J35S (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	13		C18,C19
P	5910-635-0218		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM050221K03	EA	1	1	*	2	*	2	85		C10
P	5950-083-6157		TRANSFORMER VARIABLE: NO. X109-2	EA	1	1	*	2	*	2	84		L2
P	5910-988-6462		CAPACITOR, FIXED: 72136 NO. CM19P22F03 (FOR AUTHORIZED ALLOWANCES SEE GROUP XII)	EA	1	1	*	*	*	*	8		C7
P	5910-828-6332		CAPACITOR, FIXED: 72136 NO. DM19F122F03	EA	1	1	*	2	*	2	85		C3
P	5910-811-4964		CAPACITOR, FIXED: 72136 NO. DM19F502J03	EA	1	1	*	*	*	*	8		C11
P	5905-682-4106		RESISTOR, FIXED, COMPOSITION: 81349 NO. KC07GF56JK (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	8		R1
P	5905-681-6462		RESISTOR, FIXED, COMPOSITION: 81349 NO. KC07GF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP II) R2,R8,R16,R25,R26	EA	1	5	*	*	*	*	27		SEE DESC.
P	5905-683-2238		RESISTOR, FIXED, COMPOSITION: 81349 NO. KC07GF103K (FOR AUTHORIZED ALLOWANCES SEE GROUP II) R3,R5,R9,R14,R16,R21,R22,R47	EA	1	8	*	*	*	*	40		SEE DESC.
P	5905-682-4098		RESISTOR, FIXED, COMPOSITION: 81349 NO. KC07GF392K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	13		R4,R10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE					(3)	(4)										(5)						(7)						(8)		(9)		(10)	
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	MODEL CD	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UN UNIT	30 DAY MAINT. ALLOW.						GS		DS		1 YR. ALLOW.		PER 100 EQUIP.	CNTRY PL.	100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER								
									(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(C)													
P	F		5905-681-9970	1123456	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF822K (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	3	*	*	*	*	*	*	*	*	*	*	*	*	18				R6.R12.R2 3								
P	F		5905-681-8818		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF153K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	*	*	*	*	*	*	13				R7.R17								
P	F		5905-726-4413		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF123K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	*	*	*	*	*	*	13				R11.R19								
P	F		5905-687-0000		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF183 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	*	*	*	*	*	*	*	*	*	*	*	*	13				R13.R24								
P	F		5905-723-5251		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF222K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	10	1	*	*	*	*	*	*	*	*	*	*	*	*	8				R15								
P	F		5905-686-3838		RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF273K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	*	*	*	*	*	*	8				R20								
P	F		5961-809-1870		TRANSISTOR: 81349 NO. 2N1245 (FOR AUTHORIZED ALLOWANCES SEE GROUP V) Q1 THRU Q3.05.Q7.Q8	EA	1	6	*	*	*	*	*	*	*	*	*	*	*	*	33				SEE DESC.								
P	F		5961-837-7262		TRANSISTOR: 81349 NO. 2N697	EA	1	2	*	*	*	*	*	*	*	*	*	*	*	*	134				Q4.Q6								
P	F		5961-556-2091		SEMI CONDUCTOR DEVICE, DIODE: 81349 NO. 1N270	EA	1	1	*	*	*	*	*	*	*	*	*	*	*	*	53				CR1								
P	F		5950-852-5529		TRANSFORMER, PUL: NO. 94-705-02	EA	1	1	*	*	*	*	*	*	*	*	*	*	*	*	85				T1								
P	F		5950-812-4443		COIL, RADIO FREQUENCY: NO. 22-155 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	2	*	*	*	*	*	*	*	*	*	*	*	*	13				L3.L5								
P	F		5950-060-6833		COIL, RADIO FREQUENCY: NO. X109-1	EA	1	1	*	*	*	*	*	*	*	*	*	*	*	*	84				L4								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE													
SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN	(7) 30 DAY MAINT. ALLOW.						(8) ILLUSTRATIONS	
						DS			GS			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
						(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100		
RC CODE	MODEL	NO. CD	NO. CD	NO. CD	NO. CD	NO. CD	NO. CD	NO. CD	NO. CD	NO. CD	NO. CD	NO. CD	
P	5934-854-7465	JACK, TIP: NO. 1194370 (FOR AUTHORIZED ALLOWANCES SEE GROUP III)	EA	1	1	*	*	*	*	*	*	J1	
P	5910-752-4545	CAPACITOR, FIXED: NO. MC80V203AM (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	C42	
P	6145-812-5034	CABLE, RADIO FREQUENCY: NO. RG-178H/U (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	BLK	3	*	*	*	*	*	*		
P	5935-811-1382	CONNECTOR, RECEPTACLE, ELECTRICAL: 71408 NO. DM1343P (FOR AUTHORIZED ALLOWANCES SEE GROUP V)	EA	1	1	*	*	*	*	*	*	P1	
P	5910-814-0415	CAPACITOR, FIXED: NO. DM15E331F300WV	EA	1	1	*	*	2	*	2	*	C22	
P	5910-079-5666	CAPACITOR, FIXED, MICA DIELECTRIC: 72136 NO. DM15E361F300WV	EA	1	1	*	*	2	*	2	*	C22	
P	5910-080-4011	CAPACITOR, FIXED: NO. DM15E391G300WV	EA	1	1	*	*	2	*	2	*	C22	
P	5910-079-5673	CAPACITOR, FIXED, MICA DIELECTRIC: 72136	EA	1	1	*	*	2	*	2	*	C22	
P	5910-079-5665	CAPACITOR, FIXED: NO. DM15E471F300WV (FOR AUTHORIZED ALLOWANCES SEE GROUP XII)	EA	1	1	*	*	*	*	*	*	C22	
P	5910-080-4015	CAPACITOR, FIXED: NO. DM15E511F300WV	EA	1	1	*	*	2	*	2	*	C22	
P	5910-578-1984	CAPACITOR, FIXED, OR: 72136 NO. DM15C100J01	EA	1	1	*	*	*	*	*	*	C45	
P	5910-894-0421	CAPACITOR, FIXED, OR: 72136 NO. DM15C150J01	EA	1	1	*	*	*	*	*	*	C45	
P	5910-723-5267	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E200J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	*	*	*	*	*	*	C45	
P	5910-824-8035	CAPACITOR, FIXED, OR: 81349 NO. CM05E270J03	EA	1	1	*	*	*	*	*	*	C45	

CONTINUED

CONTINUED

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)					
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.					(8) PER 100 EQUIP. 1 YR. ALW. 100 EQUIP.	(9) ILLUSTRATIONS		
							DS			GS			(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
							(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50				(C) 51-100
P	F			(FOR AUTHORIZED ALLOWANCES SEE GROUP II) CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E330J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-844-4638	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E330J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-958-4175	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E430J03	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-837-6667	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E10J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-825-5288	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E50J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F			CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E620J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-552-9883	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E680J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-814-0419	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E750J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II L4A2-0704)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-578-1976	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05E820J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-725-7426	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05F910J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		
P	F		5910-892-7961	CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05F101J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1 *	*	*	51-100	*		C45		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																								
(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UN UNIT	(7) 30 DAY MAINT. ALW.								(8) PER 100 EQUIP. PL	(9) ALW. PER 100 EQUIP. PL	(10) ILLUSTRATIONS								
						DS				GS						(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER							
ND CD	MODEL					(A)	(B)	(C)	(A)	(B)	(C)	(C)			(A)	(B)								
123456						1-20	21-50	51-100	1-20	21-50	51-100	51-100												
P	F	5910-825-3067	EA	1	1	*	*	*	*	*	*	*	*			C45								
		CAPACITOR, FIXED, MICA DIELECTRIC, OR: 81349 NO. CM05F11J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)																						
P	F	5910-660-4982	EA	1	1	*	*	*	*	*	*	*	*			C45								
		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F121J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)																						
P	F	5910-824-8038	EA	1	1	*	*	*	*	*	*	*	*			C45								
		CAPACITOR, FIXED, MICA DIELECTRIC: 81349 NO. CM05F121J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)																						
P	F	5905-802-6730	EA	1	1	*	*	*	*	*	*	*	*			R48								
		RESISTOR, FIXED, COMPOSITION OR: 81349 NO. KC07GF470K (FOR AUTHORIZED ALLOWANCES SEE GROUP III)																						
P	F	5905-483-2240	EA	1	1	*	*	2	*	*	2	*	2			R48								
		RESISTOR, FIXED, COMPOSITION OR: 81349 NO. KC07GF471K (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)																						
P	F	5905-686-9996	EA	1	1	*	*	*	*	*	*	*	*			R48								
		RESISTOR, FIXED, COMPOSITION OR: 81349 NO. KC07GF821K (FOR AUTHORIZED ALLOWANCES SEE GROUP V)																						
P	F	5905-686-9994	EA	1	1	*	*	*	*	*	*	*	*			R48								
		RESISTOR, FIXED, COMPOSITION OR: 81349 NO. KC07GF122K (FOR AUTHORIZED ALLOWANCES SEE GROUP IX)																						
P	F	5905-688-3738	EA	1	1	*	*	*	*	*	*	*	*			R48								
		RESISTOR, FIXED, COMPOSITION OR: 81349 NO. KC07GF182K (FOR AUTHORIZED ALLOWANCES SEE GROUP V)																						
P	F	5905-723-5251	EA	10	1	*	*	*	*	*	*	*	*			R48								
		RESISTOR, FIXED, COMPOSITION OR: 81349 NO. KC07GF222K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)																						

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK						(6) QTY INC IN UN PK						(7) 30 DAY MAINT. ALW.						(8) 1 YR. ALW. PER 100 EQUIP. 1 YR. ALW. PER 100 EQUIP. 1 YR. ALW. PER 100 EQUIP.	(9) ILLUSTRATIONS		(10) ITEM OR SYMBOL NUMBER
(11) MAINT. CD	(12) REC. CODE	(13) MODEL 123456	(14) IND CD	(15) P F	(16) 5905-686-3798	(17) RESISTOR, FIXED, COMPOSITION OR: 81349 NO. RC07GF272K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	(18) EA	(19) 1	(20) 1	(21) 1	(22) 1	(23) 1	(24) 1	(25) 1	(26) 1	(27) 1	(28) 1	(29) 1	(30) 1	(31) 1	(32) 1	(33) 1	(34) 1	(35) 1	(36) 1
P	F				5905-686-3798	RESISTOR, FIXED, COMPOSITION OR: 81349 NO. RC07GF272K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	R48
P	F				5905-681-9969	RESISTOR, FIXED, COMPOSITION OR: 81349 NO. RC07GF332K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	R48
P	F				5905-682-4098	RESISTOR, FIXED, COMPOSITION: 81349 NO. RC07GF392K (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	R48
P	F				5910-812-4135	FILTER, RADIO, INTERFERENCE: 95104 NO. 241-0276-00 (FOR AUTHORIZED ALLOWANCES SEE GROUP I)	EA	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	FL1.FL3
P	F				5910-807-1527	CAPACITOR, FIXED, CERAMIC DIELECTRIC: 81349 NO. CC20CH080C	EA	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	C8.C11
P	F				5970-755-6659	GROUP XII FREQUENCY DIVIDER	EA	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	MP178MPL79
P	F				5910-324-7125	INSULATOR, BUSHING: 80063 NO. SM-B-502503	EA	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	C2
P	F				5910-666-8176	CAPACITOR, FIXED, CERAMIC DIELECTRIC: 80063 NO. SM-C-502524	EA	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	C3
P	F					CAPACITOR, FIXED, CERAMIC DIELECTRIC: 80063 NO. SM-C-502518	EA	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	C3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE																		
SOURCE CD	MAINT CD	REC CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5)		(6)		(7) 30 DAY MAINT. ALW.						(8) DEPOT MAINT. ALW PER 100 EQUIP. CRITICAL EQUIP. PER 100 EQUIP. DEPOT MAINT. ALW PER 100 EQUIP.	(10) ILLUSTRATIONS	
						QTY INC IN UN PK	QTY INC IN UNIT	DS	(A)	(B)	(C)	(A)	(B)	(C)	(A)		(B)	(C)
P F			5910-686-6126	CAPACITOR, FIXED: 72915 NU, DM15F510J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	1	1-20	*	*	1-20	*	*	1-20	*	51-100	*	C59
P F			5905-171-1975	RESISTOR, FIXED, COMPOSITION: 81349 NU, RC42GF151J	EA	10	1	1-20	*	*	1-20	*	*	1-20	*	21-50	*	R36
P F			5821-019-6293	SCREW, ASSEMBLY: 95104 NU, 549-0931-003 (FOR AUTHORIZED ALLOWANCES SEE GROUP II)	EA	1	2	1-20	*	*	1-20	*	*	1-20	*	51-100	*	
P F				CAPACITOR, FIXED, MICA DIELECTRIC OR: 81349 NU, CM05E330J03 (FOR AUTHORIZED ALLOWANCES SEE GROUP II) (L4A2-0681)	EA	2	2	1-20	*	*	1-20	*	*	1-20	*	51-100	*	A1C12, A2C12

FIGURE SYMBOL ITEM

F S N

4140-855-6560
5821-019-6273
5821-019-6277

5821-751-9473
5821-801-9339
5821-806-8509
5821-807-4344
5821-818-3738
5821-818-3743
5821-828-8334
5821-845-8334
5821-845-8915
5821-845-8990
5821-868-7528
5905-051-4631
5905-051-8024
5905-054-1191
5905-060-3731
5905-060-5286
5905-060-5287
5905-060-5288
5905-061-5341
5905-061-7148
5905-069-3919

5905-080-4917
5905-080-5899
5905-081-0944
5905-081-7348
5905-081-7349
5905-081-7350
5905-087-5661
5905-171-1946
5905-171-1998
5905-171-1999
5905-171-2004
5905-171-2004
5905-171-2004
5905-171-2004
5905-171-2004
5905-171-2006
5905-185-8510
5905-185-8510
5905-185-8510
5905-185-8510
5905-185-8510
5905-190-8880
5905-190-8880
5905-190-8881
5905-190-8883
5905-190-8883

R1
S5
S4

1A4
A4
F2
F1
A2
A1
TB4, TR8
1A6
1A9
1A11
1A12
Q42, R43
R22, R23
R11
Q5-R10
R23
Q4
R7
R30
R4, R10
R34, R81, R92
R14, R19
R6A
Q9
Q24
R12
R19, R20
Q87
R15
R49
R13
R23, R32, R40
R15
R1
R37
R23, R24
R45
R43
R56
R84
R7
R28, R31, R34
R66
R51
R20
R64
R80
R13, R45, R72
R58
R46
R21, R23, R24

F S N	FIGURE	SYMBOL	I T E M
5905-190-8889			R14
5905-190-8889			R11
5905-190-8889			R24
5905-190-8889			R63, R79
5905-190-8889			R18, R21
5905-190-8889			R56
5905-192-0667			R1
5905-192-0667			R6
5905-192-3971			R23
5905-192-3971			R13
5905-192-3973			R38
5905-192-3981			R2
5905-192-3981			R16
5905-192-4490			R9
5905-192-4504			R4
5905-195-5524			R21
5905-195-5546			R56
5905-195-5546			R56
5905-195-5571			R56
5905-195-6761			R27
5905-195-6761			R17, R18, R52
5905-195-6761			R11
5905-195-6761			R67
5905-195-6791			R41, R44
5905-195-6791			R16
5905-195-6800			R14
5905-195-6800			R9
5905-195-6800			R35
5905-195-6800			R33, R34
5905-195-6806			R54
5905-195-6806			R47
5905-195-6806			R29
5905-195-6806			R12
5905-195-6806			R21, R37
5905-195-6806			R9
5905-252-4018			R56
5905-252-4018			R12
5905-252-4018			R9
5905-252-4018			R34
5905-252-5434			R6
5905-252-5434			R20
5905-254-1777			R90
5905-254-7110			R24
5905-254-9201			R17
5905-254-9201			R1
5905-254-9201			R39, R43
5905-256-0390			R25
5905-256-3361			R21
5905-279-1686			R13
5905-279-1723			R1
5905-279-1723			R22
5905-279-1723			R38, R46
5905-279-1734			R69

F S N	FIGURE	SYMBOL	I T E M
5905-279-1752			R74
5905-279-1757			R12
5905-279-1757			R26
5905-279-1757			R50
5905-279-1876			R26, R30
5905-279-1876			R18, R27
5905-279-1876			R20
5905-279-1876			R5, R11, R15, R16, R32, R50
5905-279-1876			R15, R16
5905-279-1878			R28
5905-279-1879			R3, R4
5905-279-1880			R4
5905-279-1880			R39
5905-279-1880			R17
5905-279-1880			R17
5905-279-1890			R56
5905-279-1894			R56
5905-279-1897			R14
5905-279-1897			R56
5905-279-1930			R13-R16
5905-279-2302			R17
5905-279-2515			R21
5905-279-2529			R4
5905-279-2545			R5 THRU R8
5905-279-2553			R14
5905-279-2616			R14
5905-279-2616			R3
5905-279-2616			R53
5905-279-2616			R52
5905-279-2626			R7
5905-279-2643			R3
5905-279-2643			R26
5905-279-2643			R22, R2
5905-279-2643			R6, R8, R4
5905-279-2650			R37
5905-279-2650			R16
5905-279-2661			R2
5905-279-3418			R91
5905-279-3494			R22
5905-279-3499			R22
5905-279-3500			R24
5905-279-3500			R3
5905-279-3500			R27, R33, R36
5905-279-3502			R16
5905-279-3502			R5, R11, R13
5905-279-3503			R38
5905-279-3503			R57
5905-279-3503			R34
5905-279-3503			R82
5905-279-3503			R13
5905-279-3504			R22
5905-279-3505			R8
5905-279-3505			R83

F S N	FIGURE	SYMBOL	I T E M
5905-279-3505			R2
5905-279-3506			R61, R88, R89
5905-279-3506			R10
5905-279-3506			R8
5905-279-3513			R51, R65
5905-279-3513			R14
5905-279-3514			R56
5905-279-3514			R3
5905-279-3519			R7
5905-299-1541			R19
5905-299-1971			R42
5905-299-1971			R18
5905-299-2052			R4
5905-447-0706			R18
5905-473-5251			R9, R26
5905-473-5251			R17
5905-501-5174			A4
5905-542-7670			R12, R13
5905-549-5327			R33
5905-577-1785			R3
5905-577-6736			R4
5905-577-6743			R39
5905-615-7339			R89, R90
5905-615-7726			R10, R11
5905-655-3982			R2
5905-676-7972			R35
5905-676-8887			R35
5905-681-6462			R1
5905-681-6462			R2, R8, R16, R25, R26
5905-681-6462			R4
5905-681-8818			R45
5905-681-8818			R7, R17
5905-681-8818			R42
5905-681-8818			R30, R44
5905-681-8957			R30, R44
5905-681-9969			R4
5905-681-9969			R30, R44
5905-681-9969			R40
5905-681-9969			R48
5905-681-9970			R87
5905-681-9970			R20
5905-681-9970			R30, R44
5905-681-9970			R32
5905-681-9970			R3
5905-681-9970			R6, R12, R23
5905-681-9970			R42
5905-682-1250			R15
5905-682-4098			R33
5905-682-4098			R30, R44, R24
5905-682-4098			R4, R10
5905-682-4098			R48

F S N	FIGURE	SYMBOL	I T E M
5905-686-3358			R13, R14
5905-686-3368			R42
5905-686-3369			R93
5905-686-3369			R46
5905-686-3369			R12
5905-686-3798			R25, R30, R44
5905-686-3798			R46
5905-686-3798			R30
5905-686-3798			R48
5905-686-3798			R13
5905-686-3798			R88
5905-686-3838			R20
5905-686-3838			R69
5905-686-3838			R2, R17
5905-686-3838			R30, R44
5905-686-3838			R45
5905-686-3903			R30, R44
5905-686-3903			R43
5905-686-3903			R45
5905-686-9994			R9
5905-686-9994			R2
5905-686-9994			R48
5905-686-9995			R7, R10
5905-686-9995			R72
5905-686-9996			R48
5905-686-9996			R6
5905-686-9998			R80, R86
5905-686-9998			R55
5905-686-9998			R30, R44, R26, R27, R31, R38, R44, R45
5905-686-9998			R28
5905-686-9998			R25
5905-686-9998			R67
5905-686-9998			R82
5905-686-9998			R5, H6, R11, R12
5905-687-0000			R45
5905-687-0000			R42
5905-687-0000			R2, R5
5905-687-0000			R30, R44
5905-687-0000			R13, R24
5905-687-0000			R19
5905-687-0002			R30, R44
5905-687-0002			R3, R4, R12, R16
5905-687-0002			R9
5905-687-0002			R15
5905-687-0002			R42
5905-687-0002			R45
5905-687-0002			R75, R76
5905-688-3365			R5, R6
5905-688-3738			R48
5905-688-3738			R77, R78, R83, R84
5905-688-3738			R7
5905-688-3980			R38
5905-691-0195			R30

FIGURE SYMBOL ITEM

5905-691-0195	R30, R44
5905-691-0195	R31, R35
5905-691-0195	R16
5905-691-0195	R17
5905-691-0195	R40, R45
5905-702-0541	R3
5905-702-1765	R47
5905-721-0591	R42
5905-723-5251	R36
5905-723-5251	R42
5905-723-5251	R18
5905-723-5251	R7, R8, R36, R40
5905-723-5251	R15
5905-723-5251	R48
5905-723-5251	R18
5905-723-5251	R48
5905-723-5251	R33
5905-723-5251	R7, R8
5905-725-6995	R15
5905-725-6995	R25
5905-726-4413	R85
5905-726-4413	R30, R44
5905-726-4413	R42
5905-726-4413	R31
5905-726-4413	R44
5905-726-4413	R11, R19
5905-726-4413	R59
5905-727-8001	R25
5905-729-7690	R42
5905-752-3186	R37
5905-752-3316	R10, R16
5905-752-7374	R5
5905-802-6730	R48
5905-802-6730	R1, R6, R78
5905-802-6730	R2
5905-802-6730	R11
5905-802-6730	R81
5905-802-6730	R39, R40
5905-803-3468	R5
5905-808-6135	R2
5905-808-6135	R2
5905-809-6364	R3
5905-809-6365	R1, R10
5905-809-6366	R2
5905-809-8932	R4
5905-810-0614	R10
5905-810-0626	R31
5905-810-0627	R32
5905-810-0628	R29
5905-810-0631	R28
5905-810-0633	R22
5905-810-0639	

FIGURE SYMBOL ITEM

5905-810-0643	R24	
5905-810-0646	R25	
5905-810-0646	R5	
5905-810-0647	R26	
5905-810-0648	R27	
5905-810-0650	R71	
5905-810-0655	R11,R17,R21	
5905-810-0665	R1	
5905-810-0702	R2	
5905-810-2176	R9	
5905-810-2777	R11	
5905-810-5641	R2	
5905-810-5641	R5	
5905-811-9398	R8	
5905-820-9124	R5, R2	
5905-825-1977	R5	
5905-826-8070	R20	
5905-827-0724	R11	
5905-828-5804	R25, R70	
5905-834-1708	R44	
5905-850-0248	R6	
5905-857-1994	R1, R4	
5905-965-8778	R20	
5905-975-1124	486	
5905-982-5503	R2	
5905-982-5503	R10, R19	
5905-984-1666	R5	
5910-020-2499	C14,C20,C25,C29	
5910-050-7367	C47,C48	
5910-050-7367	C207	
5910-050-7367	C85,C86	
5910-058-1659	C62	
5910-061-6705	C5,C8,C14,C15	
5910-061-7435	C20,C58	
5910-061-8233	C18	
5910-061-9556	C16	
5910-061-9081	C54	
5910-067-5697	C208,G14	
5910-067-8288	C152 THRU C154,C233 THRU C246,C263	
5910-068-1334	C22	
5910-068-1334	C82	
5910-068-1334	C204	
5910-068-2575	C29	
5910-068-2575	C44,C45	
5910-079-5665	C31,C34	
5910-079-5665	C22	
5910-079-5665	C22	
5910-079-5666	C22	
5910-079-5673	C110	
5910-080-1742	C198	
5910-080-2330	C201	
5910-080-2331	192	
5910-080-3688	C190	
5910-080-3689		
5910-080-0303	G30	

FIGURE I T E M

SYMBOL

F S N

5910-080-3690	C71,C33
5910-080-4010	C68
5910-080-4010	C30
5910-080-4011	C22
5910-080-4013	C197
5910-080-4014	C195
5910-080-4015	C22
5910-080-4017	C4
5910-080-4019	C2,C5,C11,C13,C14,C16
5910-080-4019	C88-C92,C94-C98
5910-080-4019	C24
5910-080-4019	C75,C81,C84
5910-080-4019	C12,C17
5910-080-4019	C35
5910-080-4020	C2,C3,C5,C13
5910-080-4020	C1,C2,C4,C6,C9,C13,C16,C20
5910-080-4020	C3
5910-080-4020	C27,C29,C37
5910-080-4020	C39
5910-080-4136	C5
5910-080-4137	C14,C18
5910-080-5153	C217
5910-080-5153	C78
5910-080-6462	C32
5910-080-6462	C75
5910-080-6462	C100 THRU C102, C39
5910-080-7561	C33
5910-088-3854	C1
5910-081-9116	C20
5910-087-0117	C14,C20,C25,C29
5910-087-2961	C10 THRU C12,C15
5910-087-6969	C27
5910-087-6975	C9,C47
5910-129-9183	C141
5910-280-8374	C51
5910-280-8374	C57
5910-519-6789	C6
5910-542-7365	C7
5910-542-7373	C95, C1, C1,C13, C11, C44
5910-542-7387	C21, C46
5910-542-7493	C3,C4,C6,C7
5910-543-0741	C1
5910-543-0741	C57
5910-543-0741	C14,C20,C25,C29
5910-543-0741	A1C12,A2C12
5910-543-0741	C135
5910-544-6494	C140
5910-552-1938	C12
5910-552-1938	C21,C37,C38,C52,C61
5910-552-1938	C6
5910-552-9883	C14,C20,C25,C29
5910-552-9883	C45
5910-577-1194	C15

F S N	FIGURE	SYMBOL	I T E M
5910-577-1194			C14, C20, C25, C29
5910-577-6846			C60
5910-578-1976			C45
5910-578-1976			C14, C20, C25, C29
5910-578-1976			C10
5910-578-1984			C23
5910-578-1984			C51 THRU C53
5910-578-1984			C14, C20, C25, C29
5910-578-1984			A1C12, A2C12
5910-578-1984			C45
5910-578-1984			C26
5910-578-1984			C89 THRU C91
5910-578-1984			C184
5910-578-5758			C3, C7
5910-578-5758			C8
5910-578-5758			C78
5910-581-2547			C1
5910-581-2547			C177, C259
5910-583-1776			C61
5910-615-0036			C4
5910-617-3216			C2
5910-617-4365			C165, C6
5910-617-4365			C180, C185
5910-617-4961			C10
5910-617-4961			C230
5910-649-5010			C6
5910-660-4982			C14, C20, C25, C29
5910-660-4982			C45
5910-660-7430			C34, C37, C34
5910-660-7430			C24, C34, C35, C40, C42
5910-660-7430			C55, C56, 155 THRU 160, 162, 164, 167, 249 THRU 251, 253, 254
5910-660-7430			C115, C117, C122
5910-660-7496			C15, C16, C26
5910-666-7228			C26
5910-666-7228			C2, C15, 16, 59, 60, 98, 102, 131, 132, 169, 170, 172, THRU 174, 211
5910-666-7974			C25, C27, C29, C32
5910-666-7974			C18, C19
5910-666-7974			C18, C19
5910-666-7974			C77
5910-667-6639			C128
5910-669-3596			C2
5910-682-3135			C2
5910-685-9692			C2, C21, C35
5910-686-6126			C13, C14, C20, C25, C29
5910-686-6126			C42, C43
5910-686-6126			C30, C32
5910-686-6126			C9
5910-686-6126			C17-C24
5910-686-6430			C9-C16
5910-686-6430			C266

FIGURE	SYMBOL	I T E M
5910-686-6932		C30
5910-686-7757		C20, C21
5910-686-7757		C161, C163, C248
5910-688-6457		C247
5910-702-0726		C7
5910-702-0726		C270
5910-702-0726		C14, C20, C25, C29
5910-702-5897		C177, C276
5910-709-2024		C14
5910-709-2024		C112
5910-709-2024		C23, C26
5910-709-2024		C181
5910-723-5277		G14, C20, C25, C29, C179, C183, C257
5910-723-5277		C14, C20, C25, C29, C23
5910-723-5272		C221
5910-725-7421		C43, C84
5910-725-7421		C79
5910-725-7421		C36, C39, C41
5910-725-7421		C33
5910-725-7421		C274
5910-725-7421		C116
5910-725-7421		C45
5910-725-7426		C14, C20, C25, C29
5910-725-7426		C126
5910-725-7428		C216
5910-725-7428		C24, C26, C31, C31
5910-725-7428		C20, C28
5910-726-2448		R129
5910-726-3212		C14, C20, C25, C29
5910-726-3214		C79
5910-726-3214		C218
5910-726-8696		C61
5910-739-7953		C45, C46
5910-752-4270		C72
5910-752-4270		C63
5910-752-4270		C43
5910-752-4270		C23, C30 THRU C32
5910-752-4545		C42
5910-752-4545		C137
5910-754-8606		CA
5910-754-8606		C24
5910-755-0010		C83
5910-755-0010		C36 THRU C38
5910-755-9291		C18, C19
5910-755-9291		C278
5910-755-9291		C23
5910-755-9291		C5, C6
5910-790-3789		C28
5910-801-8982		C9
5910-801-8982		C18, C19

F S N	FIGURE	SYMBOL	I T E M
5910-804-1732			C2
5910-804-7560			C74
5910-804-7560			C119
5910-804-7560			C36
5910-804-7561			C120, C121
5910-804-7562			C14, C20, C25, C29
5910-805-6630			C33
5910-806-0650			C3
5910-806-0650			C93
5910-806-6033			C14, C20, C25, C29
5910-807-1527			C8, C11
5910-808-2236			C182
5910-808-8971			C50, C51
5910-809-4512			C25
5910-809-4513			C1
5910-809-6480			C17, C27
5910-809-8015			C8
5910-809-8019			C7, C12
5910-809-8656			C107
5910-809-8659			C66
5910-809-8659			C28
5910-809-8660			C109
5910-809-8660			C134
5910-809-8663			C105
5910-809-8669			C36
5910-809-8669			C43, C44
5910-809-8669			C22
5910-809-8669			C20
5910-809-8669			C5, C8
5910-809-8669			C38, C40
5910-809-8669			C33
5910-809-8669			C74, C77
5910-809-8669			C2, C3, C5
5910-811-2807			C54
5910-811-2808			C6
5910-811-3475			C14
5910-811-3476			C13, C42
5910-811-3477			C8, C9
5910-811-3477			C3
5910-811-4041			C9
5910-811-4041			C99
5910-811-4044			C271, C272
5910-811-4788			C34, C39
5910-811-4788			C16 THRU C18, C46 THRU C50, C67, C68
5910-811-4964			C26
5910-811-4964			C11
5910-811-4964			C186
5910-811-4992			C10
5910-811-5143			C14, C20, C25, C29
5910-811-5143			C125
5910-811-8297			

FIGURE SYMBOL ITEM

F S N

5910-811-8302
5910-811-8303
5910-811-8304
5910-812-4135
5910-812-4135
5910-812-4135
5910-812-4135
5910-812-4135

C15
C19
C17
FL1, FL3
C2 THRU C4
C144 THRU C151
C104, C105
C46, C14, C36, C37

5910-812-7276
5910-812-7276
5910-812-7276
5910-812-7276
5910-812-7286
5910-812-7287

C4, C9
C40
C116
C1, C4
C258
C41

C53
C8
C37
C1
C75
C8
C22
C14, C20, C25, C29
C45
C12
C31
C168, C252

5910-812-7318
5910-812-8952
5910-812-8952
5910-812-8952
5910-812-8952
5910-812-8952
5910-814-0415
5910-814-0419
5910-814-0419
5910-814-5869
5910-814-5869
5910-814-5869

C45
C22, C39, C44, C48
C3, C4, C5, 17, 24, 25, 54, 96, 99 THRU 101, 130, 133, 136, 171, 209, 213
C34, C35
C1, C10
A1C12, A2C12
C215
C87
C14, C20, C25, C29
C49
C223
C14, C20, C25, C29
A1C12, A2C12
C45
C14, C20, C25, C29
C45
C6
C113

5910-815-6801
5910-822-5233
5910-822-5683
5910-822-5683
5910-823-1068
5910-823-1296
5910-823-1296
5910-823-1296
5910-823-1296
5910-823-1296
5910-823-1296
5910-824-8035
5910-824-8035
5910-824-8035
5910-824-8038
5910-824-8038
5910-824-9780
5910-824-9780

F S N	FIGURE	SYMBOL	I T T N
5910-825-3066			C14, C20, C25, C29
5910-825-3067			C45
5910-825-3067			C14, C20, C25, C29
5910-825-5288			C14, C20, C25, C29
5910-825-5288			C45
5910-827-0019			S41
5910-827-5912			C31
5910-827-5912			C69
5910-827-7476			C14, C20, C25, C29
5910-827-7476			A1C12, A2C12
5910-828-6332			C3
5910-828-9918			C138
5910-830-6353			GI, GII
5910-833-7102			GI03
5910-834-8493			G3, G8, G8, G9, GI0
5910-835-0218			C10
5910-837-4313			C83
5910-837-4313			C82
5910-837-6687			C14, C20, C25, C29
5910-837-6687			C45
5910-837-9326			C47, C49
5910-838-3166			C14, C20, C25, C29
5910-838-3166			C17
5910-838-3171			C205
5910-838-4242			C178, C188
5910-840-9530			C115
5910-842-3332			C219
5910-842-3332			C80
5910-842-3332			C200
5910-844-4638			C45
5910-844-4638			A1C12, A2C12
5910-844-4638			C14, C20, C25, C29
5910-844-6782			C19
5910-844-6782			C166
5910-844-6782			C11
5910-846-5673			C279
5910-846-5673			C21
5910-846-5673			C16 THRU C19
5910-851-0693			C7
5910-851-0693			C12
5910-851-0693			C114
5910-852-8795			G5, G81
5910-852-9692			C14, C20, C25, C29
5910-853-8651			C61
5910-883-0838			C5, C51

FIGURE SYMBOL ITEM

5910-883-0838	C22.C35.C40.C71.C7
5910-883-0838	C15.C16.C21.C25.C27.C48
5910-892-7961	C14.C20.C25.C29
5910-892-7961	C45
5910-892-7961	C4, C1
5910-893-2394	C28
5910-894-0424	C224, C14, C20, C25, C29, C212, C15
5910-950-0778	C6
5910-952-1708	C111
5910-952-7046	C20
5910-952-8661	C7
5910-953-5412	C4
5910-954-1913	C11.C12
5910-954-5505	C76
5910-954-5505	C123
5910-957-2054	C206
5910-957-8578	C222
5910-957-8578	C14.C20.C25.C29
5910-957-8579	C19
5910-958-4175	C14.C20.C25.C29
5910-958-4175	C45
5910-958-4175	A1C12.A2C12
5910-964-5757	C18
5910-964-7276	C14.C20.C25.C29
5910-964-7276	C82
5910-965-9441	C87
5910-965-9441	C9
5910-984-7588	C2
5910-984-7588	C124
5910-984-7588	C194
5910-984-7588	C142.C143
5910-988-8375	C11.C12
5910-988-4314	C191
5910-988-6482	C7
5910-988-6482	C23
5910-988-6482	C7
5910-988-6482	72 THRU Z4
5915-828-4813	E1.E2
5915-828-4814	E3
5915-828-4815	FL1
5915-846-0449	FL1
5915-846-0450	FL1
5915-846-0452	FL1
5915-846-0453	FL2
5915-846-0599	FL1
5915-846-0599	FL1
5915-848-7966	FL1
5915-848-7966	FL2
5915-849-8825	S11
5930-020-9554	S13
5930-034-2322	S2
5930-034-2338	

FIGURE SYMBOL ITEM

5930-034-2340
 5930-064-6285
 5930-064-9025
 5930-083-6139
 5930-083-6140
 5930-083-6160
 5930-083-6161
 5930-083-6163
 5930-083-6165
 5930-083-8508
 5930-086-9021
 5930-501-1787
 5930-359-5847
 5930-084-7482
 5935-059-9988
 5935-060-8066
 5935-060-9529
 5935-061-1363
 5935-061-1369
 5935-061-4641
 5935-061-7744
 5935-061-7744
 5935-061-7744
 5935-061-7744
 5935-061-7744
 5935-061-7744
 5935-061-7744
 5935-065-2037
 5935-080-6959
 5935-080-6959
 5935-080-9292
 5935-080-9292
 5935-080-9293
 5935-080-9293
 5935-081-1236
 5935-149-3083
 5935-192-4729
 5935-201-9222
 5935-259-4630
 5935-283-1269

5935-578-3324
 5935-615-9129
 5935-615-9130
 5935-615-9130
 5935-615-6731
 5935-615-8555
 5935-683-7648
 5935-683-7649
 5935-683-7657
 5935-685-9913
 5935-686-9970
 5935-703-1980
 5935-703-2009

J9
 J3
 J5
 J5
 J3
 J7, J8
 J3
 J4
 J6

Pl-P3, Pl, P2, P5, Pl, Pl thru P8
 J2
 XV1, XV5, XV8 thru XV11
 XV1, THRU XV3, XV6, XV7, XV12

J16, J18 THRU J20, J25, J26, J29 THRU J31, J34 THRU J39
 P4
 J1

J5 THRU J8

XV1, XV2

J11, J12

Pl

J3

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

J2

F S N	FIGURE	SYMBOL	I T E M
5935-737-1547			P1
5935-737-1547			P1
5935-775-0949			P9
5935-806-2685			J8
5935-806-2688			J1
5935-808-6131			J5
5935-809-6134			J3
5935-808-6134			J3
5935-808-6134			J3
5935-808-9550			J2
5935-811-1381			J12, J14, J15
5935-811-1382			P1
5935-811-1382			P1
5935-811-1382			P1
5935-812-6415			J5
5935-812-7323			J6
5935-850-5653			J24, J32
5935-883-1882			J4
5935-883-1882			J4
5935-885-6505			A2, A3
5935-951-4054			41
5935-951-6370			J17, J21, J28, J33
5935-988-4769			J5
5935-990-3806			J9
5945-050-4281			K3
5945-615-3211			K7
5945-679-9457			K2 thru K4
5945-683-0687			G1
5945-809-7161			K1
5945-809-7163			K5
5945-810-5482			K9
5945-810-5982			K8
5945-811-2821			K1
5945-812-8721			K6
5945-850-8533			K1
5945-850-8533			K2
5945-851-8488			K2
5945-965-8786			K3
5945-965-9798			K10
5950-060-0754			L123
5950-060-1392			L125 THRU L127
5950-060-1794			L5
5950-060-3087			L90
5950-060-6833			L4

FIGURE I T E M

F S N	SYMBOL	I T E M
5950-060-8090		L19
5950-060-8090		L2
5950-060-8091		L7, L8
5950-060-8091		L3
5950-060-8092		L17
5950-060-9142		L4, L5
5950-060-9188		L80, L121
5950-060-9188		L3, L4
5950-060-9687		L128
5950-061-2235		L2
5950-061-2235		L2, L3
5950-076-3903		L5
5950-080-2724		L32B, L33A, L33B, L34A, L34B
5950-080-2724		L18B, L19A, L19B, L20A, L20B
5950-080-2724		L70A, L70B, L71A
5950-080-2724		L68H, L69A
5950-080-4458		L53A, L53B, L54A, L54B, L55A, L55B, L56A, L56B
5950-080-4458		L73B, L74A, L7
5950-080-4458		L36B
5950-080-4458		L22H
5950-080-4676		L21A, L21B, L22A
5950-080-4676		L71B, L72A, L72B, L73A
5950-080-4676		L49B, L50A, L50B, L51A, L51B, L52A, L52B
5950-080-4676		L35A, L35B, L36A
5950-080-4677		L63A
5950-080-4677		L23B
5950-080-4677		L98
5950-080-4678		L83B
5950-080-4678		L84A, L84B
5950-080-4678		L10B, L11A
5950-080-4678		L24H, L25A
5950-080-4681		L63B
5950-080-4681		L10A
5950-080-4681		L24A
5950-080-4681		L24A
5950-080-4682		L65A
5950-080-4682		L44A
5950-081-2204		L1
5950-081-2205		L6
5950-081-2205		L18
5950-083-6157		L2
5950-087-1562		E15 THRU E18
5950-228-8640		L2
5950-387-0489		L1
5950-543-9367		L5
5950-645-6060		L85
5950-686-6425		L5, L57, L76, L77, L79, L83, L120
5950-688-6930		L84
5950-706-9463		L124, L129
5950-715-0792		L6, L7
5950-755-8586		L11
5950-774-5201		L2
5950-796-3120		L3, L6

ITEM

FIGURE

SYMBOL

F S N

5950-796-3120	L7. L10
5950-796-3120	L5A
5950-796-3120	L3
5950-801-1525	L86
5950-807-3425	L6. L9
5950-808-7572	F12 THRU E14
5950-809-0743	T1
5950-809-1237	L9A
5950-809-1237	L62A
5950-809-1237	L62B
5950-809-1237	L23A
5950-809-1239	L61
5950-809-1239	L68A, L68B, L69A, L69B
5950-809-1239	L46B, L47A, L47B, L48A
5950-809-1239	L15B, L16A, L16B
5950-809-1239	L29B, L30A, L30B
5950-809-1243	L14B, L15A
5950-809-1243	L28B, L29A
5950-809-1257	L27A, L27B, L28A
5950-809-1257	L13A, L13B, L14A
5950-809-1257	L66A, L68B, L69A, L69B
5950-809-1257	L44B, L45A, L45B, L46A
5950-809-1268	L25B, L26A, L26B
5950-809-1269	L11B, L12A, L12B
5950-809-4535	L43A
5950-810-5470	L1
5950-811-0525	L1. L4
5950-811-2569	T1
5950-811-9476	L65B
5950-811-9479	L1
5950-812-4422	L88
5950-812-4422	L3
5950-812-4431	L2, L12, L15
5950-812-4443	L9
5950-812-4443	L16
5950-812-4443	L8
5950-812-4443	L4, L5
5950-812-4443	L20, L22
5950-812-4443	L3, L5
5950-812-4443	L1
5950-814-1608	L2. L3. L4
5950-818-3507	L59
5950-818-3509	Z5
5950-818-3736	L3
5950-821-9497	L87
5950-828-5331	L89
5950-828-5333	L3
5950-828-5334	L8
5950-828-6344	L11
5950-842-2247	L60, L75, L78
5950-842-2247	L6
5950-842-2247	L5
5950-846-0601	T1

FIGURE SYMBOL I T E M

5950-847-2302	T4	
5950-850-5180	T73	
5950-850-5484	T3	
5950-850-6791	L2	
5950-850-6792	T1	
5950-850-7811	T4	
5950-852-5529	T1	
5950-852-7428	T75	
5950-854-8973	T2	
5950-855-2782	L82	
5950-855-2782	L1, L10	
5950-855-2782	L9	
5950-858-1211	L6, L37	
5950-858-1212	L40	
5950-858-1213	L4	
5950-858-5262	T2	
5950-878-2442	L10	
5950-881-1547	T3	
5950-881-1548	T2	
5950-893-0434	L81	
5950-893-0434	L2	
5950-950-7707	T1	
5950-960-7337	L8	
5950-968-4569	T1	
5950-987-5334	L95, L103, L104	
5950-987-5395	L93, L96, L97, L106, L107, L108	
5950-987-5396	L91, L92, L98, L99, L109 THRU L112	
5950-987-5397	L100, L113 THRU L115	
5950-987-5398	L101, L102, L116 THRU L118	
5960-166-7667	V8 Thru V11	
5960-518-5068	V4, V5	
5960-561-1755	E1 thru E3, E11	
5960-608-0503	CR6	
5960-615-0213	V6, V7	
5960-686-7500	E6, E6	
5960-831-2886	Q6	
5960-812-3525	CR3, CR1, CR2	
5960-812-6181	CR1	
5960-892-3801	Q5 thru Q7	
5960-926-0211	V1, V2	
5960-985-1900	CR4	
5961-053-1432	CR13	
5961-061-1121	CR1, CR2	
5961-081-8818	CR8A, CR8B	
5961-087-6017	CR3, CR5, CR6, CR25, CR1, CR5, CR9, CR2 thru CR1, CR12, CR11, CR8, CR9, CR10, CR7	
5961-088-2938	Q5	
5961-281-7608	CR6	
5961-512-7005	Q1, Q2	
5961-556-2091	CR1	
5961-577-6181	CR3 thru CR5	
5961-617-1312	Q4, Q5, Q6, Q7, Q2 thru Q5	
5961-682-9178	Q12, Q13	
5961-683-1310	Q3, Q4	
5961-686-7500	E5, E6	
5961-712-1002	Q1	

5961-713-6813	CR3, CR14-CR21, CR6-CR13
5961-752-5240	Q3
5961-754-5694	CR2-CR5, CR1
5961-783-5652	Q1 thru Q4, Q8, Q9
5961-807-8299	CR4, CR5, CR6, CR2, CR7, CR11, CR3, CR4
5961-808-8398	Q1, Q10
5961-809-1105	CR5
5961-809-1870	Q14, Q15, Q16 thru Q19, Q9, Q11, Q1, Q4
	Q1 thru Q3, Q5, Q7, Q8
	Q1 thru Q4
	CR1
	CR9, CR10
	CR1, CR2
	Q2
	Q1, Q2, Q3
	CR2A, CR2B
	CR6
	CR2
	Q4 thru Q9
	Q4, Q6
	CR24
	RT1
	Q2
	B1, B2
	B2
	B2
	ML
	ML
5961-810-1572	
5961-814-0768	
5961-815-8452	
5961-819-3318	
5961-824-8448	
5961-826-7794	
5961-826-9048	
5961-833-7100	
5961-836-0376	
5961-837-7262	
5961-849-6870	
5961-854-8986	
5961-985-2363	
6105-849-5458	
6105-849-7317	
6625-061-3602	

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-36, Direct and General maintenance requirements for OV-1A, OV-1B, OV-1C, U-1A, U-6A, U-8D, U-8E, U-8F, U-10A, CH-21C, CH-34A, CH-34C, CH-37A, CH-37B, CH-47A, UH-1B, UH-1D, UH-19D Aircrafts.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1969-344436/1289



TM 11-5821-250-35P RECEIVER-TRANSMITTER, RADIO RI-698/ARC-102 - 1969